




Catalog

2026







Surfaces and decors for indoor and outdoor



Large slabs for floor, wall and furniture



Furniture

Index

- Product finder

ALPHABETICAL INDEX

LOOK INDEX

PORCELAIN TILES SIZE INDEX

OUTDOOR SIZE INDEX

WALL TILES SIZE INDEX
- Large sizes

Slabs for countertops & furniture

Furniture

Facades

Safety requirements
- Porcelain tiles surface range

Wall tiles surface range

Company
- Collections

3D WALL

CONCRETE & RESIN LOOK

METAL LOOK

MARBLE LOOK

STONE LOOK

WOOD LOOK

FABRIC LOOK
- Trim tiles

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

Alphabetical Index

- 70

3D WALL CARVE ⁽²⁾
- 74

3D WALL DESIGN
- 78

3D WALL PLASTER
- 80

BOOST
- 88

BOOST BALANCE
- 96

BOOST COLOR
- 104

BOOST EXPRESSION ⁽¹⁾
- 220

BOOST ICOR
- 228

BOOST MINERAL
- 234

BOOST MIX
- 112

BOOST NATURAL ⁽¹⁾
- 120

BOOST NATURAL PRO
- 126

BOOST PRO
- 238

BOOST STONE
- 134

BOOST VISION
- 244

BRAVE
- 264

ENTICE
- 268

ETIC
- 270

ETIC PRO
- 272

EXENCE
- 276

HEARTWOOD
- 250

LIMS
- 280

LOG
- 288

LOG CANSEI
- 292

LOG SELECT
- 148

MARVEL
- 152

MARVEL 3D
- 156

MARVEL DIVA
- 164

MARVEL DREAM
- 166

MARVEL EPIC
- 170

MARVEL GALA ⁽¹⁾
- 174

MARVEL GEMS
- 176

MARVEL MERAVIGLIA ⁽²⁾
- 186

MARVEL ONYX
- 190

MARVEL SHINE
- 196

MARVEL STONE Marble Look
- 200

MARVEL T
- 206

MARVEL TRAVERTINE ⁽¹⁾
- 212

MARVEL X ⁽¹⁾
- 258

NORDE
- 252

NYRA
- 140

PRISM
- 298

VEST



Look Index

- 3D Wall**

70

3D WALL CARVE ⁽²⁾

74

3D WALL DESIGN

78

3D WALL PLASTER

152

MARVEL 3D

Concrete & Resin Look

80

BOOST

88

BOOST BALANCE

96

BOOST COLOR

104

BOOST EXPRESSION ⁽¹⁾

112

BOOST NATURAL ⁽¹⁾

120

BOOST NATURAL PRO

126

BOOST PRO

134

BOOST VISION

140

PRISM

Metal Look

134

BOOST VISION

Marble Look

148

MARVEL

152

MARVEL 3D

156

MARVEL DIVA

164

MARVEL DREAM

166

MARVEL EPIC

170

MARVEL GALA ⁽¹⁾

174

MARVEL GEMS

176

MARVEL MERAVIGLIA ⁽²⁾

186

MARVEL ONYX

190

MARVEL SHINE

196

MARVEL STONE Marble Look

200

MARVEL T

206

MARVEL TRAVERTINE ⁽¹⁾

212

MARVEL X ⁽¹⁾

Stone Look

220

BOOST ICOR

228

BOOST MINERAL

234

BOOST MIX

238

BOOST STONE

244

BRAVE

250

LIMS

206

MARVEL TRAVERTINE ⁽¹⁾

258

NORDE

252

NYRA

Wood Look

264

ENTICE

268

ETIC

270

ETIC PRO

272

EXENCE

276

HEARTWOOD

280

LOG

288

LOG CANSEI

292

LOG SELECT

Fabric Look

298

VEST

5

INDEX



PRODUCT
FINDER



ALPHABETICAL INDEX
LOOK INDEX
PORCELAIN TILES SIZE INDEX
OUTDOOR TILES SIZE INDEX
WALL TILES SIZES INDEX

SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Outdoor Size Index

120x120 	80 BOOST	9/20 mm	Concrete Look
	88 BOOST BALANCE	9/20 mm	Concrete Look
	104 BOOST EXPRESSION	9/20 mm	Concrete Look
	220 BOOST ICOR	20 mm	Stone Look
	228 BOOST MINERAL	20 mm	Stone Look
	234 BOOST MIX	20 mm	Stone Look
	112 BOOST NATURAL	9/20 mm	Concrete Look
	120 BOOST NATURAL PRO	9/20 mm	Concrete Look
	126 BOOST PRO	9/20 mm	Concrete Look
	238 BOOST STONE	20 mm	Stone Look
	134 BOOST VISION	9/20 mm	Concrete Look
	252 NYRA	20 mm	Stone Look
60x120 	80 BOOST	20 mm	Concrete Look
	88 BOOST BALANCE	9/20 mm	Concrete Look
	104 BOOST EXPRESSION	9/20 mm	Concrete Look
	220 BOOST ICOR	9/20 mm	Stone Look
	228 BOOST MINERAL	9/20 mm	Stone Look
	234 BOOST MIX	20 mm	Stone Look
	112 BOOST NATURAL	9 mm	Concrete Look
	120 BOOST NATURAL PRO	9/20 mm	Concrete Look
	126 BOOST PRO	20 mm	Concrete Look
	238 BOOST STONE	9/20 mm	Stone Look
	134 BOOST VISION	20 mm	Concrete Look
	244 BRAVE	20 mm	Stone Look
80x80 	80 BOOST	20 mm	Concrete Look
	104 BOOST EXPRESSION	20 mm	Concrete Look
	220 BOOST ICOR	20 mm	Stone Look
	126 BOOST PRO	20 mm	Concrete Look
	134 BOOST VISION	9 mm	Concrete Look
	258 NORDE	20 mm	Stone Look
	252 NYRA	20 mm	Stone Look
60x90 	228 BOOST MINERAL	20 mm	Stone Look
	258 NORDE	20 mm	Stone Look



DOWNLOAD >
OUTDOOR CATALOG

Wall Tiles Size Index

50x120 	74 3D WALL DESIGN	
	78 3D WALL PLASTER	
	152 MARVEL 3D	Marble Look
	100 BOOST COLOR	Concrete Look
	110 BOOST EXPRESSION	Concrete Look
	227 BOOST ICOR	Stone Look
	118 BOOST NATURAL	Concrete Look
	124 BOOST NATURAL PRO	Concrete Look
	139 BOOST VISION	Concrete Look
	287 LOG	Wood Look
	162 MARVEL DIVA	Marble Look
	205 MARVEL T	Marble Look
40x80 	70 3D WALL CARVE	
	74 3D WALL DESIGN	
	86 BOOST	Concrete Look
	132 BOOST PRO	Concrete Look
	139 BOOST VISION	Concrete Look
	248 BRAVE	Stone Look
	205 MARVEL T	Marble Look
	257 NYRA	Stone Look
30,5x56 	74 3D WALL DESIGN	
	149 MARVEL	Marble Look

INDEX



PRODUCT
FINDER



ALPHABETICAL INDEX
LOOK INDEX
PORCELAIN TILES SIZE INDEX
OUTDOOR TILES SIZE INDEX
WALL TILES SIZES INDEX

SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES














TECHNICAL
SPECIFICATIONS



Porcelain Tiles

Concrete & Resin Look

Porcelain Tiles — CONCRETE & RESIN LOOK

 FROG PURE BOOST COLOR MATTE	 GLOW BOOST EXPRESSION MATTE, GRIP	 PURE BOOST BALANCE MATTE, VELVET, GRIP	 SALT BOOST NATURAL PRO MATTE, VELVET, GRIP	 GLOW BOOST VISION MATTE, HAMMERED, GRIP	 COTTON PRISM MATTE, SILK	 SHELL BOOST EXPRESSION MATTE, GRIP, OUTDOOR	 IVORY BOOST BALANCE MATTE, VELVET, GRIP	 IVORY BOOST PRO MATTE, GRIP	 WHITE BOOST MATTE, GRIP, OUTDOOR
 HAZE BOOST VISION MATTE, GRIP, OUTDOOR	 ICE BOOST EXPRESSION MATTE, GRIP, OUTDOOR	 MOON BOOST BALANCE MATTE, VELVET, GRIP	 WHITE BOOST BALANCE MATTE, VELVET, GRIP, OUTDOOR	 HAZE BOOST EXPRESSION MATTE, GRIP, OUTDOOR	 CINDER BOOST NATURAL MATTE, VELVET, GRIP, OUTDOOR	 DOVE BOOST NATURAL PRO MATTE, VELVET, GRIP	 PEARL BOOST BALANCE MATTE, VELVET, GRIP, OUTDOOR	 CLOUD PRISM MATTE, SILK, GRIP, OUTDOOR	 KAOLIN BOOST NATURAL MATTE, GRIP, OUTDOOR
 CAMEL BOOST EXPRESSION MATTE, GRIP	 OAT BOOST NATURAL PRO MATTE, VELVET, GRIP, OUTDOOR	 CORD PRISM MATTE, SILK, GRIP, OUTDOOR	 CREAM BOOST BALANCE MATTE, VELVET, GRIP	 CAMEL BOOST VISION MATTE, HAMMERED, GRIP	 TAN BOOST EXPRESSION MATTE, GRIP	 SAND BOOST NATURAL PRO MATTE, VELVET, GRIP	 ASH BOOST NATURAL MATTE, GRIP, OUTDOOR	 CREAM BOOST PRO MATTE, GRIP, OUTDOOR	 ASH BOOST BALANCE MATTE, VELVET, GRIP, OUTDOOR
 ASH BOOST VISION MATTE, GRIP, OUTDOOR	 CLAY BOOST PRO MATTE, GRIP, OUTDOOR	 CORAL BOOST NATURAL MATTE	 ECRU BOOST NATURAL MATTE, GRIP, OUTDOOR	 GREY BOOST VISION MATTE, GRIP, OUTDOOR	 PEARL BOOST MATTE, GRIP	 GREY BOOST BALANCE MATTE, VELVET, GRIP, OUTDOOR	 GREY BOOST MATTE, GRIP, OUTDOOR	 SMOKE BOOST BALANCE MATTE, VELVET, GRIP	 SMOKE BOOST MATTE, GRIP, OUTDOOR
 TAUPE BOOST PRO MATTE, GRIP, OUTDOOR	 COAL BOOST NATURAL MATTE, GRIP	 TARMAC BOOST BALANCE MATTE, VELVET, GRIP	 CARBON BOOST EXPRESSION MATTE	 TARMAC BOOST MATTE, GRIP, OUTDOOR	 TOBACCO BOOST PRO MATTE	 UMBER BOOST NATURAL MATTE, GRIP	 SALIX BOOST COLOR MATTE	 MAUVE BOOST COLOR MATTE	 BLOOM PRISM MATTE

Porcelain Tiles — CONCRETE & RESIN LOOK

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE






























FACADES



TECHNICAL
SPECIFICATIONS




Porcelain Tiles — CONCRETE & RESIN LOOK

 GRAPE PRISM MATTE	 CARAMEL PRISM MATTE	 COBALT BOOST NATURAL MATTE	 TEAL BOOST COLOR MATTE	 DUSK PRISM MATTE	 GRADIENT PRISM	 BRUSH PRISM	 MIDNIGHT PRISM MATTE	 JADE BOOST COLOR MATTE	 MOSS PRISM MATTE
 EMERALD PRISM MATTE	 LEAVES BOOST PRO	 MOSAICO CIRCLE BOOST EXPRESSION GLOW	 MOSAICO ELLIPSE BOOST EXPRESSION GLOW	 MOSAICO MATTE BOOST BALANCE PURE	 MOSAICO LOCK MATTE BOOST BALANCE PURE	 MOSAICO STRINGS BOOST BALANCE PURE	 MOSAICO MATTE PRISM COTTON	 MOSAICO MAZE PRISM COTTON	 MOSAICO CIRCLE BOOST EXPRESSION SHELL
 MOSAICO ELLIPSE BOOST EXPRESSION SHELL	 MOSAICO MATTE BOOST BALANCE IVORY	 MOSAICO LOCK MATTE BOOST BALANCE IVORY	 MOSAICO STRINGS BOOST BALANCE IVORY	 MOSAICO MATTE BOOST PRO IVORY	 MOSAICO SHAPES BOOST PRO IVORY	 MOSAICO HEX OLIVE BOOST PRO IVORY	 MOSAICO RHOMBUS MATTE BOOST NATURAL KAOLIN	 MOSAICO TUMBLED MATTE BOOST NATURAL KAOLIN	 DUO CAMEL BOOST EXPRESSION CAMEL + GLOW
 MOSAICO CIRCLE BOOST EXPRESSION CAMEL	 MOSAICO ELLIPSE BOOST EXPRESSION CAMEL	 MOSAICO MATTE BOOST BALANCE CREAM	 MOSAICO LOCK MATTE BOOST BALANCE CREAM	 MOSAICO STRINGS BOOST BALANCE CREAM	 MOSAICO MATTE PRISM CORD	 MOSAICO MAZE PRISM CORD	 MOSAICO CIRCLE BOOST EXPRESSION TAN	 MOSAICO ELLIPSE BOOST EXPRESSION TAN	 MOSAICO TUMBLED MATTE BOOST NATURAL ASH
 MOSAICO SHAPES BOOST PRO CREAM	 MOSAICO MATTE BOOST BALANCE ASH	 MOSAICO LOCK MATTE BOOST BALANCE ASH	 MOSAICO STRINGS BOOST BALANCE ASH	 MOSAICO MATTE BOOST PRO CREAM	 MOSAICO HEX BLUE BOOST PRO CREAM	 MOSAICO RHOMBUS MATTE BOOST NATURAL ASH	 MOSAICO MATTE BOOST PRO CLAY	 MOSAICO SHAPES BOOST PRO CLAY	 MOSAICO RHOMBUS MATTE BOOST NATURAL ECRU
 MOSAICO TUMBLED MATTE BOOST NATURAL ECRU	 MOSAICO RHOMBUS MATTE BOOST NATURAL CORAL	 MOSAICO TUMBLED MATTE BOOST NATURAL CORAL	 MOSAICO STRINGS BOOST BALANCE MOON	 MOSAICO MATTE BOOST BALANCE MOON	 MOSAICO LOCK MATTE BOOST BALANCE MOON	 MOSAICO CIRCLE BOOST EXPRESSION ICE	 MOSAICO ELLIPSE BOOST EXPRESSION ICE	 MOSAICO MATTE BOOST BALANCE WHITE	 MOSAICO LOCK MATTE BOOST BALANCE WHITE

Porcelain Tiles — CONCRETE & RESIN LOOK

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
PORCELAIN TILES	
WALL TILES	
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

Porcelain Tiles — CONCRETE & RESIN LOOK






















 MOSAICO STRINGS BOOST BALANCE WHITE	 MOSAICO BOOST WHITE	 MOSAICO SHAPES BOOST WHITE	 DUO HAZE BOOST EXPRESSION ICE + HAZE	 MOSAICO CIRCLE BOOST EXPRESSION HAZE	 MOSAICO ELLIPSE BOOST EXPRESSION HAZE	 MOSAICO MATTE BOOST BALANCE PEARL	 MOSAICO LOCK MATTE BOOST BALANCE PEARL	 MOSAICO STRINGS BOOST BALANCE PEARL	 MOSAICO MAZE PRISM CLOUD
 MOSAICO MATTE PRISM CLOUD	 MOSAICO BOOST PEARL	 MOSAICO SHAPES BOOST PEARL	 MOSAICO MATTE BOOST BALANC GREY	 MOSAICO LOCK MATTE BOOST BALANCE GREY	 MOSAICO STRINGS BOOST BALANCE GREY	 MOSAICO SHAPES BOOST GREY	 MOSAICO BOOST GREY	 MOSAICO BOOST SMOKE	 MOSAICO SHAPES BOOST SMOKE
 MOSAICO HEX YELLOW BOOST SMOKE	 MOSAICO HEX BLACK BOOST SMOKE	 MOSAICO MATTE BOOST BALANCE SMOKE	 MOSAICO LOCK MATTE BOOST BALANCE SMOKE	 MOSAICO STRINGS BOOST BALANCE SMOKE	 MOSAICO MATTE BOOST PRO TAUPE	 MOSAICO SHAPES BOOST PRO TAUPE	 MOSAICO HEX COFFEE BOOST PRO TAUPE	 MOSAICO RHOMBUS MATTE BOOST NATURAL UMBER	 MOSAICO TUMBLED MATTE BOOST NATURAL UMBER
 MOSAICO RHOMBUS MATTE BOOST NATURAL COAL	 MOSAICO TUMBLED MATTE BOOST NATURAL COAL	 MOSAICO MATTE BOOST PRO TOBACCO	 MOSAICO SHAPES BOOST PRO TOBACCO	 MOSAICO MATTE BOOST BALANCE TARMAC	 MOSAICO LOCK MATTE BOOST BALANCE TARMAC	 MOSAICO STRINGS BOOST BALANCE TARMAC	 MOSAICO HEX JADE BOOST TARMAC	 MOSAICO HEX BLACK BOOST TARMAC	 MOSAICO BOOST TARMAC
 MOSAICO SHAPES BOOST TARMAC	 MOSAICO CIRCLE BOOST EXPRESSION CARBON	 MOSAICO ELLIPSE BOOST EXPRESSION CARBON	 MOSAICO RHOMBUS MATTE BOOST NATURAL COBALT	 MOSAICO TUMBLED MATTE BOOST NATURAL COBALT					

Porcelain Tiles — CONCRETE & RESIN LOOK

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
PORCELAIN TILES	
WALL TILES	
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

Porcelain Tiles

Marble Look

 CALACATTA EXTRA MARVEL POLISHED, MATTE, SILK	 BIANCO DOLOMITE MARVEL STONE POLISHED, MATTE	 CRYSTAL WHITE MARVEL GALA POLISHED, SILK	 CALACATTA DELICATO MARVEL SHINE POLISHED, MATTE, SILK	 CALACATTA APUANO MARVEL X POLISHED, MATTE, SILK	 CALACATTA APUANO HAMMERED MARVEL X MATTE, OUTDOOR	 CALACATTA MERAVIGLIA MARVEL MERAVIGLIA POLISHED, MATTE, VELVET, HAMMERED, SILK, OUTDOOR	 STATUARIO SUPREMO MARVEL SHINE POLISHED, MATTE	 CALACATTA BERNINI MARVEL MERAVIGLIA POLISHED, MATTE, VELVET, HAMMERED, SILK, OUTDOOR	 CALACATTA PRESTIGIO MARVEL SHINE POLISHED, MATTE, SILK
 CALACATTA SUBLIME MARVEL X POLISHED, MATTE, SILK	 HALO WHITE MARVEL T MATTE, HAMMERED	 CALACATTA IMPERIALE MARVEL SHINE POLISHED, MATTE, SILK	 TAJ MAHAL WHITE MARVEL EPIC POLISHED, MATTE, SILK	 NAVONA WHITE MARVEL T MATTE, HAMMERED	 NAVONA SAND LINE MARVEL T MATTE, HAMMERED	 ONYX IVORY MARVEL EPIC POLISHED	 WHITE MARVEL ONYX POLISHED, SILK	 ICE CRYSTAL MARVEL DIVA POLISHED, SILK, VELVET, MATTE	 CALACATTA PERLA MARVEL X POLISHED, MATTE, SILK
 PEARL MARVEL ONYX POLISHED	 WHITE CROSS CUT MARVEL TRAVERTINE MATTE, GRIP	 WHITE VEIN CUT MARVEL TRAVERTINE MATTE, GRIP, OUTDOOR	 HALO SAND MARVEL T MATTE, GRIP, OUTDOOR	 SAND CROSS CUT MARVEL TRAVERTINE MATTE, GRIP	 SAND VEIN CUT MARVEL TRAVERTINE MATTE, HAMMERED, GRIP, OUTDOOR	 NAVONA SAND MARVEL T MATTE, GRIP, OUTDOOR	 NAVONA SAND LINE MARVEL T MATTE	 ALABASTER MARVEL ONYX POLISHED	 TAJ MAHAL MARVEL DIVA POLISHED, SILK, VELVET, MATTE
 PEARL CROSS CUT MARVEL TRAVERTINE MATTE, GRIP	 PEARL VEIN CUT MARVEL TRAVERTINE MATTE, HAMMERED, GRIP, OUTDOOR	 ROMANO SAND MARVEL T MATTE, HAMMERED, GRIP, OUTDOOR	 TAJ MAHAL NOISETTE MARVEL EPIC POLISHED, MATTE, SILK	 STONE VEIL MARVEL T MATTE	 ROMANO SILVER MARVEL T MATTE, HAMMERED,	 WHITE EVEREST MARVEL DIVA POLISHED, SILK, VELVET, MATTE	 GREY CLOUD MARVEL X POLISHED, MATTE, SILK	 SILVER MAJESTIC MARVEL MERAVIGLIA POLISHED, MATTE, VELVET	 GRIGIO ELEGANTE MARVEL MERAVIGLIA POLISHED, MATTE, VELVET, HAMMERED
 FIOR DI BOSCO MARVEL X POLISHED, MATTE, SILK	 FIOR DI BOSCO HAMMERED MARVEL X MATTE, OUTDOOR	 PRECIOUS BROWN MARVEL DIVA SILK, VELVET	 NOIR MARVEL ONYX POLISHED	 BLACK TEMPEST MARVEL DIVA SILK, VELVET	 CALACATTA BLACK MARVEL GALA POLISHED	 BLACK ATLANTIS MARVEL DREAM POLISHED, MATTE	 BLACK ORIGIN MARVEL MERAVIGLIA POLISHED, MATTE	 CALACATTA VIOLA MARVEL EPIC POLISHED, SATIN	 ALPINUS MARVEL EPIC MATTE, HAMMERED

Porcelain Tiles — MARBLE LOOK

Porcelain Tiles — MARBLE LOOK

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE
























FACADES



TECHNICAL
SPECIFICATIONS



 DESERT SOUL MARVEL GALA POLISHED, SILK	 QUARTZ MARVEL ONYX POLISHED	 AMETHYST MARVEL DIVA POLISHED	 NATURAL ROOTS MARVEL EPIC POLISHED, SILK	 ZEPHYR MARVEL EPIC MATTE, SILK	 SKY MARVEL ONYX POLISHED	 AMAZZONITE MARVEL GALA POLISHED	 EXOTIC GREEN MARVEL GALA POLISHED	 AQUA MARVEL DIVA POLISHED	 GALAXY MARVEL DIVA POLISHED
 SKY STONE MARVEL DIVA SILK, VELVET	 BAOBAB MARVEL DIVA POLISHED	 TERRAZZO BLACK MARVEL GEMS MATTE	 TERRAZZO GREY MARVEL GEMS MATTE	 TERRAZZO PEARL MARVEL GEMS MATTE	 TERRAZZO WHITE MARVEL GEMS MATTE	 TERRAZZO CREAM MARVEL GEMS MATTE	 MOSAICO MATTE MARVEL CALACATTA EXTRA	 MOSAICO POLISHED MARVEL CALACATTA EXTRA	 MOSAICO 3D MARVEL CALACATTA EXTRA
 MOSAICO MATTE MARVEL STONE BIANCO DOLOMITE	 MOSAICO POLISHED MARVEL STONE BIANCO DOLOMITE	 MOSAICO POLISHED BURATTATO MARVEL STONE BIANCO DOLOMITE	 MOSAICO ESAGONO POLISHED MARVEL STONE BIANCO DOLOMITE	 CHEVRON POLISHED MARVEL STONE BIANCO DOLOMITE	 MOSAICO ESAGONO 3D MARVEL STONE BIANCO DOLOMITE	 MOSAICO MATTE MARVEL SHINE CALACATTA DELICATO	 MOSAICO POLISHED MARVEL SHINE CALACATTA DELICATO	 MOSAICO ESAGONO POL./MATTE MARVEL SHINE CALACATTA DELICATO	 MOSAICO MATTE MARVEL X CALACATTA APUANO
 MOSAICO ESAGONO SILK MARVEL X CALACATTA APUANO	 MOSAICO WATERFALL POLISHED MARVEL X CALACATTA APUANO	 MOSAICO CHEVRON POLISHED MARVEL X CALACATTA APUANO	 MOSAICO MATTE MARVEL MERAVIGLIA CALACATTA MERAVIGLIA	 HEXAGON POLISHED MARVEL MERAVIGLIA CALACATTA MERAVIGLIA	 GRID VELVET MARVEL MERAVIGLIA CALACATTA MERAVIGLIA	 DIAMOND MARVEL MERAVIGLIA CALACATTA MERAVIGLIA + BLACK ORIGIN	 MOSAICO MATTE MARVEL MERAVIGLIA CALACATTA BERNINI	 HEXAGON POLISHED MARVEL MERAVIGLIA CALACATTA BERNINI	 GRID VELVET MARVEL MERAVIGLIA CALACATTA BERNINI
 MOSAICO MATTE MARVEL SHINE CALACATTA PRESTIGIO	 MOSAICO POLISHED MARVEL SHINE CALACATTA PRESTIGIO	 MOSAICO ESAGONO POL./MATTE MARVEL SHINE CALACATTA PRESTIGIO	 MOSAICO SCENIC POLISHED MARVEL SHINE CALACATTA PRESTIGIO	 MOSAICO MATTE MARVEL SHINE CALACATTA IMPERIALE	 MOSAICO POLISHED MARVEL SHINE CALACATTA IMPERIALE	 MOSAICO ESAGONO POL./MATTE MARVEL SHINE CALACATTA IMPERIALE	 MOSAICO MATTE MARVEL X CALACATTA SUBLIME	 MOSAICO ESAGONO SILK MARVEL X CALACATTA SUBLIME	 MOSAICO WATERFALL POLISHED MARVEL X CALACATTA SUBLIME
 MOSAICO CHEVRON POLISHED MARVEL X CALACATTA SUBLIME	 HEX POLISHED MARVEL DIVA ICE CRYSTAL	 CHEVRON VELVET MARVEL DIVA ICE CRYSTAL	 TWIST POLISHED MARVEL DIVA ICE CRYSTAL	 GRID VELVET MARVEL DIVA ICE CRYSTAL	 TRIANGLE POLISHED MARVEL DIVA ICE CRYSTAL	 MOSAICO MATTE MARVEL X CALACATTA PERLA	 MOSAICO ESAGONO SILK MARVEL X CALACATTA PERLA	 MOSAICO WATERFALL POLISHED MARVEL X CALACATTA PERLA	 MOSAICO CHEVRON POLISHED MARVEL X CALACATTA PERLA

Porcelain Tiles — MARBLE LOOK

Porcelain Tiles — MARBLE LOOK

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Porcelain Tiles — MARBLE LOOK



Porcelain Tiles — MARBLE LOOK

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES









TECHNICAL
SPECIFICATIONS



Porcelain Tiles

Stone Look

 WHITE CROSS CUT MARVEL TRAVERTINE MATTE, GRIP	 IVORY LIMS MATTE, GRIP, OUTDOOR	 STAR NYRA MATTE, GRIP, OUTDOOR	 BONE BOOST ICOR MATTE, GRIP, OUTDOOR, HAMMERED	 WHITE BOOST STONE MATTE, OUTDOOR	 WHITE BOOST MINERAL MATTE, GRIP, OUTDOOR	 GYPSUM BRAVE MATTE, GRIP, OUTDOOR	 DUST BOOST ICOR MATTE, GRIP, OUTDOOR	 IVORY BOOST MIX MATTE, GRIP, OUTDOOR	 HAY NYRA MATTE, HAMMERED, GRIP, OUTDOOR
 SAND CROSS CUT MARVEL TRAVERTINE MATTE, GRIP	 IVORY BOOST STONE HAMMERED, MATTE, GRIP	 CREAM BOOST STONE MATTE, GRIP, OUTDOOR	 SUNLIGHT NYRA MATTE, GRIP, OUTDOOR	 PEARL CROSS CUT MARVEL TRAVERTINE MATTE, GRIP	 DUNE BOOST ICOR MATTE, GRIP, OUTDOOR, HAMMERED	 AMBROSIA NYRA MATTE, HAMMERED	 MAGNESIO NORDE MATTE, GRIP, OUTDOOR	 MYST NYRA MATTE, HAMMERED, GRIP, OUTDOOR	 OYSTER BOOST ICOR MATTE, GRIP, OUTDOOR
 ORO NORDE MATTE, GRIP, OUTDOOR	 CRETE BOOST ICOR MATTE	 CLAY BOOST STONE MATTE, GRIP, OUTDOOR	 PLATINO NORDE MATTE, GRIP, OUTDOOR	 PEARL BOOST STONE MATTE, GRIP	 PEARL BOOST MIX MATTE, GRIP, OUTDOOR	 PEARL BOOST MINERAL MATTE, GRIP	 SIDERAL BOOST ICOR MATTE	 GREY BOOST MINERAL MATTE, GRIP, OUTDOOR	 PEARL BRAVE MATTE, GRIP, OUTDOOR
 GREY BOOST STONE MATTE, GRIP, OUTDOOR	 METEOR NYRA MATTE	 SMOKE BOOST MINERAL MATTE, GRIP, OUTDOOR	 SMOKE BOOST STONE MATTE, GRIP, OUTDOOR	 PIOMBO NORDE MATTE, GRIP, OUTDOOR	 TAUPE BOOST STONE MATTE, GRIP	 TOBACCO BOOST STONE MATTE, GRIP	 SMOKE BOOST MIX MATTE, GRIP, OUTDOOR	 GREY BRAVE MATTE, GRIP, OUTDOOR	 TARMAC BOOST MINERAL MATTE, GRIP, OUTDOOR
 CHARCOAL NYRA MATTE	 TARMAC BOOST STONE MATTE, GRIP, OUTDOOR	 COKE BRAVE MATTE, GRIP, OUTDOOR	 FAVUS NYRA STAR	 OPUS NYRA STAR	 RAILWAY BOOST ICOR BONE	 MOSAICO FURNACE BOOST ICOR BONE	 MOSAICO CHEVRON BOOST ICOR BONE	 PEBBLE A+B BOOST ICOR BONE	 COMBO A+B BOOST ICOR BONE

Porcelain Tiles — STONE LOOK

Porcelain Tiles — STONE LOOK

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE















FACADES



TECHNICAL
SPECIFICATIONS





Porcelain Tiles — STONE LOOK

 MOSAICO MATTE BOOST STONE WHITE	 MOSAICO HEX BOOST STONE WHITE	 MOSAICO BRICK BOOST STONE WHITE	 MOSAICO MATTE BOOST MINERAL WHITE	 VENUS LUX BOOST MINERAL WHITE	 DOMINO LUX BOOST MINERAL WHITE	 MOSAICO BRAVE GYPSUM	 BRICK 3D BRAVE GYPSUM	 MOSAICO FURNACE BOOST ICOR DUST	 MOSAICO CHEVRON BOOST ICOR DUST
 PEBBLE A+B BOOST ICOR DUST	 COMBO A+B BOOST ICOR DUST	 MOSAICO MATTE BOOST MIX IVORY	 MOSAICO SLIDE BOOST MIX IVORY	 FAVUS NYRA HAY	 OPUS NYRA HAY	 MOSAICO MATTE BOOST STONE IVORY	 MOSAICO HEX BOOST STONE IVORY	 MOSAICO BRICK BOOST STONE IVORY	 MOSAICO CUBE WARM BOOST STONE
 MOSAICO MATTE BOOST STONE CREAM	 MOSAICO HEX BOOST STONE CREAM	 MOSAICO BRICK BOOST STONE CREAM	 FAVUS NYRA SUNLIGHT	 OPUS NYRA SUNLIGHT	 MOSAICO FURNACE BOOST ICOR DUNE	 MOSAICO CHEVRON BOOST ICOR DUNE	 PEBBLE A+B BOOST ICOR DUNE	 COMBO A+B BOOST ICOR DUNE	 FAVUS NYRA AMBROSIA
 OPUS NYRA AMBROSIA	 MOSAICO NORDE MAGNESIO	 BRICK NORDE MAGNESIO	 PATH A+B+C 20MM NORDE MAGNESIO	 KIT PALLADIANA GRIP NORDE MAGNESIO	 FAVUS NYRA MIST	 OPUS NYRA MIST	 MOSAICO FURNACE BOOST ICOR OYSTER	 MOSAICO CHEVRON BOOST ICOR OYSTER	 PEBBLE A+B BOOST ICOR OYSTER
 COMBO A+B BOOST ICOR OYSTER	 MOSAICO NORDE ORO	 BRICK NORDE ORO	 PATH A+B+C 20MM NORDE ORO	 KIT PALLADIANA GRIP NORDE ORO	 MOSAICO FURNACE BOOST ICOR CRETE	 MOSAICO CHEVRON BOOST ICOR CRETE	 MOSAICO MATTE BOOST STONE CLAY	 MOSAICO HEX BOOST STONE CLAY	 MOSAICO BRICK BOOST STONE CLAY
 MOSAICO NORDE PLATINO	 BRICK NORDE PLATINO	 PATH A+B+C 20MM NORDE PLATINO	 KIT PALLADIANA GRIP NORDE PLATINO	 MOSAICO MATTE BOOST STONE PEARL	 MOSAICO HEX BOOST STONE PEARL	 MOSAICO BRICK BOOST STONE PEARL	 MOSAICO MATTE BOOST MIX PEARL	 MOSAICO SLIDE BOOST MIX PEARL	 MOSAICO MATTE BOOST MINERAL PEARL

Porcelain Tiles — STONE LOOK

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
PORCELAIN TILES	
WALL TILES	
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

Porcelain Tiles — STONE LOOK












































 VENUS LUX BOOST MINERAL PEARL	 DOMINO LUX BOOST MINERAL PEARL	 MOSAICO FURNACE BOOST ICOR SIDERAL	 MOSAICO CHEVRON BOOST ICOR SIDERAL	 MOSAICO MATTE BOOST MINERAL GREY	 VENUS LUX BOOST MINERAL GREY	 DOMINO LUX BOOST MINERAL GREY	 MOSAICO BRAVE PEARL	 BRICK 3D BRAVE PEARL	 MOSAICO CUBE COLD BOOST STONE
 MOSAICO MATTE BOOST STONE GREY	 MOSAICO HEX BOOST STONE GREY	 MOSAICO BRICK BOOST STONE GREY	 FAVUS NYRA METEOR	 OPUS NYRA METEOR	 MOSAICO MATTE BOOST MINERAL SMOKE	 VENUS LUX BOOST MINERAL SMOKE	 DOMINO LUX BOOST MINERAL SMOKE	 MOSAICO BRICK BOOST STONE SMOKE	 MOSAICO HEX BOOST STONE SMOKE
 MOSAICO MATTE BOOST STONE SMOKE	 MOSAICO NORDE PIOMBO	 BRICK NORDE PIOMBO	 PATH A+B+C 20MM NORDE PIOMBO	 KIT PALLADIANA GRIP NORDE PIOMBO	 MOSAICO MATTE BOOST STONE TAUPE	 MOSAICO HEX BOOST STONE TAUPE	 MOSAICO BRICK BOOST STONE TAUPE	 MOSAICO MATTE BOOST STONE TOBACCO	 MOSAICO HEX BOOST STONE TOBACCO
 MOSAICO BRICK BOOST STONE TOBACCO	 MOSAICO MATTE BOOST MIX SMOKE	 MOSAICO SLIDE BOOST MIX SMOKE	 MOSAICO BRAVE GREY	 BRICK 3D BRAVE GREY	 VENUS LUX BOOST MINERAL TARMAC	 MOSAICO MATTE BOOST MINERAL TARMAC	 DOMINO LUX BOOST MINERAL TARMAC	 FAVUS NYRA CHARCOAL	 OPUS NYRA CHARCOAL
 MOSAICO MATTE BOOST STONE TARMAC	 MOSAICO HEX BOOST STONE TARMAC	 MOSAICO BRICK BOOST STONE TARMAC	 MOSAICO BRAVE COKE	 BRICK 3D BRAVE COKE					

Porcelain Tiles — STONE LOOK

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
PORCELAIN TILES	
WALL TILES	
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

Porcelain Tiles

Wood Look

 WHITE FLAMED LOG SELECT MATTE	 IVORY PURE LOG SELECT MATTE	 IVORY SAWN LOG SELECT MATTE	 SOSPIRO LOG CANSEI MATTE, GRIP	 BRIGHT PURE LOG SELECT MATTE, GRIP	 BRIGHT SAWN LOG SELECT MATTE	 BRIGHT FLAMED LOG SELECT MATTE, GRIP	 VANILLA EXENCE MATTE, GRIP	 BRIGHT OAK LOG MATTE, GRIP, OUTDOOR	 RIALTO LOG CANSEI MATTE, GRIP
 ICON PURE LOG SELECT MATTE, GRIP	 ICON SAWN LOG SELECT MATTE	 ICON FLAMED LOG SELECT MATTE, GRIP, OUTDOOR	 ALMOND EXENCE MATTE, GRIP, OUTDOOR	 PALE OAK ENTICE MATTE, GRIP, OUTDOOR	 AMBER PURE LOG SELECT MATTE, GRIP	 MALT HEARTWOOD MATTE	 MURANO LOG CANSEI MATTE, GRIP	 ROVERE ETIC MATTE	 DARSENA LOG CANSEI MATTE, GRIP
 AMBER OAK LOG MATTE, GRIP, OUTDOOR	 ICON OAK LOG MATTE, GRIP, OUTDOOR	 MOON PURE LOG SELECT MATTE	 MOON OAK LOG MATTE, GRIP, OUTDOOR	 ASH OAK ENTICE MATTE, GRIP, OUTDOOR	 SILVER FLAMED LOG SELECT MATTE, GRIP, OUTDOOR	 BROWNEOAK ENTICE MATTE, GRIP, OUTDOOR	 COPPER OAK ENTICE MATTE, GRIP, OUTDOOR	 AMBER EXENCE MATTE, GRIP, OUTDOOR	 FENICE LOG CANSEI MATTE, GRIP
 ROVERE VENICE ETIC PRO MATTE, OUTDOOR	 DEEP OAK LOG MATTE, GRIP, OUTDOOR	 BRANDY HEARTWOOD MATTE	 MOKA FLAMED LOG SELECT MATTE	 MOKA HEARTWOOD MATTE	 RIGA LOG CANSEI SOSPIRO	 TATAMI EXENCE VANILLA	 CHEVRON EXENCE VANILLA	 SQUARE EXENCE VANILLA	 3D TATAMI LOG BRIGHT OAK
 CHEVRON LOG BRIGHT OAK	 LINE LOG BRIGHT OAK	 DECK LOG BRIGHT OAK	 RIGA LOG CANSEI RIALTO	 TATAMI EXENCE ALMOND	 CHEVRON EXENCE ALMOND	 SQUARE EXENCE ALMOND	 TATAMI HEARTWOOD MALT	 MANSION WEAVE HEARTWOOD MALT	 RIGA LOG CANSEI MURANO

Porcelain Tiles — WOOD LOOK

Porcelain Tiles — WOOD LOOK

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE




FACADES



TECHNICAL
SPECIFICATIONS





Porcelain Tiles Fabric Look



Porcelain Tiles Metal Look



INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




















TECHNICAL
SPECIFICATIONS



Wall Tiles

3D Wall

 3D DIAMOND WHITE 3D WALL DESIGN MATTE	 3D DUNE WHITE 3D WALL DESIGN MATTE	 3D BLADE WHITE 3D WALL DESIGN MATTE	 3D ULTRA BLADE WHITE 3D WALL DESIGN MATTE	 3D LEAF WHITE 3D WALL CARVE MATTE	 3D WHITTLE WHITE 3D WALL CARVE MATTE	 3D QUBE GLOW BOOST VISION MATTE	 3D VEIL GLOW BOOST VISION MATTE	 3D CHISEL WHITE 3D WALL CARVE MATTE	 3D CREASE ICE CRYSTAL MARVEL DIVA MATTE
 3D LEAF PEARL 3D WALL CARVE MATTE	 3D WHITTLE PEARL 3D WALL CARVE MATTE	 3D CHISEL PEARL 3D WALL CARVE MATTE	 3D URBAN WHITE BOOST MATTE	 PLAIN 3D WALL PLASTE MATTE	 ORIGAMI 3D WALL PLASTER MATTE	 BLOOM 3D WALL PLASTER MATTE	 COMBED 3D WALL PLASTER MATTE	 JASMINE 3D WALL PLASTER MATTE	 BARCODE 3D WALL PLASTER MATTE
 3D FLUTE GLOW BOOST EXPRESSION MATTE	 3D LOOP GLOW BOOST EXPRESSION MATTE	 3D CREASE CALACATTA MERAVIGLIA MARVEL 3D MATTE	 3D REED CALACATTA MERAVIGLIA MARVEL 3D MATTE	 3D CREASE CALACATTA BERNINI MARVEL 3D MATTE	 3D REED CALACATTA BERNINI MARVEL 3D MATTE	 3D WAVE SALT BOOST NATURAL PRO MATTE	 3D RICE SALT BOOST NATURAL PRO MATTE	 3D QUBE WHITE VEST MATTE	 3D CREASE TRAVERTINE WHITE MARVEL 3D MATTE
 3D REED TRAVERTINE WHITE MARVEL 3D MATTE	 3D MASONRY BONE BOOST ICOR MATTE	 3D WHEAT BONE BOOST ICOR MATTE	 3D URBAN IVORY BOOST PRO MATTE	 3D PLEAT LINEN BOOST COLOR MATTE	 3D WAVE KAOLIN BOOST NATURAL MATTE	 3D BRUSHED KAOLIN BOOST NATURAL MATTE	 3D TEXTURE KAOLIN BOOST NATURAL MATTE	 3D QUBE STAR NYRA MATTE	 3D SADDLE STAR NYRA MATTE
 3D QUBE CAMEL BOOST VISION MATTE	 3D VEIL CAMEL BOOST VISION MATTE	 3D QUBE HAY NYRA MATTE	 3D SADDLE HAY NYRA MATTE	 3D DUNE SAND 3D WALL DESIGN MATTE	 3D BLADE GYPSUM BRAVE MATTE	 3D CRAFT SALT BOOST NATURAL PRO MATTE	 3D LEAF IVORY 3D WALL CARVE MATTE	 3D WHITTLE IVORY 3D WALL CARVE MATTE	 3D CHISEL IVORY 3D WALL CARVE MATTE

Wall Tiles — 3D WALL

Wall Tiles — 3D WALL

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Wall Tiles — 3D WALL



Wall Tiles — 3D WALL

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




Wall Tiles

Fabric Look



Wall Tiles

Stone Look



INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS













Wall Tiles — FABRIC & STONE LOOK

Wall Tiles — FABRIC & STONE LOOK

Wall Tiles

Concrete Look

 GLOW BOOST EXPRESSION MATTE	 GRAIN GLOW BOOST EXPRESSION MATTE	 3D FLUTE GLOW BOOST EXPRESSION MATTE	 3D LOOP GLOW BOOST EXPRESSION MATTE	 GLOW FIELD BOOST VISION MATTE	 3D QUBE GLOW BOOST VISION MATTE	 3D VEIL GLOW BOOST VISION MATTE	 SALT BOOST NATURAL PRO MATTE	 3D WAVE SALT BOOST NATURAL PRO MATTE	 3D RICE SALT BOOST NATURAL PRO MATTE
 3D CRAFT SALT BOOST NATURAL PRO MATTE	 COTTON PRISM MATTE	 SHELL BOOST EXPRESSION MATTE	 GRAIN SHELL BOOST EXPRESSION MATTE	 3D FLUTE SHELL BOOST EXPRESSION MATTE	 3D LOOP SHELL BOOST EXPRESSION MATTE	 LIFE SHELL BOOST EXPRESSION MATTE	 IVORY BOOST PRO MATTE	 3D URBAN IVORY BOOST PRO MATTE	 KAOLIN BOOST NATURAL MATTE
 3D WAVE KAOLIN BOOST NATURAL MATTE	 3D BRUSHED KAOLIN BOOST NATURAL P. 118 MATTE	 3D TEXTURE KAOLIN BOOST NATURAL MATTE	 CORD PRISM MATTE	 WHITE BOOST MATTE	 3D URBAN WHITE BOOST MATTE	 OAT BOOST NATURAL PRO MATTE	 3D WAVE OAT BOOST NATURAL PRO MATTE	 3D RICE OAT BOOST NATURAL PRO MATTE	 3D CRAFT OAT BOOST NATURAL PRO MATTE
 CAMEL FIELD BOOST VISION MATTE	 3D QUBE CAMEL BOOST VISION MATTE	 3D VEIL CAMEL BOOST VISION MATTE	 ICE BOOST EXPRESSION MATTE	 3D FLUTE ICE BOOST EXPRESSION MATTE	 3D LOOP ICE BOOST EXPRESSION MATTE	 CINDER BOOST NATURAL PRO MATTE	 3D WAVE CINDER BOOST NATURAL PRO MATTE	 3D RICE CINDER BOOST NATURAL PRO MATTE	 3D CRAFT CINDER BOOST NATURAL PRO MATTE
 CREAM BOOST PRO MATTE	 ASH BOOST NATURAL MATTE	 3D WAVE ASH BOOST NATURAL MATTE	 3D BRUSHED ASH BOOST NATURAL MATTE	 3D TEXTURE ASH BOOST NATURAL MATTE	 ECRU BOOST NATURAL MATTE	 3D WAVE ECRU BOOST NATURAL MATTE	 3D BRUSHED ECRU BOOST NATURAL MATTE	 3D TEXTURE ECRU BOOST NATURAL MATTE	 CLAY BOOST PRO MATTE

Wall Tiles — CONCRETE LOOK

Wall Tiles — CONCRETE LOOK

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Wall Tiles — CONCRETE & WOOD LOOK



Wall Tiles — CONCRETE & WOOD LOOK

Wall Tiles

Wood Look



INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS



Wall Tiles

Marble Look



INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Wall Tiles

Color Look

SOLID WHITE 3D WALL DESIGN MATTE, SHINY	PURE BOOST COLOR MATTE	FROG PURE BOOST COLOR MATTE	LINEN BOOST COLOR MATTE	3D PLEAT LINEN BOOST COLOR MATTE	SALIX BOOST COLOR MATTE	SOLID SAND 3D WALL DESIGN MATTE	CREAM BOOST COLOR MATTE	SUN BOOST COLOR MATTE	MUSTARD BOOST PRO MATTE
SIENNA BOOST EXPRESSION MATTE	LIFE SIENNA BOOST EXPRESSION MATTE	CARAMEL PRISM MATTE	LAVA BOOST NATURAL PRO MATTE	RED BOOST MATTE	GRAPE PRISM MATTE	BLOOM PRISM MATTE	MAUVE BOOST COLOR MATTE	3D PLEAT MAUVE BOOST COLOR MATTE	SKIN BOOST NATURAL PRO MATTE
3D WAVE SKIN BOOST NATURAL PRO MATTE	PEBBLE BOOST COLOR MATTE	DOVE BOOST COLOR MATTE	FROG DOVE BOOST COLOR MATTE	DECORO SHADE DOVE BOOST COLOR MATTE	MOON BOOST COLOR MATTE	CYAN BOOST EXPRESSION MATTE	IRIS BOOST COLOR MATTE	DECORO SHADE IRIS BOOST COLOR MATTE	3D PLEAT IRIS BOOST COLOR MATTE
TEAL BOOST COLOR MATTE	DUSK PRISM MATTE	POWDER BLUE BOOST PRO MATTE	3D URBAN POWDER BLUE BOOST PRO MATTE	NAVY BOOST COLOR MATTE	FROG NAVY BOOST COLOR MATTE	MIDNIGHT PRISM MATTE	MINT BOOST COLOR MATTE	DECORO SHADE MINT BOOST COLOR MATTE	OLIVE BOOST EXPRESSION MATTE
LIFE OLIVE BOOST EXPRESSION MATTE	JADE BOOST COLOR MATTE	3D PLEAT JADE BOOST COLOR MATTE	MOSS PRISM MATTE	SAGE BOOST MATTE	EMERALD PRISM MATTE	MOSAICO BRICK BOOST COLOR PURE	MOSAICO BRICK BOOST COLOR LINEN	MOSAICO RULER BOOST COLOR LINEN	MOSAICO BRICK BOOST COLOR SALIX

Wall Tiles — COLOR LOOK

Wall Tiles — COLOR LOOK

INDEX



PRODUCT
FINDER



SURFACE
RANGE



PORCELAIN TILES
WALL TILES

COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE















FACADES



TECHNICAL
SPECIFICATIONS



Wall Tiles — COLOR LOOK

 MOSAICO BRICK BOOST COLOR CREAM	 MOSAICO BRICK BOOST COLOR SUN	 MINIBRICK PRO YELLOW BOOST PRO MUSTARD	 MOSAIC Q PRISM CARAMEL	 MOSAICO BEAD PRISM CARAMEL	 MINIBRICK BOOST RED	 MOSAIC Q PRISM GRAPE	 MOSAICO BEAD PRISM GRAPE	 MOSAIC Q PRISM BLOOM	 MOSAICO BEAD PRISM BLOOM
 WIGGLE PRISM BLOOM	 GOLD PRISM	 MOSAICO BRICK BOOST COLOR MAUVE	 MOSAICO RULER BOOST COLOR MAUVE	 MOSAICO BRICK BOOST COLOR PEBBLE	 MOSAICO BRICK BOOST COLOR DOVE	 MOSAICO BRICK BOOST COLOR MOON	 GRADIENT PRISM	 MOSAICO BRICK BOOST COLOR IRIS	 MOSAICO RULER BOOST COLOR IRIS
 MOSAICO BRICK BOOST COLOR TEAL	 MOSAICO BEAD PRISM DUSK	 WIGGLE PRISM DUSK	 MOSAIC Q PRISM DUSK	 MINIBRICK PRO OCEAN BOOST PRO POWDER BLUE	 MOSAICO BRICK BOOST COLOR NAVY	 MOSAICO BEAD PRISM MIDNIGHT	 MOSAIC Q PRISM MIDNIGHT	 MOSAICO BRICK BOOST COLOR MINT	 MOSAICO BRICK BOOST COLOR JADE
 MOSAICO RULER BOOST COLOR JADE	 BRUSH PRISM	 MOSAICO BEAD PRISM MOSS	 WIGGLE PRISM MOSS	 MOSAIC Q PRISM MOSS	 MINIBRICK BOOST SAGE	 MOSAIC Q PRISM EMERALD	 MOSAICO BEAD PRISM EMERALD		

Wall Tiles — COLOR LOOK

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
PORCELAIN TILES	
WALL TILES	
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>



Company

- ↔ ABOUT US
- ↔ THREE BRANDS ONE SPACE
- ↔ OUR WORLDS
- ↔ WITH DESIGNERS, FOR DESIGNERS
- ↔ DESIGN AWARDS
- ↔ STUDIOS
- ↔ INTERNATIONAL LEADERSHIP
- ↔ TECHNOLOGIES
- ↔ RESPONSIBILITY AND CERTIFICATIONS
- ↔ PROJECTS

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



History

OUR MISSION


Modernizing spaces around the world through our elegant and refined style.

OUR VISION

Enriching spaces around the world with the beauty of Italian design.

OUR WAY

Made to Excel: **being both high-performing and supportive** of individuals.



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



One Space

the Atlas Concorde
ceramic ecosystem

Our Worlds



NYRAWORLD

Stone-effect surfaces with biophilic approach and sophisticated textures.




LOGWORLD

A renewed and elevated vision of wood.




BOOSTWORLD

The modern soul of concrete-effect in a wide selection.



MARVELWORLD

A benchmark for ceramic marble-effect.



3DWALLWORLD

Light-shaped 3D wall surfaces for design spaces.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



With designers, for designers

We work with top international designers to create unique designs.



PIERO
LISSONI



MATTEO
BRIONI



MARIO
FERRARINI



MATTIA
PARMIGGIANI



ELISA
OSSINO



ZAHA HADID
ARCHITECTS



ALBERTO
APOSTOLI



ARMANDO &
ELENA FERRIANI



HIRSCH BEDNER
ASSOCIATES



ARCHEA
ASSOCIATI



PARK



Red Dot Design Award

One of the most prestigious awards in the design sector, with particular reference to the technology sector.

- 2023 - MARVEL TRAVERTINE DECORS
- 2023 - MARVEL GALA
- 2023 - MARVEL X-HAMMERED SURFACE
- 2022 - BOOST NATURAL
- 2022 - DIALOGO
- 2022 - APLOMB
- 2025 - BOOST EXPRESSION



ADI Design Index

The yearbook held by the Associazione per il Disegno Industriale which each year identifies the best Italian design put into production.

- 2024 - MARVEL MERAIGLIA DIAMOND POLISHED
- 2023 - SENSITECH SURFACE
- 2022 - 3D WALL CARVE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Studios

We have adopted a strategy of visibility in major international design hotspots, opening spaces that can support architects, interior designers and customers in their projects.



Atlas Concorde Park Studio



Atlas Concorde Studio Milano



Atlas Concorde Studio Parigi



Atlas Concorde Studio London



Atlas Concorde Studio Lione



Atlas Concorde Studio Dubai



Atlas Concorde Studio Nashville

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



International leadership

HEADQUARTERS
ATLAS CONCORDE PARK STUDIO

Fiorano Modenese, IT

6
STUDIOS


- Dubai, AE
London, UK
Lyon, FR
- Milan, IT
Nashville, US
Paris, FR

40
STORES

- Aberystwyth, UK
Abidjan, CI
Athens, GR
Baghdad, IQ
Beirut, LB
Belgrade, RS
Bucharest, RO
Ekaterinburg, RU
- Gurgaon, IN
Kampala, UG
Kazan, RU
Lahore, PK
Lille, FR
Lipetsk RU
Madrid, ES
Manama, BH
- Moscow, RU (10)
Muscat, OM
Nizhny Novgorod, RU (2)
Oftringen, CH
Petaling Jaya, MY
St. Petersburg, RU
Seoul, KR
Tel Aviv, IL
- Vienna, AT
Vladivostok RU
Voronezh RU
Wan Chai, HK (3)

8
REPRESENTATIVE
OFFICES

- Beijing, CN
Dania Beach, US
Kiev, UA
Moscow, RU
- Riga, LV
St. Petersburg, RU
Seoul, KR
Sydney, AU



◆ Headquarters ● Studios ● Stores ● Representative offices

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Technologies

Each of our patented technologies enhances technical and aesthetic qualities.

Sensitech

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

High slip resistance

Soft to the touch



Velvetech

Velvetech is the new technology patented in Italy, with silk-like reflections and a velvety soft hand. The naturalness of the surface is emphasised by areas of different opacity that contribute to the depth of the surface.

Medium reflection surface

Velvety soft hand



NATURA-VEIN™ TECH

Natura Vein Tech is Atlas Plan's technological innovation for marble-effect porcelain slabs with through vein.

Through vein



NATURA-BODY™ TECH

Natura Body Tech is Atlas Plan's technology to reproduce the aesthetics of natural stone both on the surface and in the body of the slab.

Full body slabs



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Responsibility

Our commitment for the environment.



Circularity



100% of cooked and raw waste recovered internally



90% recovered waste



100% water recovered for internal use




100% recyclable packaging materials

Environment, health and safety



Advanced purification systems, which contribute to the containment of atmospheric emissions



Reduction of CO₂ emissions due to automated vertical warehouse



RTO system to reduce harmful emissions and odours



0% lead, cadmium, and other dangerous substances in products



All Atlas Concorde surfaces do not release harmful levels of VOCs (Volatile Organic Compounds)

Reduction & self-production of energy



Heat recoveries from industrial furnaces



Efficient methane gas cogeneration plant



100% LED light



Recovery of residual heat energy by tube heat exchangers



Photovoltaic system producing over 4 GWh annually



MADE IN ITALY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Certifications

Ratings and memberships



Sedex Member

Product certifications



Certifications for export to international markets*



atlasconcorde.com



cstb.fr

Company certifications



Product declarations



Declare

Certification for buildings



Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

* Valid certification for porcelain tile and wall tiles. - Certificazione valida per prodotti in gres porcellanato e rivestimenti.

* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilità d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране. (1)

(1) Classificazione IPECE aggiornata al - Classement IPECE mis à jour au: Décembre 2025

(2) Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32>

(3) Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it

(4) All Atlas Concorde porcelain tiles and wall tiles products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings - Tutti i prodotti Atlas Concorde in gres porcellanato e in monoporosa possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.

Projects

Our projects around the world.



Sky Pool, London, UK



Al Bayt Stadium, Al Khor, QA



Dubai Mall, Dubai, UAE



Ladybug Villa, Bodrum, TR



Fendi Chateau Residences, Punta del Este, UY



Emeral Maldives Resort & Spa, MV



Children's Surgical Hospital, Entebbe, UG



Newton Station, Adelaide, AUS



Business Center Montana, United States, USA

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS





Collections

3D Wall

- ↔ 3D WALL CARVE
- ↔ 3D WALL DESIGN
- ↔ 3D WALL PLASTER
- ↔ MARVEL 3D

In collaboration with **Piero Lissoni**

Concrete & Resin look

- ↔ BOOST
- ↔ BOOST BALANCE
- ↔ BOOST COLOR
- ↔ BOOST EXPRESSION
- ↔ BOOST NATURAL
- ↔ BOOST NATURAL PRO
- ↔ BOOST PRO
- ↔ BOOST VISION
- ↔ PRISM

In collaboration with **Piero Lissoni**

In collaboration with **Elisa Ossino**

In collaboration with **Matteo Brioni**

In collaboration with **Matteo Brioni**

In collaboration with **PARK**

In collaboration with **Piero Lissoni**

Metal look

- ↔ BOOST VISION

In collaboration with **PARK**

Marble Look

- ↔ MARVEL
- ↔ MARVEL 3D
- ↔ MARVEL DIVA
- ↔ MARVEL DREAM
- ↔ MARVEL EPIC
- ↔ MARVEL GALA
- ↔ MARVEL GEMS
- ↔ MARVEL MERAVIGLIA
- ↔ MARVEL ONYX
- ↔ MARVEL SHINE

In collaboration with **Zaha Hadid Architects**

- ↔ MARVEL STONE
- ↔ MARVEL T
- ↔ MARVEL TRAVERTINE
- ↔ MARVEL X

In collaboration with **HBA**
In collaboration with **HBA**

Stone Look

- ↔ BOOST ICOR
- ↔ BOOST MINERAL
- ↔ BOOST MIX
- ↔ BOOST STONE
- ↔ BRAVE
- ↔ LIMS
- ↔ MARVEL TRAVERTINE
- ↔ NYRA
- ↔ NORDE

In collaboration with **HBA**

Wood Look

- ↔ ENTICE
- ↔ ETIC
- ↔ ETIC PRO
- ↔ EXENCE
- ↔ HEARTWOOD
- ↔ LOG
- ↔ LOG CANSEI
- ↔ LOG SELECT

Fabric Look

- ↔ VEST

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



3D Wall Carve



Stone Inspiration.
Inspired by hand-carved stone.

Relief Definition.
Special glaze for ultra-high relief definition.

Natural Colors.
Realistic stone effect in three modern, natural colors.



COLLECTION
CATALOG



VIDEO


Wall



FIELD
WHITE



FIELD
IVORY



FIELD
PEARL



3D LEAF
WHITE



3D LEAF
IVORY



3D LEAF
PEARL



3D CHISEL
WHITE



3D CHISEL
IVORY



3D CHISEL
PEARL



3D WHITTLE
WHITE



3D WHITTLE
IVORY



3D WHITTLE
PEARL

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte
3D WALL TILES		
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte

COMPLETE WITH FURNITURE
 atlas concorde habitat

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



3D Wall Carve

Wall Tiles

MATTE SURFACE



± 8,5 mm

40x80 cm - 15³/₄"x31¹/₂"

A57T 3D Wall Carve Field White

A57U 3D Wall Carve Field Pearl

A57V 3D Wall Carve Field Ivory



± 8,5 mm 3D WALL

40x80 cm - 15³/₄"x31¹/₂"

A572 3D Wall Carve Chisel White

A573 3D Wall Carve Chisel Pearl

A574 3D Wall Carve Chisel Ivory

A575 3D Wall Carve Whittle White

A576 3D Wall Carve Whittle Pearl


A577 3D Wall Carve Whittle Ivory

A578 3D Wall Carve Leaf White

A58A 3D Wall Carve Leaf Pearl

A579 3D Wall Carve Leaf Ivory

TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"

A6OA 3D Wall Carve Field White Corner 40 *

A6OB 3D Wall Carve Field Pearl Corner 40 *

A6OC 3D Wall Carve Field Ivory Corner 40 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"

A6OD 3D Wall Carve Field White Corner A.E. *

A6OE 3D Wall Carve Field Pearl Corner A.E. *

A6OF 3D Wall Carve Field Ivory Corner A.E. *

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - изготавливаются на заказ



V1 Uniform
Appearance

Wall



FIELD WHITE




FIELD IVORY



FIELD PEARL



3D LEAF WHITE



3D LEAF IVORY



3D LEAF PEARL



3D CHISEL WHITE



3D CHISEL IVORY



3D CHISEL PEARL



3D WHITTLE WHITE



3D WHITTLE IVORY



3D WHITTLE PEARL

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL

CONCRETE & RESIN LOOK

MARBLE LOOK

STONE LOOK

WOOD LOOK

FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



3D Wall Design



Outstanding relief.
Striking 3D surfaces with dramatic impact.

Soft Surface.
Ultra-smooth finish.

Modern Geometry.
Striking patterns shaped by light.

Vibrant contrasts.
Dynamic textures to create emotional spaces.



3D WALL WORLD
CATALOG



VIDEO

Wall



Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte, Shiny
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 10 mm	Matte
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte, Shiny
30,5x56 cm - 12"x22"	± 9,5 mm	Matte
30,5x56 cm - 12"x22"	± 8,5 mm	Matte

COMPLETE WITH FURNITURE
 atlas concorde habitat

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



3D Wall Design

Wall Tiles

MATTE SURFACE



± 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
A6BF 3D Wall Design Solid White



± 10 mm
40x80 cm - 15³/₄"x31¹/₂"
8DBW 3D Wall Design 3D Blade White ⁽²⁾
8DDI 3D Wall Design 3D Diamond White ⁽²⁾
8DUW 3D Wall Design 3D Dune White ⁽²⁾
8DUS 3D Wall Design 3D Dune Sand ⁽²⁾
8DSM 3D Wall Design 3D Twist Sage ⁽²⁾



± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8DSO 3D Wall Design Solid White
8DSA 3D Wall Design Solid Sand



± 9,5 mm
30,5x56 cm - 12"x22"
9D5B 3D Wall Design 3D Ultra Blade White ⁽²⁾
9D5W 3D Wall Design 3D Wave White ⁽²⁾



± 8,5 mm
30,5x56 cm - 12"x22"
9D5S 3D Wall Design Solid White

SHINY SURFACE



± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8DSL 3D Wall Design Solid White Glossy

TRIM TILES



LD8W Spigolo 8,5mm White
0,8x20 cm - ³/₈"x7¹/₈"



A8DW Spigolo 8,5mm White A.E.
0,8x0,8 cm - ³/₈"x³/₈"



LDWM Spigolo 10mm White * ⁽¹⁾
1x20 cm - ³/₈"x7¹/₈"



LDWG Spigolo 10mm White Glossy * ⁽¹⁾
1x20 cm - ³/₈"x7¹/₈"



LDAM Spigolo 10mm Sand * ⁽¹⁾
1x20 cm - ³/₈"x7¹/₈"




LDNM Spigolo 10mm Night * ⁽¹⁾
1x20 cm - ³/₈"x7¹/₈"

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - изготавлиются на заказ

⁽¹⁾ The 10 mm edge matches three-dimensional wall tiles having a 10-11 mm thickness - lo spigolo 10 mm si abbina a rivestimenti tridimensionali di spessore 10-11 mm - le bord 10 mm s'adapte aux revêtements tridimensionnels épaisseur 10-11 mm - Die 10 mm Kante ist mit dreidimensionalen Wandfliesen mit einer Stärke von 10-11 mm kombinierbar - la arista de 10 mm se combina con revestimientos tridimensionales de 10 -11 mm de grosor - угловой элемент 10 мм сочетается с трехмерной настенной плиткой толщиной 10-11 мм

⁽²⁾ Registered Community Design



SOLID WHITE MATTE



SOLID WHITE GLOSSY



SOLID SAND MATTE



3D DUNE WHITE MATTE



3D DUNE SAND MATTE



3D ULTRA BLADE WHITE MATTE



3D BLADE WHITE MATTE



3D DIAMOND WHITE MATTE



3D TWIST SAGE MATTE

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL

CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



3D Wall Plaster



Plaster inspiration.
3D surfaces inspired by artistic plaster techniques.

Richness of details.
From distant vibrant surfaces, up close the details of matter.

White.
The essence of minimalism and design. A timeless best-seller.

Outstanding matching.
Pairs beautifully with wood-effect floor surfaces.



COLLECTION
CATALOG



VIDEO

Wall



PLAIN



ORIGAMI



BLOOM



COMBED



JASMINE



BARCODE

Wall Tiles RECTIFIED MONOCALIBER

MATTE SURFACE



± 8,5 mm

50x120 cm - 19 5/8" x 47 1/4"

AHQT 3D Wall Plaster Plain White



± 8,5 mm 3D WALL

50x120 cm - 19 5/8" x 47 1/4"

AHQU 3D Wall Plaster Origami White

AHQV 3D Wall Plaster Bloom White

AHQW 3D Wall Plaster Jasmine White

AHQX 3D Wall Plaster Combed White

AHQY 3D Wall Plaster Barcode White



V1 Uniform
Appearance

Wall

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL

CONCRETE & RESIN LOOK

MARBLE LOOK

STONE LOOK

WOOD LOOK

FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost



Bold Personality.
Industrial concrete for modern interiors.

Urban Details.
Raw and rich in striking graphic details.

Stylish tones.
Warm hues from oxidation effects,
balanced by cool cement-like tones.

Endless possibilities.
A complete size selection for all projects.



COLLECTION
CATALOG

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades




WHITE




PEARL




GREY



SMOKE



TARMAC



FIND WARM
COLORS IN
Boost Pro p. 126

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 6 mm	Matte R9 A
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
75x150 cm - 29 ¹ / ₂ "x59	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN


160x320 cm - 63"x126"	± 6 mm	Hammered R9 A
-----------------------	--------	----------------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Hammered
--	---------	----------




WHITE




PEARL




GREY



SMOKE



SAGE



RED




3D URBAN WHITE



3D URBAN PEARL



3D URBAN GREY



FIND WARM
COLORS IN
Boost Pro p. 126

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte
3D WALL TILES		
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 10 mm	Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost

Porcelain Tiles

MATTE SURFACE



± 6 mm
160x320 cm - 63"x126"
AO5Z Boost White Hammered
AO5Ø Boost Smoke Hammered
A68I Boost Grey Hammered
A68J Boost Tarmac Hammered



± 6 mm
120x278 cm - 47 1/4"x109 1/2"
AØBD Boost White
AØBE Boost Pearl
AØBF Boost Grey
AØBG Boost Smoke
AOQB Boost Tarmac



± 6 mm
120x120 cm - 47 1/4"x47 1/4"
A2TK Boost White
A2TM Boost Pearl
A2TN Boost Grey
A2TO Boost Smoke
A2TP Boost Tarmac



± 9 mm
120x240 cm - 47 1/4"x94 1/2"
AMGD Boost White
AMGE Boost Pearl
AMGF Boost Grey
AMGG Boost Smoke
AMGH Boost Tarmac



± 9 mm
120x120 cm - 47 1/4"x47 1/4"
AMGI Boost White
AMGJ Boost Pearl
AMGK Boost Grey
AMGL Boost Smoke
AMGM Boost Tarmac



± 9 mm
80x80 cm - 31 1/2"x31 1/2"
A9Q5 Boost White
A9Q4 Boost Pearl
A9Q3 Boost Grey
A9Q2 Boost Smoke
A9Q1 Boost Tarmac



± 9 mm
60x60 cm - 23 5/8"x23 5/8"
AMH3 Boost White
AMH4 Boost Pearl
AMH5 Boost Grey
AMH6 Boost Smoke
AMH7 Boost Tarmac



± 9 mm
75x150 cm - 29 1/2"x59"
A7GV Boost White
A7GW Boost Pearl
A7GX Boost Grey
A7GY Boost Smoke
A7GZ Boost Tarmac



± 9 mm
60x120 cm - 23 5/8"x47 1/4"
AØMO Boost White
AØMP Boost Pearl
AØMQ Boost Grey
AØMR Boost Smoke
AØMS Boost Tarmac



± 9 mm
30x60 cm - 11 3/4"x23 5/8"
AMH8 Boost White
AMH9 Boost Pearl
AMIA Boost Grey
AMIC Boost Smoke
AMID Boost Tarmac

GRIP SURFACE



± 9 mm
120x120 cm - 47 1/4"x47 1/4"
AMGN Boost White Grip
AMGO Boost Pearl Grip
AMGP Boost Grey Grip
AMGQ Boost Smoke Grip
AMGR Boost Tarmac Grip

OUTDOOR ± 20 mm



± 20 mm
120x120 cm - 47 1/4"x47 1/4"
AMG3 Boost White 20 mm
AMG5 Boost Grey 20 mm
AMG6 Boost Smoke 20 mm
AMG7 Boost Tarmac 20 mm



± 20 mm
80x80 cm - 31 1/2"x31 1/2"
HANB Boost White 20 mm
HANC Boost Grey 20 mm
HAND Boost Smoke 20 mm
HANE Boost Tarmac 20 mm



± 20 mm
60x120 cm - 23 5/8"x47 1/4"
AL8Ø Boost White 20 mm
AL81 Boost Grey 20 mm
AL82 Boost Smoke 20 mm
AL83 Boost Tarmac 20 mm



± 20 mm
60x60 cm - 23 5/8"x23 5/8"
A3TJ Boost White 20 mm
A3TK Boost Grey 20 mm
A3TL Boost Smoke 20 mm
A3TM Boost Tarmac 20 mm

Floor

Wall

Outdoor



WHITE



PEARL



GREY



SMOKE



TARMAC

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost

Porcelain Tiles


DECOR RANGE



AN6X Boost White
Mosaico
30x30 cm - 11⅓/4"x11⅓/4"



AN6Y Boost Pearl
Mosaico
30x30 cm - 11⅓/4"x11⅓/4"




AN6Z Boost Grey
Mosaico
30x30 cm - 11⅓/4"x11⅓/4"



AN61 Boost Smoke
Mosaico
30x30 cm - 11⅓/4"x11⅓/4"



AN62 Boost Tarmac
Mosaico
30x30 cm - 11⅓/4"x11⅓/4"



4,8x4,8 cm - 1⅞"x1⅞"



AN63 Boost White
Mosaico Shapes
31x33,5 cm - 12⅞/4"x13⅓/4"



AN64 Boost Pearl
Mosaico Shapes
31x33,5 cm - 12⅞/4"x13⅓/4"




AN65 Boost Grey
Mosaico Shapes
31x33,5 cm - 12⅞/4"x13⅓/4"



AN66 Boost Smoke
Mosaico Shapes
31x33,5 cm - 12⅞/4"x13⅓/4"



AN67 Boost Tarmac
Mosaico Shapes
31x33,5 cm - 12⅞/4"x13⅓/4"



A 11,4x6,5 cm - 4⅞/2"x2⅞/2"
B 11,4x6,5 cm - 4⅞/2"x2⅞/2"
C 6,3x3,2 cm - 2⅞/2"x1⅞/4"



AN68 Boost Smoke
Mosaico Hex Yellow ⁽¹⁾
25x28,5 cm - 9⅞/8"x11⅞/4"




AN69 Boost Smoke
Mosaico Hex Black ⁽¹⁾
25x28,5 cm - 9⅞/8"x11⅞/4"








AN7A Boost Tarmac
Mosaico Hex Jade ⁽¹⁾
25x28,5 cm - 9⅞/8"x11⅞/4"



AN7B Boost Tarmac
Mosaico Hex Black ⁽¹⁾
25x28,5 cm - 9⅞/8"x11⅞/4"



A 9,7x3,8 cm - 3⅞/8"x1⅞/2"
B 4,8x3,8 cm - 1⅞/8"x1⅞/2"
C 4,6x3,6 cm - 1⅞/4"x1⅞/8"
D 4,6x3,6 cm - 1⅞/4"x1⅞/8"

TRIM TILES P. 302	Battiscopa			Gradino *	Scalino *	Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L
											
	7,2x80 cm 2⅞/8"x31⅞/2"	7,2x60 cm 2⅞/8"x23⅞/8"	Digitale 4,6x60 cm 1⅞/4"x23⅞/8"	30x60 cm 1⅞/4"x23⅞/8"	33x150 cm 13"x59"	33x120 cm 13"x47⅞/4"	33x60 cm 13"x23⅞/8"	33x33 cm 13"x13"	7,2x30 cm 2⅞/8"x11⅞/4"	max 315x50 H 4 cm 124"x19⅞/8" H 1⅞/8"	33x120 H 4 cm 13"x47⅞/4" H 1⅞/8"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Grip
White	HALV	AMIO	AMIU	AMJA	AMJP	AN7Ø	AMJF	AMJK	DX AMIZ	SX AMI5	• AOEI
Pearl	HALU	AMIQ	AMIV	AMJB	AMJQ	AN71	AMJG	AMJL	AMIØ	AMI6	• AOEJ
Grey	HALT	AMIR	AMIW	AMJC	AMJR	AN72	AMJH	AMJM	AMI1	AMI7	• AOEK
Smoke	HALS	AMIS	AMIX	AMJD	AMJS	AN73	AMJI	AMJN	AMI3	AMI8	• AOEL
Tarmac	HALR	AMIT	AMİY	AMJE	AMJT	AN74	AMJJ	AMJO	AMI4	AMI9	• AOEM

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

⁽¹⁾ Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

 The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost

Wall Tiles

MATTE SURFACE

Wall




± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂"
8B8W Boost White
8B8P Boost Pearl
8B8G Boost Grey
8B8K Boost Smoke
8B8S Boost Sage
8B8R Boost Red



± 10 mm 3D WALL
40x80 cm - 15³/₄"x31¹/₂"
8BUW Boost 3D Urban White
8BUP Boost 3D Urban Pearl
8BUG Boost 3D Urban Grey

TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"
LBBW Boost White Corner 40 *
LBBP Boost Pearl Corner 40 *
LBBY Boost Grey Corner 40 *
LBBH Boost Smoke Corner 40 *
LBBT Boost Sage Corner 40 *
LBBQ Boost Red Corner 40 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"
AØAW Boost White Corner A.E. *
AØAP Boost Pearl Corner A.E. *
AØAG Boost Grey Corner A.E. *
AØAK Boost Smoke Corner A.E. *
AØAS Boost Sage Corner A.E. *
AØAR Boost Red Corner A.E. *

3D TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"
LB3W Boost White 3D Corner 40 *
LB3P Boost Pearl 3D Corner 40 *
LB3G Boost Grey 3D Corner 40 *


* These parts are supplied to order - I pezzi sono disponibili su ordinazione
- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung
lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ



V2 Slight
Variation



WHITE



3D URBAN WHITE



PEARL




3D URBAN PEARL



GREY




3D URBAN GREY



SMOKE



SAGE



RED

DECOR RANGE



9BMW Boost White
Minibrick
30,5x30,5 cm - 12"x12"



9BME Boost Pearl
Minibrick
30,5x30,5 cm - 12"x12"



9BMY Boost Grey
Minibrick
30,5x30,5 cm - 12"x12"




9BMK Boost Smoke
Minibrick
30,5x30,5 cm - 12"x12"



9BMM Boost Sage
Minibrick
30,5x30,5 cm - 12"x12"



9BMQ Boost Red
Minibrick
30,5x30,5 cm - 12"x12"



2,9x7,5 cm - 1 1/8"x3"

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Balance



A modern essential.
Effortless elegance with a micro-cement look.

Versatile palette.
10 stunning colors, including 4 fresh, light tones.

VELVET finish.
Soft to the touch with a sleek, semi-matte shine.

Elevated design.
Clean, minimalist decor for a modern touch.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



PURE



IVORY



CREAM




ASH



MOON




WHITE




PEARL




GREY



SMOKE



TARMAC



CREATE STYLISH
WALLS WITH
Boost Color p. 96

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte R9 A
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Matte Sensitech R10 B Velvet Velvtech
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Matte Sensitech R10 B Velvet Velvtech
80x80 cm - 31 1/2"x31 1/2"	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 1/4"x47 1/4"	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 5/8"x47 1/4"	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 5/8"x23 5/8"	± 20 mm	Outdoor Sensitech R11 C

atlas^{PLAN}

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2"	± 12 mm	Matte
-------------------------------	---------	-------

NON-RECTIFIED

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Balance

Porcelain Tiles

MATTE SURFACE



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AJMI Boost Balance Pure
AJMJ Boost Balance White
AJMK Boost Balance Ivory
AJML Boost Balance Cream
AJMM Boost Balance Ash
AJMN Boost Balance Moon
AJMO Boost Balance Pearl
AJMP Boost Balance Grey
AJMQ Boost Balance Smoke
AJMR Boost Balance Tarmac



Sensitech
± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJMS Boost Balance Pure
AJMT Boost Balance White
AJMU Boost Balance Ivory
AJMV Boost Balance Cream
AJMW Boost Balance Ash
AJMX Boost Balance Moon
AJMY Boost Balance Pearl
AJMZ Boost Balance Grey
AJMØ Boost Balance Smoke
AJM1 Boost Balance Tarmac



Sensitech
± 9 mm
80x80cm - 31¹/₂"x31¹/₂"
A9RE Boost Balance Pure
A9RA Boost Balance White
A9RB Boost Balance Ivory
A9Q9 Boost Balance Cream
A9Q8 Boost Balance Ash
A9RF Boost Balance Moon
A9RC Boost Balance Pearl
A9RD Boost Balance Grey
A9Q6 Boost Balance Smoke
A9Q7 Boost Balance Tarmac



Sensitech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJNN Boost Balance Pure
AJNO Boost Balance White
AJNP Boost Balance Ivory
AJNQ Boost Balance Cream
AJNR Boost Balance Ash
AJNS Boost Balance Moon
AJNC Boost Balance Pearl
AJNU Boost Balance Grey
AJNV Boost Balance Smoke
AJNW Boost Balance Tarmac



Sensitech
± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AJOS Boost Balance Pure
AJOT Boost Balance White
AJOU Boost Balance Ivory
AJOV Boost Balance Cream
AJOW Boost Balance Ash
AJOX Boost Balance Moon
AJOY Boost Balance Pearl
AJOZ Boost Balance Grey
AJOØ Boost Balance Smoke
AJO1 Boost Balance Tarmac



Sensitech
± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AJO2 Boost Balance Pure
AJO3 Boost Balance White
AJO4 Boost Balance Ivory
AJO5 Boost Balance Cream
AJO6 Boost Balance Ash
AJO7 Boost Balance Moon
AJO8 Boost Balance Pearl
AJO9 Boost Balance Grey
AJPA Boost Balance Smoke
AJPB Boost Balance Tarmac

VELVET SURFACE



Velvetech
± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJM2 Boost Balance Pure
AJM3 Boost Balance White
AJM4 Boost Balance Ivory
AJM5 Boost Balance Cream
AJM6 Boost Balance Ash

AJM7 Boost Balance Moon
AJM8 Boost Balance Pearl
AJM9 Boost Balance Grey
AJNA Boost Balance Smoke
AJNB Boost Balance Tarmac



Velvetech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJNX Boost Balance Pure
AJNY Boost Balance White
AJNZ Boost Balance Ivory
AJNØ Boost Balance Cream
AJN1 Boost Balance Ash

AJN2 Boost Balance Moon
AJN3 Boost Balance Pearl
AJN4 Boost Balance Grey
AJN5 Boost Balance Smoke
AJN6 Boost Balance Tarmac

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

GRIP SURFACE



Sensitech
± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJNC Boost Balance Pure Grip
AJND Boost Balance White Grip
AJNE Boost Balance Ivory Grip
AJNF Boost Balance Cream Grip
AJNG Boost Balance Ash Grip

AJNH Boost Balance Moon Grip
AJNI Boost Balance Pearl Grip
AJNJ Boost Balance Grey Grip
AJNK Boost Balance Smoke Grip
AJNL Boost Balance Tarmac Grip



Sensitech
± 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJPE Boost Balance White 20 mm
AJPF Boost Balance Ash 20 mm
AJMH Boost Balance Pearl 20 mm
AJPG Boost Balance Grey 20 mm



Sensitech
± 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJPH Boost Balance White 20 mm
AJPI Boost Balance Ash 20 mm
AJPJ Boost Balance Pearl 20 mm
AJPK Boost Balance Grey 20 mm



Sensitech
± 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AJPL Boost Balance White 20 mm
AJPM Boost Balance Ash 20 mm
AJPN Boost Balance Pearl 20 mm
AJPO Boost Balance Grey 20 mm



PURE



IVORY



CREAM



ASH



MOON




WHITE




PEARL



GREY



SMOKE



TARMAC

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




Boost Balance

Porcelain Tiles


DECOR RANGE



AJY9 Boost Balance Pure Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"




AJZB Boost Balance Ivory Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"




AJZC Boost Balance Cream Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"



AJZD Boost Balance Ash Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



AJZE Boost Balance Moon Mosaico Matte [Sensitech](#)
30x30 - 11³/₄"x11³/₄"




AJZA Boost Balance White Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"



AJZF Boost Balance Pearl Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"



AJZG Boost Balance Grey Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"



AJZH Boost Balance Smoke Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"



AJZI Boost Balance Tarmac Mosaico Matte [Sensitech](#)
30x30 cm - 11³/₄"x11³/₄"



AJ3Q Boost Balance Pure Matte [Sensitech](#)
AJ3G Boost Balance Pure Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3S Boost Balance Ivory Matte [Sensitech](#)
AJ3I Boost Balance Ivory Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"




AJ3T Boost Balance Cream Matte [Sensitech](#)
AJ3J Boost Balance Cream Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3U Boost Balance Ash Matte [Sensitech](#)
AJ3K Boost Balance Ash Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3V Boost Balance Moon Matte [Sensitech](#)
AJ3L Boost Balance Moon Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"




AJ3R Boost Balance White Matte [Sensitech](#)
AJ3H Boost Balance White Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"




AJ3W Boost Balance Pearl Matte [Sensitech](#)
AJ3M Boost Balance Pearl Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"




AJ3X Boost Balance Grey Matte [Sensitech](#)
AJ3N Boost Balance Grey Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3Y Boost Balance Smoke Matte [Sensitech](#)
AJ3O Boost Balance Smoke Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3Z Boost Balance Tarmac Matte [Sensitech](#)
AJ3P Boost Balance Tarmac Velvet Velvetch
Mosaico Strings ⁽¹⁾
60x120 cm - 23⁵/₈"x47¹/₄"



60x120 cm - 23⁵/₈"x47¹/₄"

PRECAUTIONS VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

⁽¹⁾ Engraved mosaic. For best results it is advisable to completely plaster the engravings. - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой. Применение декоративных материалов.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Balance

Porcelain Tiles

DECOR RANGE



AJX1 Boost Balance Pure
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"

AJX3 Boost Balance Ivory
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"

AJX4 Boost Balance Cream
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJX5 Boost Balance Ash
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"

AJX6 Boost Balance Moon
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"

AJX2 Boost Balance White
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"




AJUF Boost Balance Pearl
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"

AJX7 Boost Balance Grey
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"

AJX8 Boost Balance Smoke
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"

AJX9 Boost Balance Tarmac
Mosaico Lock Matte [Sensitech](#)
37,4x50,5 cm - 14³/₄"x19⁷/₈"



TRIM TILES P. 302	Battiscopa			Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Elemento L	Davanzale / Soglia	Corner *	Corner A.E *
	7,2x120 cm 2 ⁷ / ₈ "x47 ¹ / ₄ "	7,2x80 cm 2 ⁷ / ₈ "x31 ¹ / ₂ "	7,2x60 cm 2 ⁷ / ₈ "x23 ¹ / ₈ "	30x120 cm 11 ¹ / ₄ "x47 ¹ / ₄ "	30x60 cm 11 ¹ / ₄ "x23 ¹ / ₈ "	33x120 cm 13"x47 ¹ / ₄ "	33x60 cm 13"x23 ¹ / ₈ "	33x33 cm 13"x13"	7,2x30 cm 2 ⁷ / ₈ "x11 ¹ / ₄ "		33x120 H.4 cm 13"x47 ¹ / ₄ " H.1 ¹ / ₈ "	max 315x50 H.4 cm 124"x19 ⁷ / ₈ " H.1 ¹ / ₈ "	1x120 cm 3 ¹ / ₈ "x47 ¹ / ₄ "	1x1 cm 3 ¹ / ₈ "x2 ¹ / ₈ "
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	DX SX	Grip	Matte	Matte	Matte
Pure	AJZT	HAL6	AJZ3	AJØ7	AJ1H	AJ1R	AJ11	AJ2B	AJØN	AJØX	AJ2L	•	AJ2V	AJ25
White	AJZU	HALØ	AJZ4	AJØ8	AJ1I	AJ1S	AJ12	AJ2C	AJØO	AJØY	AJ2M	•	AJ2W	AJ26
Ivory	AJZV	HAL2	AJZ5	AJØ9	AJ1J	AJ1T	AJ13	AJ2D	AJØP	AJØZ	AJ2N	•	AJ2X	AJ27
Cream	AJZW	HALZ	AJZ6	AJ1A	AJ1K	AJ1U	AJ14	AJ2E	AJØQ	AJØØ	AJ2O	•	AJ2Y	AJ28
Ash	AJZX	HALY	AJZ7	AJ1B	AJ1L	AJ1V	AJ15	AJ2F	AJØR	AJØ1	AJ2P	•	AJ2Z	AJ29
Moon	AJZY	HAL7	AJZ8	AJ1C	AJ1M	AJ1W	AJ16	AJ2G	AJØS	AJØ2	AJ2Q	•	AJ2Ø	AJ3A
Pearl	AJZZ	HAL4	AJZ9	AJ1D	AJ1N	AJ1X	AJ17	AJ2H	AJØT	AJØ3	AJ2R	•	AJ21	AJ3B
Grey	AJZØ	HAL5	AJØA	AJ1E	AJ1O	AJ1Y	AJ18	AJ2I	AJØU	AJØ4	AJ2S	•	AJ22	AJ3C
Smoke	AJZ1	HALW	AJØB	AJ1F	AJ1P	AJ1Z	AJ19	AJ2J	AJØV	AJØ5	AJ2T	•	AJ23	AJ3D
Tarmac	AJZ2	HALX	AJØC	AJ1G	AJ1Q	AJ1Ø	AJ2A	AJ2K	AJØW	AJØ6	AJ2U	•	AJ24	AJ3E

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Color

In collaboration
with **Piero Lissoni**



Color is Key.
A palette of 14 pastel colors.

Author signature.
Special selection by Piero Lissoni.

Contemporary combination.
Dynamic color interplay, with the neutral tones of Boost Balance.

Decorative Texture.
Wide décor range, featuring the unique Frog texture, designed by Piero Lissoni.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors



JADE



TEAL



MAUVE



SALIX


Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A


FROG : DESIGN BY **PIERO LISSONI**



FROG PURE




FIND A
COORDINATED
FLOOR IN
Boost Balance p. 88



PURE



LINEN



MOON



DOVE

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte

3D WALL TILES


50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte
---	----------	-------




PEBBLE




MAUVE



CREAM



SUN



SALIX




MINT



JADE




IRIS



TEAL



NAVY



FIND A
COORDINATED
FLOOR IN
Boost Balance p. 88

FROG : DESIGN BY **PIERO LISSONI**



FROG PURE



FROG DOVE



FROG NAVY

3D WALL DESIGN



3D PLEAT LINEN



3D PLEAT MAUVE



3D PLEAT JADE



3D PLEAT IRIS

COMPLETE WITH FURNITURE

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Color

Porcelain Tiles

MATTE SURFACE



± 6 mm
120x278 cm – 47 1/4" x 109 1/2"
AKNE Boost Color Mauve
AKNI Boost Color Salix
AKNK Boost Color Jade
AKNL Boost Color Teal
AP3R Boost Color Pure Frog



Matte ± 6 mm



R9 A Matte ± 6 mm



V1 Uniform
Appearance

Floor

Wall



JADE




TEAL



MAUVE



SALIX



FROG PURE

FROG : DESIGN BY PIERO LISSONI

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Color

Wall Tiles

MATTE SURFACE

Wall



± 8,5 mm

50x120 cm - 19⁵/₈"x47¹/₄"

AKMW Boost Color Pure

AKMX Boost Color Moon

AKMY Boost Color Dove

AKMZ Boost Color Linen

AKMØ Boost Color Mauve

AKM1 Boost Color Pebble

AKM2 Boost Color Cream

AKM3 Boost Color Sun

AKM4 Boost Color Salix

AKM5 Boost Color Mint

AKM6 Boost Color Jade

AKM7 Boost Color Teal

AKM8 Boost Color Iris

AKM9 Boost Color Navy

TRIM TILES



1,4x50 cm - ⁵/₈"x19⁵/₈"

APZW Boost Color Pure Corner 50 *

APZX Boost Color Moon Corner 50 *

APZY Boost Color Dove Corner 50 *

APZZ Boost Color Linen Corner 50 *

APZØ Boost Color Mauve Corner 50 *

APZ1 Boost Color Pebble Corner 50 *

APZ2 Boost Color Cream Corner 50 *

APZ3 Boost Color Sun Corner 50 *

APZ4 Boost Color Salix Corner 50 *

APZ5 Boost Color Mint Corner 50 *

APZ6 Boost Color Jade Corner 50 *

APZ7 Boost Color Teal Corner 50 *

APZ8 Boost Color Iris Corner 50 *

APZ9 Boost Color Navy Corner 50 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"

APØB Boost Color Pure Corner A.E. *

APØC Boost Color Moon Corner A.E. *

APØD Boost Color Dove Corner A.E. *

APØE Boost Color Linen Corner A.E. *

APØF Boost Color Mauve Corner A.E. *

APØG Boost Color Pebble Corner A.E. *

APØH Boost Color Cream Corner A.E. *

APØI Boost Color Sun Corner A.E. *

APØJ Boost Color Salix Corner A.E. *

APØK Boost Color Mint Corner A.E. *

APØL Boost Color Jade Corner A.E. *

APØM Boost Color Teal Corner A.E. *


APØN Boost Color Iris Corner A.E. *

APØO Boost Color Navy Corner A.E. *


* These parts are supplied to order - I pezzi sono disponibili su ordinazione
- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung
lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ



V1 Uniform
Appearance



PURE



LINEN



MOON




DOVE




PEBBLE




MAUVE



CREAM



SUN




SALIX




MINT




JADE



IRIS




TEAL



NAVY


DECOR RANGE



APZR Boost Color Linen

3D Pleat


50x120 cm - 19⁵/₈"x47¹/₄"



APZT Boost Color Mauve

3D Pleat


50x120 cm - 19⁵/₈"x47¹/₄"



APZU Boost Color Jade

3D Pleat

50x120 cm - 19⁵/₈"x47¹/₄"




APZV Boost Color Iris

3D Pleat

50x120 cm - 19⁵/₈"x47¹/₄"


FROG : DESIGN BY PIERO LISSONI



AKN6 Boost Color Pure

Frog

50x120 cm - 19⁵/₈"x47¹/₄"



AKN7 Boost Color Dove

Frog

50x120 cm - 19⁵/₈"x47¹/₄"



AKN8 Boost Color Navy

Frog

50x120 cm - 19⁵/₈"x47¹/₄"

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL

CONCRETE & RESIN LOOK

MARBLE LOOK

STONE LOOK

WOOD LOOK

FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Color

Wall Tiles


DECOR RANGE




AP3U Boost Color Decoro Mint
Shade
50x120 cm - 19⁵/₈"x47¹/₄"



AP3V Boost Color Decoro Dove
Shade
50x120 cm - 19⁵/₈"x47¹/₄"



AP3T Boost Color Decoro Iris
Shade
50x120 cm - 19⁵/₈"x47¹/₄"



AP1J Boost Color Linen
Mosaico Ruler
50x40 cm - 23⁵/₈"x15³/₄"






AP1K Boost Color Mauve
Mosaico Ruler
50x40 cm - 23⁵/₈"x15³/₄"




AP1L Boost Color Jade
Mosaico Ruler
50x40 cm - 23⁵/₈"x15³/₄"




AP1M Boost Color Iris
Mosaico Ruler
50x40 cm - 23⁵/₈"x15³/₄"




AP1N Boost Color Pure
Mosaico Brick
33x37 cm - 13"x14⁵/₈"




AP1P Boost Color Moon
Mosaico Brick
33x37 cm - 13"x14⁵/₈"




AP1Q Boost Color Dove
Mosaico Brick
33x37 cm - 13"x14⁵/₈"



AP1R Boost Color Linen
Mosaico Brick
33x37 cm - 13"x14⁵/₈"



AP1S Boost Color Mauve
Mosaico Brick
33x37 cm - 13"x14⁵/₈"




AP1T Boost Color Pebble
Mosaico Brick
33x37 cm - 13"x14⁵/₈"



AP1U Boost Color Cream
Mosaico Brick
33x37 cm - 13"x14⁵/₈"



AP1V Boost Color Sun
Mosaico Brick
33x37 cm - 13"x14⁵/₈"



AP1W Boost Color Salix
Mosaico Brick
33x37 cm - 13"x14⁵/₈"




AP1X Boost Color Mint
Mosaico Brick
33x37 cm - 13"x14⁵/₈"




AP1Y Boost Color Jade
Mosaico Brick
33x37 cm - 13"x14⁵/₈"



AP1Z Boost Color Teal
Mosaico Brick
33x37 cm - 13"x14⁵/₈"



AP2B Boost Color Iris
Mosaico Brick
33x37 cm - 13"x14⁵/₈"



AP2C Boost Color Navy
Mosaico Brick
33x37 cm - 13"x14⁵/₈"

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Expression



In collaboration
with Elisa Ossino



Tactile Experience.
Combining visual and tactile elements,
in collaboration with Elisa Ossino.

Modern Palette.
Aligned with trends in architecture
and design.

Rich textures, natural patterns.
Wide decor selection, earthy and refined.

In and Out.
Organic look, indoors and outdoors.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Facades



GLOW



SHELL



CAMEL




TAN



ICE



HAZE



CARBON

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ³ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS


120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 20 mm	Outdoor Sensitech R11 C

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 10 mm	Matte



GLOW




SHELL




ICE



OLIVE



SIENNA



CYAN



OLIVE
LIFE



SIENNA
LIFE



SHELL
LIFE

DESIGN BY **ELISA OSSINO**




GLOW
3D FLUTE




ICE
3D FLUTE




SHELL
3D FLUTE



GLOW
GRAIN




GLOW
3D LOOP



ICE
3D LOOP



SHELL
3D LOOP



SHELL
GRAIN

COMPLETE WITH FURNITURE
 atlas concorde habitat

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Expression

Porcelain Tiles



Matte ± 6 mm



Matte **Sensitech** ± 9 mm
Grip **Sensitech** ± 9 mm
Outdoor **Sensitech** ± 20 mm



R9 A Matte ± 6 mm
R10 B Matte **Sensitech** ± 9 mm
R11 C Grip **Sensitech** ± 9 mm
R11 C Outdoor **Sensitech** ± 20 mm



V2 Slight Variation

MATTE SURFACE



± 6 mm

120x278 cm - 47¹/₄"x109¹/₂"

AYSE Boost Expression Ice
AYSF Boost Expression Haze
AYSG Boost Expression Glow
AYSH Boost Expression Shell
AYSI Boost Expression Camel
AYSJ Boost Expression Tan
AYSN Boost Expression Duo Camel ⁽¹⁾
AYSM Boost Expression Duo Haze ⁽²⁾



Sensitech

± 9 mm

120x120 cm - 47¹/₄"x47¹/₄"

AYT2 Boost Expression Ice
AYT4 Boost Expression Haze
AYT5 Boost Expression Carbon
AYT7 Boost Expression Glow
AYT8 Boost Expression Shell
AYT9 Boost Expression Camel
AYUA Boost Expression Tan



Sensitech

± 9 mm

80x80 cm - 31¹/₂"x31¹/₂"

AYVD Boost Expression Ice
AYVE Boost Expression Haze
AYVF Boost Expression Carbon
AYVG Boost Expression Glow
AYVH Boost Expression Shell
AYVI Boost Expression Camel
AYVJ Boost Expression Tan



Sensitech

± 9 mm

60x120 cm - 23⁵/₈"x47¹/₄"

AYUT Boost Expression Ice
AYUU Boost Expression Haze
AYUV Boost Expression Carbon
AYUW Boost Expression Glow
AYUX Boost Expression Shell
AYUY Boost Expression Camel
AYUZ Boost Expression Tan



Sensitech

± 9 mm

60x60 cm - 23⁵/₈"x23⁵/₈"

AYVK Boost Expression Ice
AYVL Boost Expression Haze
AYVM Boost Expression Carbon
AYVN Boost Expression Glow
AYVO Boost Expression Shell
AYVP Boost Expression Camel
AYVQ Boost Expression Tan



Sensitech

± 9 mm

30x60 cm - 11³/₄"x23⁵/₈"

AYVR Boost Expression Ice
AYVS Boost Expression Haze
AYVT Boost Expression Carbon
AYVU Boost Expression Glow
AYVV Boost Expression Shell
AYVØ Boost Expression Camel
AYV1 Boost Expression Tan

GRIP SURFACE



Sensitech

± 9 mm

120x120 cm - 47¹/₄"x47¹/₄"

AYUN Boost Expression Ice Grip
AYUO Boost Expression Haze Grip
AYUP Boost Expression Shell Grip
AYUQ Boost Expression Glow Grip
AYUR Boost Expression Camel Grip
AYUS Boost Expression Tan Grip



Sensitech

± 9 mm

60x120 cm - 23⁵/₈"x47¹/₄"

AYUØ Boost Expression Ice Grip
AYU1 Boost Expression Haze Grip
AYU2 Boost Expression Shell Grip
AYU3 Boost Expression Glow Grip
AYU4 Boost Expression Camel Grip
AYU5 Boost Expression Tan Grip

OUTDOOR ± 20 mm



Sensitech

± 20 mm

120x120 cm - 47¹/₄"x47¹/₄"

AYRS Boost Expression Ice 20 mm
AYRT Boost Expression Haze 20 mm
AYRU Boost Expression Shell 20 mm



Sensitech

± 20 mm

80x80 cm - 31¹/₂"x31¹/₂"

AYRY Boost Expression Ice 20 mm
AYRZ Boost Expression Haze 20 mm
AYRØ Boost Expression Shell 20 mm



Sensitech

± 20 mm

60x120 cm - 23⁵/₈"x47¹/₄"

AYRV Boost Expression Ice 20 mm
AYRW Boost Expression Haze 20 mm
AYRX Boost Expression Shell 20 mm



Sensitech

± 20 mm

60x60 cm - 23⁵/₈"x23⁵/₈"

AYR1 Boost Expression Ice 20 mm
AYR2 Boost Expression Haze 20 mm
AYR3 Boost Expression Shell 20 mm

Floor

Wall

Outdoor



GLOW




SHELL



CAMEL



TAN



ICE



HAZE



CARBON

⁽¹⁾ It can be combined with: **Camel and Glow**. - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

⁽²⁾ It can be combined with: **Haze and Ice**. - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Expression

Porcelain Tiles

DECOR RANGE




AYY1 Boost Expression Glow
Mosaico Circle
Matte [Sensitech](#)
32x32 cm - 12³/₅"x12³/₅"



AYY2 Boost Expression Shell
Mosaico Circle
Matte [Sensitech](#)
32x32 cm - 12³/₅"x12³/₅"



AYY3 Boost Expression Camel
Mosaico Circle
Matte [Sensitech](#)
32x32 cm - 12³/₅"x12³/₅"



AYY4 Boost Expression Tan
Mosaico Circle
Matte [Sensitech](#)
32x32 cm - 12³/₅"x12³/₅"



AYYY Boost Expression Ice
Mosaico Circle
Matte [Sensitech](#)
32x32 cm - 12³/₅"x12³/₅"



AYYZ Boost Expression Haze
Mosaico Circle
Matte [Sensitech](#)
32x32 cm - 12³/₅"x12³/₅"



AYYØ Boost Expression Carbon
Mosaico Circle
Matte [Sensitech](#)
32x32 cm - 12³/₅"x12³/₅"




AYY8 Boost Expression Glow
Mosaico Ellipse
Matte [Sensitech](#)
37x37,8 cm - 14³/₅"x14⁷/₈"



AYY9 Boost Expression Shell
Mosaico Ellipse
Matte [Sensitech](#)
37x37,8 cm - 14³/₅"x14⁷/₈"



AYZA Boost Expression Camel
Mosaico Ellipse
Matte [Sensitech](#)
37x37,8 cm - 14³/₅"x14⁷/₈"



AYZB Boost Expression Tan
Mosaico Ellipse
Matte [Sensitech](#)
37x37,8 cm - 14³/₅"x14⁷/₈"



AYY5 Boost Expression Ice
Mosaico Ellipse
Matte [Sensitech](#)
37x37,8 cm - 14³/₅"x14⁷/₈"



AYY6 Boost Expression Haze
Mosaico Ellipse
Matte [Sensitech](#)
37x37,8 cm - 14³/₅"x14⁷/₈"



AYY7 Boost Expression Carbon
Mosaico Ellipse
Matte [Sensitech](#)
37x37,8 cm - 14³/₅"x14⁷/₈"

These mosaics allow you to customize a wall by choosing the grout color during the laying phase. The colors presented in these pages are mood suggestions and purely indicative. - Questi mosaici permettono di personalizzare la parete attraverso la scelta del colore dello stucco durante la fase di posa. I colori presentati in queste pagine sono suggerimenti di mood e sono puramente indicativi. - Ces mosaïques permettent de personnaliser le mur moyennant le choix du coloris du joint pendant la phase de pose. Les coloris présentés sur ces pages sont des idées de mood fournies qu'à titre purement indicatif. - Diese Mosaik können zur Personalisierung der Wand mit Fugenmassen in Farben nach Wahl verfügt werden. Die auf diesen Seiten abgebildeten Farben verstehen sich als unverbindliche Beispiele für den erzielbaren Gesamteindruck. - Con estos mosaicos es posible llevar a cabo cualquier idea de personalización de la pared, con la elección del color del estuco durante la fase de colocación. Los colores que les presentamos en estas páginas son sugerencias de estados de ánimo ("mood") y puramente indicativos. Эта мозаика позволяет индивидуализировать стену путем выбора цвета шовной затирки. Цвета, представленные на этих страницах, приведены в качестве примеров и носят ориентировочный характер.

For the best performance of the mosaic, we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions. - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attenendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaïque, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.

BIG SLABS DECORS



AYSN Boost Expression
Duo Camel ⁽¹⁾ ♦
120x278 cm - 47¹/₄"x109¹/₂"



AYSM Boost Expression
Duo Haze ⁽²⁾ ♦
120x278 cm - 47¹/₄"x109¹/₂"



TRIM TILES P. 302	Battiscopa			Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Elemento L	Corner * ± 6 mm	Corner A.E.* ± 6 mm
	7,2x120 cm 2 ¹ / ₅ "x47 ¹ / ₄ "	7,2x80 cm 2 ⁷ / ₈ "x31 ¹ / ₂ "	7,2x60 cm 2 ⁷ / ₈ "x23 ³ / ₅ "	30x120 cm 11 ¹ / ₄ "x47 ¹ / ₄ "	30x60 cm 11 ¹ / ₄ "x23 ³ / ₅ "	33x120 cm 13"x47 ¹ / ₄ "	33x60 cm 13"x23 ³ / ₅ "	33x33 cm 13"x13"	7,2x30 cm 2 ⁷ / ₈ "x11 ¹ / ₄ "		33x120 H. 4 cm 13"x47 ¹ / ₄ " H.1 ¹ / ₅ "	1x120 cm ¹ / ₅ "x47 ¹ / ₄ "	1x1 cm ³ / ₅ "x ¹ / ₅ "
	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech DX SX		Grip Sensitech	Matte	Matte
Ice	AZØP	AZØW	AZ1B	AZ1X	AZ17	AZ2E	AZ2M	AZ2T	AZ1Q	AZ1I	AZ21	AZ3A	AZ3J
Haze	AZØQ	AZØX	AZ1C	AZ1Y	AZ18	AZ2F	AZ2N	AZ2U	AZ1R	AZ1K	AZ22	AZ3B	AZ3K
Carbon	AZØR	AZØY	AZ1D	AZ1Z	AZ19	AZ2G	AZ2O	AZ2V	AZ1S	AZ1L	-	-	-
Glow	AZØS	AZØZ	AZ1E	AZ1Ø	AZ2A	AZ2H	AZ2P	AZ2W	AZ1T	AZ1M	AZ24	AZ3C	AZ3L
Shell	AZØT	AZØØ	AZ1F	AZ14	AZ2B	AZ2I	AZ2Q	AZ2X	AZ1U	AZ1N	AZ27	AZ3D	AZ3M
Camel	AZØU	AZØ9	AZ1G	AZ15	AZ2C	AZ2K	AZ2R	AZ2Y	AZ1V	AZ1O	AZ28	AZ3E	AZ3N
Tan	AZØV	AZ1A	AZ1H	AZ16	AZ2D	AZ2L	AZ2S	AZ2Z	AZ1W	AZ1P	AZ29	AZ3F	AZ3O
Duo Haze	-	-	-	-	-	-	-	-	-	-	-	AZ3H	AZ3Q
Duo Camel	-	-	-	-	-	-	-	-	-	-	-	AZ3I	AZ3R

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавлиются на заказ

⁽¹⁾ It can be combined with: Camel and Glow. - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

⁽²⁾ It can be combined with: Haze and Ice. - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product. - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Expression

Wall Tiles

MATTE SURFACE

Wall



± 8,5 mm

50x120 cm - 19⁵/₈"x47¹/₄"

AYR4 Boost Expression Ice
AYR5 Boost Expression Glow
AYR6 Boost Expression Shell
AYR7 Boost Expression Olive
AYR8 Boost Expression Cyan
AYR9 Boost Expression Sienna



± 10 mm 3D WALL

50x120 cm - 19⁵/₈"x47¹/₄"

AYSA Boost Expression 3D Flute Ice
AYSB Boost Expression 3D Flute Glow
AYSD Boost Expression 3D Flute Shell

AYTO Boost Expression 3D Loop Ice
AYTQ Boost Expression 3D Loop Glow
AYTR Boost Expression 3D Loop Shell

AYTT Boost Expression Grain Glow
AYTU Boost Expression Grain Shell

TRIM TILES



1,4x50 cm - ⁵/₈"x19⁵/₈"

AYUB Boost Expression Ice Corner 50 *
AYUC Boost Expression Glow Corner 50 *
AYUD Boost Expression Shell Corner 50 *
AYUE Boost Expression Olive Corner 50 *
AYUF Boost Expression Cyan Corner 50 *
AYUG Boost Expression Sienna Corner 50 *




1,4x1,4 cm - ⁵/₈"x⁵/₈"

AYUH Boost Expression Ice Corner A.E. *
AYUI Boost Expression Glow Corner A.E. *
AYUJ Boost Expression Shell Corner A.E. *
AYUK Boost Expression Olive Corner A.E. *
AYUL Boost Expression Cyan Corner A.E. *
AYUM Boost Expression Sienna Corner A.E. *

* These parts are supplied to order - I pezzi sono disponibili su ordinazione
- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung
lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ



V2 Slight
Variation



GLOW




GRAIN GLOW



3D FLUTE GLOW



3D LOOP GLOW



SHELL




GRAIN SHELL



3D FLUTE SHELL




3D LOOP SHELL



ICE




3D LOOP ICE




3D FLUTE ICE



CYAN



OLIVE



SIENNA



AZ59 Boost Expression Shell

Life ♦

50x120 cm - 19⁵/₈"x47¹/₄"



AZ6A Boost Expression Olive

Life ♦

50x120 cm - 19⁵/₈"x47¹/₄"



AZ6B Boost Expression Sienna

Life ♦

50x120 cm - 19⁵/₈"x47¹/₄"



♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Natural



reddot winner 2022

In collaboration with Matteo Brioni



Natural Inspiration.
A creative dialogue with Matteo Brioni and raw earth.

Authentic character.
Meticulous reproduction of texture and details.

Earthy decors.
3D Surfaces reproducing unique artworks.

Organic palette.
Shades inspired by natural clay.



COLLECTION CATALOG



VIDEO

Floor

Wall

Decors


Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades




KAOLIN



ASH




ECRU



UMBER




COAL



CORAL



COBALT



FIND MORE COLORS IN Boost Natural Pro p. 120

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN


160x320 cm - 63"x126"	± 6 mm	Hammered
-----------------------	--------	----------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ "	± 12 mm	Hammered
---	---------	----------

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte



KAOLIN



3D BRUSHED KAOLIN



3D TEXTURE KAOLIN



3D WAVE KAOLIN




ASH



3D BRUSHED ASH



3D TEXTURE ASH



3D WAVE ASH




ECRU




3D BRUSHED ECRU



3D TEXTURE ECRU



3D WAVE ECRU



FIND MORE COLORS IN Boost Natural Pro p. 120

COMPLETE WITH FURNITURE



INDEX



PRODUCT FINDER



SURFACE RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR COUNTERTOPS & FURNITURE



FURNITURE



FACADES



TECHNICAL SPECIFICATIONS



Boost Natural

Porcelain Tiles

MATTE SURFACE



± 6 mm
160x320 cm - 63"x126"
ALRØ Boost Natural Kaolin Hammered



± 6 mm
120x278 cm - 47 1/4"x109 1/2"
A67D Boost Natural Ecru
A67E Boost Natural Umber
A67F Boost Natural Coal
A67G Boost Natural Cobalt ⁽¹⁾
A67H Boost Natural Coral
A67B Boost Natural Kaolin
A67C Boost Natural Ash



Sensitech
± 9 mm
120x120 cm - 47 1/4"x47 1/4"
A6WU Boost Natural Ecru
A65O Boost Natural Umber
A65P Boost Natural Coal
A65Q Boost Natural Cobalt ⁽¹⁾
A65R Boost Natural Coral
A65N Boost Natural Kaolin
A6WT Boost Natural Ash



Sensitech
± 9 mm
80x80 cm - 31 1/2"x31 1/2"
A9RI Boost Natural Ecru
A9RG Boost Natural Umber
A9RJ Boost Natural Coal
A9RK Boost Natural Kaolin
A9RH Boost Natural Ash



Sensitech
± 9 mm
60x120 cm - 23 5/8"x47 1/4"
A6WW Boost Natural Ecru
A65T Boost Natural Umber
A65U Boost Natural Coal
A65V Boost Natural Cobalt ⁽¹⁾
A65W Boost Natural Coral
A65S Boost Natural Kaolin
A6VW Boost Natural Ash



Sensitech
± 9 mm
60x60 cm - 23 5/8"x23 5/8"
A66E Boost Natural Ecru
A66F Boost Natural Umber
A66G Boost Natural Coal
A658 Boost Natural Kaolin
A659 Boost Natural Ash



Sensitech
± 9 mm
30x60 cm - 11 3/4"x23 5/8"
A66J Boost Natural Ecru
A66K Boost Natural Umber
A66L Boost Natural Coal
A66H Boost Natural Kaolin
A66I Boost Natural Ash

GRIP SURFACE



Sensitech
± 9 mm
120x120 cm - 47 1/4"x47 1/4"
A655 Boost Natural Ecru Grip
A656 Boost Natural Umber Grip
A657 Boost Natural Coal Grip
A653 Boost Natural Kaolin Grip
A654 Boost Natural Ash Grip





Sensitech
± 9 mm
60x120 cm - 23 5/8"x47 1/4"
A65Ø Boost Natural Ecru Grip
A651 Boost Natural Umber Grip
A652 Boost Natural Coal Grip
A65Y Boost Natural Kaolin Grip
A65Z Boost Natural Ash Grip



Sensitech
± 20 mm
120x120 cm - 47 1/4"x47 1/4"
A7Q9 Boost Natural Ecru 20 mm
A7Q7 Boost Natural Kaolin 20 mm
A7Q8 Boost Natural Ash 20 mm



Sensitech
± 20 mm
60x60 cm - 23 5/8"x23 5/8"
A7RC Boost Natural Ecru 20 mm
A7RA Boost Natural Kaolin 20 mm
A7RB Boost Natural Ash 20 mm

TRIM TILES P. 302	Battiscopa			Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L	Corner *	Corner A.E *
														
	7,2x120 cm 2 1/8"x47 1/4"	7,2x80 cm 2 7/8"x31 1/2"	7,2x60 cm 2 7/8"x23 5/8"	30x120 cm 11 1/4"x47 1/4"	30x60 cm 11 1/4"x23 5/8"	33x120 cm 13"x47 1/4"	33x60 cm 13"x23 5/8"	33x33 cm 13"x13"	7,2x30 cm 2 7/8"x11 1/4"	max 315x50 H.4 cm 124"x19 1/2" H.1 1/8"	33x120 H. 4 cm 13"x47 1/4" H.1 1/2"	1x120 cm 3/8"x47 1/4"	1x1 cm 3/8"x1/8"	
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	SX	Matte	Grip	Matte	Matte
Kaolin	A7DV	HAMC	A7DQ	A7EQ	A7EL	A7IQ	A7IL	A7IX	A7D9	A7D2	*	A7I4	A7MY	A7M5
Ash	A7DW	HAL9	A7DR	A7ER	A7EM	A7IR	A7IM	A7IY	A7EA	A7D3	*	A7I5	A7MZ	A7M6
Ecru	A7DX	HAMA	A7DS	A7ES	A7EN	A7IS	A7IN	A7IZ	A7EB	A7D4	*	A7I6	A7MØ	A7M7
Umber	A7DY	HAL8	A7DT	A7ET	A7EO	A7IT	A7IO	A7IØ	A7EC	A7D5	*	A7I7	A7M1	A7M8
Coal	A7DZ	HAMB	A7DU	A7EU	A7EP	A7IU	A7IP	A7I1	A7ED	A7D6	*	A7I8	A7M2	A7M9
Cobalt	A7DØ	-	-	A7EV	-	A7IV	-	A7I2	A7EE	A7D7	*	-	A7M3	A7NA
Coral	A7D1	-	-	A7EW	-	A7IW	-	A7I3	A7EF	A7D8	*	-	A7M4	A7NB

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

⁽¹⁾ Cobalt: glazed porcelain tiles - Cobalt: gres porcellanato smaltato - Cobalt: carreaux en grès cérame émaillé - Cobalt: glasierte Feinsteinzeugfliesen - Cobalt: gres porcelánico esmaltado - Cobalt: глазурованный керамогранит.



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Natural

Porcelain Tiles

DECOR RANGE



A7CN Boost Natural Kaolin Mosaico Rhombus 36,7x33,8 cm - 14¹/₂"x13³/₄"

A7CO Boost Natural Ash Mosaico Rhombus 36,7x33,8 cm - 14¹/₂"x13³/₄"

A7CP Boost Natural Ecru Mosaico Rhombus 36,7x33,8 cm - 14¹/₂"x13³/₄"

A7CQ Boost Natural Umber Mosaico Rhombus 36,7x33,8 cm - 14¹/₂"x13³/₄"



A7CR Boost Natural Coal Mosaico Rhombus 36,7x33,8 cm - 14¹/₂"x13³/₄"

A7CT Boost Natural Coral Mosaico Rhombus 36,7x33,8 cm - 14¹/₂"x13³/₄"

A7CS Boost Natural Cobalt Mosaico Rhombus 36,7x33,8 cm - 14¹/₂"x13³/₄"



A7CF Boost Natural Kaolin Mosaico Tumbled ⁽¹⁾ 31x31 cm - 12¹/₄"x12¹/₄"

A7CG Boost Natural Ash Mosaico Tumbled ⁽¹⁾ 31x31 cm - 12¹/₄"x12¹/₄"

A7CH Boost Natural Ecru Mosaico Tumbled ⁽¹⁾ 31x31 cm - 12¹/₄"x12¹/₄"


A7CI Boost Natural Umber Mosaico Tumbled ⁽¹⁾ 31x31 cm - 12¹/₄"x12¹/₄"

A7CJ Boost Natural Coal Mosaico Tumbled ⁽¹⁾ 31x31 cm - 12¹/₄"x12¹/₄"




A7CL Boost Natural Coral Mosaico Tumbled ⁽¹⁾ 31x31 cm - 12¹/₄"x12¹/₄"

A7CK Boost Natural Cobalt Mosaico Tumbled ⁽¹⁾ 31x31 cm - 12¹/₄"x12¹/₄"



A 36,7 cm - 14¹/₂"

B 33,8 cm - 13³/₄"



A 31 cm - 12¹/₄"

B 31 cm - 12¹/₄"



⁽¹⁾ Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product. - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
COMPANY	>
COLLECTIONS	>
3D WALL	
CONCRETE & RESIN LOOK	
MARBLE LOOK	
STONE LOOK	
WOOD LOOK	
FABRIC LOOK	
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

Boost Natural

Wall Tiles

MATTE SURFACE

Wall



± 8,5 mm

50x120 cm - 19⁵/₈"x47¹/₄"

A64P Boost Natural Kaolin

A64Q Boost Natural Ash

A64R Boost Natural Ecrú



± 8,5 mm 3D WALL

50x120 cm - 19⁵/₈"x47¹/₄"

A64S Boost Natural 3D Brushed Kaolin

A64T Boost Natural 3D Brushed Ash

A64U Boost Natural 3D Brushed Ecrú

A64V Boost Natural 3D Texture Kaolin

A64W Boost Natural 3D Texture Ash


A64X Boost Natural 3D Texture Ecrú

A64Y Boost Natural 3D Wave Kaolin

A64Z Boost Natural 3D Wave Ash

A64Ø Boost Natural 3D Wave Ecrú

TRIM TILES



1,4x50 cm - 5³/₈"x19⁵/₈"

A641 Boost Natural Kaolin Corner 50 *

A642 Boost Natural Ash Corner 50 *

A643 Boost Natural Ecrú Corner 50 *



1,4x1,4 cm - 5³/₈"x5³/₈"

A644 Boost Natural Kaolin Corner A.E. *

A645 Boost Natural Ash Corner A.E. *

A646 Boost Natural Ecrú Corner A.E. *

3D TRIM TILES



1,4x50 cm - 5³/₈"x19⁵/₈"

A7BN Boost Natural 3D Texture Kaolin Corner 50 *

A7BO Boost Natural 3D Texture Ash Corner 50 *

A7BP Boost Natural 3D Texture Ecrú Corner 50 *

A7BQ Boost Natural 3D Brushed Kaolin Corner 50 *

A7BR Boost Natural 3D Brushed Ash Corner 50 *

A7BS Boost Natural 3D Brushed Ecrú Corner 50 *

* These parts are supplied to order - I pezzi sono disponibili su ordinazione
- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung
lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

V2 Slight
Variation



KAOLIN



3D BRUSHED KAOLIN



3D WAVE KAOLIN



3D TEXTURE KAOLIN



ASH



3D BRUSHED ASH



3D WAVE ASH




3D TEXTURE ASH



ECRÚ



3D BRUSHED ECRÚ



3D WAVE ECRÚ



3D TEXTURE ECRÚ

DECOR RANGE



AHVH Boost Natural Kaolin
Mosaico Piano ⁽¹⁾
50x40,5 cm - 19⁵/₈"x16"



AHHF Boost Natural Ash
Mosaico Piano ⁽¹⁾
50x40,5 cm - 19⁵/₈"x16"



AHHG Boost Natural Ecrú
Mosaico Piano ⁽¹⁾
50x40,5 cm - 19⁵/₈"x16"



AHHH Boost Natural Kaolin
Mosaico Piano Mix ⁽¹⁾
50x40,5 cm - 19⁵/₈"x16"



AHHI Boost Natural Ash
Mosaico Piano Mix ⁽¹⁾
50x40,5 cm - 19⁵/₈"x16"



AHHJ Boost Natural Ecrú
Mosaico Piano Mix ⁽¹⁾
50x40,5 cm - 19⁵/₈"x16"




AHHK Boost Natural Kaolin
Mosaico Trace Mix
30x29,2 cm - 11¹/₄"x11¹/₂"



AHHL Boost Natural Ash
Mosaico Trace Mix
30x29,2 cm - 11¹/₄"x11¹/₂"




AHHM Boost Natural Ecrú
Mosaico Trace Mix
30x29,2 cm - 11¹/₄"x11¹/₂"



A 50 cm - 19⁵/₈"

b 7,95 cm - 3¹/₈"

B 40,4 cm - 15⁷/₈"



A 14,5x13 cm - 5³/₈"x13¹/₂"

B 14,5x5,9 cm - 5³/₈"x2³/₄"

C 14,5x1 cm - 5³/₈"x1¹/₈"

D 14,5x3 cm - 5³/₈"x1¹/₈"

E 30,7 cm - 12¹/₈"

e 30 cm - 11¹/₄"

F 29,1 cm - 11¹/₂"

⁽¹⁾ For the best performance of the mosaic we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions. - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attenendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaïque, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Natural Pro

In collaboration
with **Matteo Brioni**



Stunning shades.
New and warm colors.

3 unique surfaces.
Tailored to meet any desire.

Endless in&out solutions.
Versatility for every space.

Handcrafted wall-tiles decors.
Original masterpieces by Matteo Brioni.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



SAND



OAT




SALT



CINDER



DOVE



FIND MORE
COLORS IN
Boost Natural p. 112

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte R9 A
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Matte Sensitech R10 B Velvet Velvetch
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Matte Sensitech R10 B Velvet Velvetch
80x80 cm - 31 1/2"x31 1/2"	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Grip Sensitech R11 C
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 1/4"x47 1/4"	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 5/8"x47 1/4"	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 5/8"x23 5/8"	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2"	± 12 mm	Hammered
-------------------------------	---------	----------

NON-RECTIFIED




SALT



3D RICE
SALT



3D WAVE
SALT



3D CRAFT
SALT



OAT



3D RICE
OAT



3D WAVE
OAT



3D CRAFT
OAT



CINDER



3D RICE
CINDER



3D WAVE
CINDER




3D CRAFT
CINDER




SKIN




3D WAVE
SKIN



LAVA



COFFÈ



FIND MORE
COLORS IN
Boost Natural p. 112

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 5/8"x47 1/4"	± 8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19 5/8"x47 1/4"	± 8,5 mm	Matte

COMPLETE WITH FURNITURE

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Natural Pro

Porcelain Tiles

MATTE SURFACE



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AQ9E Boost Natural Pro Salt
AQ9F Boost Natural Pro Oat
AQ9G Boost Natural Pro Sand
AQ9H Boost Natural Pro Cinder
AQ9I Boost Natural Pro Dove



Sensitech
± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AQ8U Boost Natural Pro Salt
AQ8V Boost Natural Pro Oat
AQ8W Boost Natural Pro Sand
AQ8X Boost Natural Pro Cinder
AQ8Y Boost Natural Pro Dove



Sensitech
± 9 mm
80x80 cm - 31¹/₂"x31¹/₂"
A9RL Boost Natural Pro Salt
A9RM Boost Natural Pro Oat
A9RN Boost Natural Pro Sand
A9RO Boost Natural Pro Cinder
A9RP Boost Natural Pro Dove



Sensitech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AQ8Z Boost Natural Pro Salt
AQ9A Boost Natural Pro Oat
AQ9B Boost Natural Pro Sand
AQ9C Boost Natural Pro Cinder
AQ9D Boost Natural Pro Dove



Sensitech
± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AQ9U Boost Natural Pro Salt
AQ9V Boost Natural Pro Oat
AQ9W Boost Natural Pro Sand
AQ9X Boost Natural Pro Cinder
AQ9Y Boost Natural Pro Dove



Sensitech
± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AQ9Z Boost Natural Pro Salt
AQ99 Boost Natural Pro Oat
ARAB Boost Natural Pro Sand
ARAD Boost Natural Pro Cinder
ARAF Boost Natural Pro Dove

VELVET SURFACE



Velvetech
± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AQ8K Boost Natural Pro Salt Velvet
AQ8L Boost Natural Pro Oat Velvet
AQ8M Boost Natural Pro Sand Velvet
AQ8N Boost Natural Pro Cinder Velvet
AQ8O Boost Natural Pro Dove Velvet



Velvetech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AQ8P Boost Natural Pro Salt Velvet
AQ8Q Boost Natural Pro Oat Velvet
AQ8R Boost Natural Pro Sand Velvet
AQ8S Boost Natural Pro Cinder Velvet
AQ8T Boost Natural Pro Dove Velvet

**PRECAUTIONS**
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

GRIP SURFACE



Sensitech
± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AQ9J Boost Natural Pro Salt Grip
AQ9K Boost Natural Pro Oat Grip
AQ9L Boost Natural Pro Sand Grip
AQ9M Boost Natural Pro Cinder Grip
AQ9N Boost Natural Pro Dove Grip



Sensitech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AQ9P Boost Natural Pro Salt Grip
AQ9Q Boost Natural Pro Oat Grip
AQ9R Boost Natural Pro Sand Grip
AQ9S Boost Natural Pro Cinder Grip
AQ9T Boost Natural Pro Dove Grip

OUTDOOR ± 20 mm




Sensitech
± 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
ARB2 Boost Natural Pro Oat 20 mm
ARB4 Boost Natural Pro Cinder 20 mm



Sensitech
± 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
ARB6 Boost Natural Pro Oat 20 mm
ARB7 Boost Natural Pro Cinder 20 mm




Sensitech
± 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
ARB8 Boost Natural Pro Oat 20 mm
ARB9 Boost Natural Pro Cinder 20 mm

TRIM TILES P. 302	Battiscopa		Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Elemento L	Corner * ± 6 mm	Corner A.E * ± 6 mm
												
	7,2x120 cm 2 ¹ / ₈ "x47 ¹ / ₄ "	7,2x80 cm 2 ⁷ / ₈ "x31 ¹ / ₂ "	7,2x60 cm 2 ⁷ / ₈ "x23 ⁵ / ₈ "	30x120 cm 11 ¹ / ₄ "x47 ¹ / ₄ "	30x60 cm 11 ¹ / ₄ "x23 ⁵ / ₈ "	33x120 cm 13"x47 ¹ / ₄ "	33x60 cm 13"x23 ⁵ / ₈ "	33x33 cm 13"x13"	7,2x30 cm 2 ⁷ / ₈ "x11 ¹ / ₄ "	33x120 H. 4 cm 13"x47 ¹ / ₄ " H.1 5 ¹ / ₈ "	1x120 cm 3 ¹ / ₈ "x47 ¹ / ₄ "	1x1 cm 3 ¹ / ₈ "x3 ¹ / ₈ "
	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Grip	Matte	Matte
Salt	ARAG	HAMD	ARAM	ARA8	ARBD	AURD	AURI	AURN	ARAY	AURS	ARBI	ARBN
Oat	ARAH	HAME	ARAN	ARA9	ARBE	AURE	AURJ	AURO	ARAZ	AURT	ARBJ	ARBP
Sand	ARAJ	HAMF	ARAO	ARBA	ARBF	AURF	AURK	AURP	ARAØ	AURU	ARBK	ARBQ
Cinder	ARAK	HAMG	ARAP	ARBB	ARBG	AURG	AURL	AURQ	ARA1	AURV	ARBL	ARBR
Dove	ARAL	HAMH	ARAQ	ARBC	ARBH	AURH	AURM	AURR	ARA2	AURW	ARBM	ARBS

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Sensitech P. 412 **Velvetech** P. 410



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Natural Pro

Wall Tiles

MATTE SURFACE

Wall



± 8,5 mm

50x120 cm - 19⁵/₈"x47¹/₄"

AQ6N Boost Natural Pro Salt
AQ6O Boost Natural Pro Oat
AQ6P Boost Natural Pro Cinder
AQ6Q Boost Natural Pro Skin
AQ6R Boost Natural Pro Lava
AQ6S Boost Natural Pro Coffè



± 8,5 mm 3D WALL


50x120 cm - 19⁵/₈"x47¹/₄"

AQ6T Boost Natural Pro 3D Rice Salt
AQ6U Boost Natural Pro 3D Rice Oat
AQ6V Boost Natural Pro 3D Rice Cinder

AQ6W Boost Natural Pro 3D Wave Salt
AQ6X Boost Natural Pro 3D Wave Oat
AQ6Y Boost Natural Pro 3D Wave Cinder
AQ6Z Boost Natural Pro 3D Wave Skin

AQ7A Boost Natural Pro 3D Craft Salt
AQ7B Boost Natural Pro 3D Craft Oat
AQ7C Boost Natural Pro 3D Craft Cinder

TRIM TILES



1,4x50 cm - ⁵/₈"x19⁵/₈"

AQ7Y Boost Natural Pro Salt Corner 50 *
AQ7Z Boost Natural Pro Sand Corner 50 *
AQ8A Boost Natural Pro Cinder Corner 50 *
AQ8B Boost Natural Pro Skin Corner 50 *
AQ8C Boost Natural Pro Lava Corner 50 *
AQ8D Boost Natural Pro Coffè Corner 50 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"

AQ8E Boost Natural Pro Salt Corner A.E. *
AQ8F Boost Natural Pro Sand Corner A.E. *
AQ8G Boost Natural Pro Cinder Corner A.E. *
AQ8H Boost Natural Pro Skin Corner A.E. *
AQ8I Boost Natural Pro Lava Corner A.E. *
AQ8J Boost Natural Pro Coffè Corner A.E. *


* These parts are supplied to order - I pezzi sono disponibili su ordinazione
- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung
lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ



SALT



3D RICE SALT



3D WAVE SALT



3D CRAFT SALT




OAT



3D RICE OAT



3D WAVE OAT



3D CRAFT OAT



CINDER



3D RICE CINDER



3D WAVE CINDER




3D CRAFT CINDER



SKIN



3D WAVE SKIN




LAVA




COFFÈ

DECOR RANGE



AQ7D Boost Natural Pro Oat
Motion ♦
50x120 cm - 19⁵/₈"x47¹/₄"



AQ7E Boost Natural Pro Coffè
Motion ♦
50x120 cm - 19⁵/₈"x47¹/₄"

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Pro



Industrial-chic concrete effect.
Embrace the sleek and modern look.

Five warm tones.
Completing the cold hues of Boost.

Endless combinations.
Mix and match within the Boost World collections for limitless design possibilities.

Contemporary elegance and versatile style.



COLLECTION
CATALOG

Floor

Wall


Decors

Outdoor


Slabs for countertops and furniture

Bathroom furniture

Facades



IVORY




CREAM




CLAY



TAUPE



TOBACCO



FIND COLD
COLORS IN
Boost p. 80


Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 6 mm	Matte R9 A
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech R11 C




IVORY



POWDER BLUE



CLAY



CREAM



3D URBAN
IVORY




3D URBAN
POWDER BLUE



3D URBAN
CLAY



MUSTARD



FIND COLD
COLORS IN
Boost p. 80

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte
3D WALL TILES		
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 10 mm	Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Pro

Porcelain Tiles



Matte $\pm$ 6 mm
Matte *Sensitech* $\pm$ 6 mm



Matte *Sensitech* $\pm$ 9 mm
Grip *Sensitech* $\pm$ 9 mm
Outdoor *Sensitech* $\pm$ 20 mm



Matte $\pm$ 6 mm
R10 B Matte *Sensitech* $\pm$ 6 - 9 mm
R11 C Grip *Sensitech* $\pm$ 9 mm
R11 C Outdoor *Sensitech* $\pm$ 20 mm



V3 Moderate
Variation

MATTE SURFACE

Floor

Wall



$\pm$ 6 mm
120x278 cm - 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "
AØCK Boost Pro Ivory
AØCM Boost Pro Cream
AØCN Boost Pro Clay
AØCO Boost Pro Taupe
AØCP Boost Pro Tobacco



$\pm$ 6 mm
120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "
AØCQ Boost Pro Ivory
AØCR Boost Pro Cream
AØCS Boost Pro Clay
AØCT Boost Pro Taupe
AØCU Boost Pro Tobacco



Sensitech

$\pm$ 9 mm
120x240 cm - 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "
AØCF Boost Pro Ivory
AØCG Boost Pro Cream
AØCJ Boost Pro Clay
AØCI Boost Pro Tobacco



Sensitech

$\pm$ 9 mm
120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "
AØAF Boost Pro Ivory
AØAH Boost Pro Cream
AØAJ Boost Pro Clay
AØAL Boost Pro Taupe
AØAN Boost Pro Tobacco



Sensitech

$\pm$ 9 mm
80x80 cm - 31 $\frac{1}{2}$ "x31 $\frac{1}{2}$ "
A9RU Boost Pro Ivory
A9RT Boost Pro Cream
A9RS Boost Pro Clay
A9RR Boost Pro Taupe
A9RQ Boost Pro Tobacco



Sensitech

$\pm$ 9 mm
60x60 cm - 23 $\frac{5}{8}$ "x23 $\frac{5}{8}$ "
AØC3 Boost Pro Ivory
AØC4 Boost Pro Cream
AØC5 Boost Pro Clay
AØC6 Boost Pro Taupe
AØC7 Boost Pro Tobacco



Sensitech

$\pm$ 9 mm
75x150 cm - 29 $\frac{1}{2}$ "x59"
A7GØ Boost Pro Ivory
A7G2 Boost Pro Cream
A7G3 Boost Pro Clay
A7G4 Boost Pro Taupe
A7G1 Boost Pro Tobacco



Sensitech

$\pm$ 9 mm
60x120 cm - 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "
AØBY Boost Pro Ivory
AØBZ Boost Pro Cream
AØBØ Boost Pro Clay
AØB8 Boost Pro Taupe
AØB9 Boost Pro Tobacco



Sensitech

$\pm$ 9 mm
30x60 cm - 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "
AØC8 Boost Pro Ivory
AØC9 Boost Pro Cream
AØDA Boost Pro Clay
AØDB Boost Pro Taupe
AØDC Boost Pro Tobacco

GRIP SURFACE

OUTDOOR $\pm$ 20 mm

Outdoor



Sensitech

$\pm$ 9 mm
120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "
AØAO Boost Pro Ivory Grip
AØAQ Boost Pro Cream Grip
AØBV Boost Pro Clay Grip
AØBW Boost Pro Taupe Grip
AØBX Boost Pro Tobacco Grip



Sensitech

$\pm$ 20 mm
120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "
A3DD Boost Pro Cream 20 mm
A3DE Boost Pro Clay 20 mm
A3DF Boost Pro Taupe 20 mm
A3DH Boost Pro Tobacco 20 mm



Sensitech

$\pm$ 20 mm
80x80 cm - 31 $\frac{1}{2}$ "x31 $\frac{1}{2}$ "
HAN6 Boost Pro Cream 20 mm
HAN7 Boost Pro Clay 20 mm
HAN8 Boost Pro Taupe 20 mm
HAQA Boost Pro Tobacco 20 mm



Sensitech

$\pm$ 20 mm
60x120 cm - 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "
A4XU Boost Pro Cream 20 mm
A4XV Boost Pro Clay 20 mm
A4XW Boost Pro Taupe 20 mm
A4XX Boost Pro Tobacco 20 mm



Sensitech

$\pm$ 20 mm
60x60 cm - 23 $\frac{5}{8}$ "x23 $\frac{5}{8}$ "
A4XQ Boost Pro Cream 20 mm
A4XR Boost Pro Clay 20 mm
A4XS Boost Pro Taupe 20 mm
A4XT Boost Pro Tobacco 20 mm



IVORY



CREAM



CLAY



TAUPE



TOBACCO

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS




Boost Pro

Porcelain Tiles

DECOR RANGE



AØQQ Boost Pro Ivory
Mosaico Matt
30x30 cm - 11¹/₄"x11¹/₄"




AØQR Boost Pro Cream
Mosaico Matt
30x30 cm - 11¹/₄"x11¹/₄"




AØQS Boost Pro Clay
Mosaico Matt
30x30 cm - 11¹/₄"x11¹/₄"



AØQT Boost Pro Taupe
Mosaico Matt
30x30 cm - 11¹/₄"x11¹/₄"



AØQU Boost Pro Tobacco
Mosaico Matt
30x30 cm - 11¹/₄"x11¹/₄"



4,8x4,8 cm
1¹/₈"x1¹/₈"



AØP8 Boost Pro Ivory
Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"



AØP9 Boost Pro Cream
Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"




AØQB Boost Pro Clay
Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"



AØQC Boost Pro Taupe
Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"



AØQD Boost Pro Tobacco
Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"



A 11,4x6,5 cm - 4¹/₂"x2¹/₂"
B 11,4x6,5 cm - 4¹/₂"x2¹/₂"
C 6,3x3,2 cm - 2¹/₂"x1¹/₄"




AØQN Boost Pro Ivory
Mosaico Hex Olive ⁽¹⁾
25x28,5 cm - 9⁷/₈"x11¹/₄"



AØQO Boost Pro Cream
Mosaico Hex Blue ⁽¹⁾
25x28,5 cm - 9⁷/₈"x11¹/₄"



AØQP Boost Pro Taupe
Mosaico Hex Coffee ⁽¹⁾
25x28,5 cm - 9⁷/₈"x11¹/₄"



A 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
B 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
C 4,6x3,6 cm - 1³/₄"x1³/₈"
D 4,6x3,6 cm - 1³/₄"x1³/₈"



A3HE Boost Pro Leaves A ⁽²⁾








A3M2 Boost Pro Leaves B



Module Assembly

120x278 cm - 47¹/₄"x109¹/₂"



TRIM TILES P. 302	Battiscopa			Gradino *	Scalino *	Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L
											
	7,2x80 cm 2 ⁷ / ₈ "x31 ¹ / ₂ "	7,2x60 cm 2 ⁷ / ₈ "x23 ³ / ₈ "	Digitale 4,6x60 cm 1 ¹ / ₄ "x23 ³ / ₈ "	30x60 cm 11 ¹ / ₄ "x23 ³ / ₈ "	33x150 cm 13"x59"	33x120 cm 13"x47 ¹ / ₄ "	33x60 cm 13"x23 ³ / ₈ "	33x33 cm 13"x13"	7,2x30 cm 2 ⁷ / ₈ "x11 ¹ / ₄ "	max 315x50 H.4 cm 124"x19 ⁷ / ₈ " H.1 ¹ / ₈ "	33x120 H.4 cm 13"x47 ¹ / ₄ " H.1 ¹ / ₈ "
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip
Ivory	HAMM	AØQI	AØQV	A28Ø	A3CY	A3CT	A3CO	A3C3	DX AØQØ	SX AØRX	A3C8
Cream	HAML	AØQJ	AØQW	A283	A3CZ	A3CU	A3CP	A3C4	AØQ8	AØRY	A3C9
Clay	HAMK	AØQK	AØQX	A284	A3CØ	A3CV	A3CQ	A3C5	AØQ9	AØWQ	A3DA
Taupe	HAMJ	AØQL	AØQY	A285	A3C1	A3CW	A3CR	A3C6	AØRA	AØ4M	A3DB
Tobacco	HAMI	AØQM	AØQZ	A289	A3C2	A3CX	A3CS	A3C7	AØRM	A28Z	A3DC

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

⁽¹⁾ Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasivi. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

⁽²⁾ The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

⁽²⁾ The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

Boost Pro

Wall Tiles

MATTE SURFACE

Wall



± 8,5 mm

40x80 cm - 15³/₄"x31¹/₂"

8B8I Boost Pro Ivory

8B8E Boost Pro Cream

8B8C Boost Pro Clay

8B8M Boost Pro Mustard

8B8B Boost Pro Powder Blue



± 10 mm 3D WALL

40x80 cm - 15³/₄"x31¹/₂"

8BUI Boost Pro 3D Urban Ivory

8BUC Boost Pro 3D Urban Clay

8BUB Boost Pro 3D Urban Powder Blue

TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"

LBBI Boost Pro Ivory Corner 40 *

LBBI Boost Pro Cream Corner 40 *

LBBA Boost Pro Clay Corner 40 *

LBBI Boost Pro Mustard Corner 40 *

LBBI Boost Pro Powder Blue Corner 40 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"

AØAI Boost Pro Ivory Corner A.E. *


AØAE Boost Pro Cream Corner A.E. *

AØAC Boost Pro Clay Corner A.E. *

AØAM Boost Pro Mustard Corner A.E. *

AØAB Boost Pro Powder Blue Corner A.E. *

3D TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"

LB3I Boost Pro Ivory 3D Corner 40 *

LB3C Boost Pro Clay 3D Corner 40 *

LB3B Boost Pro Powder Blue 3D Corner 40 *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione
- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung
lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

V2 Slight
Variation




CREAM



MUSTARD




IVORY



3D URBAN IVORY




POWDER BLUE



3D POWDER BLUE



CLAY



3D URBAN CLAY

DECOR RANGE




9BMI Boost Pro Ivory
Minibrick Pro Olive ⁽¹⁾
29,7x33,3 cm - 11⁵/₈"x13¹/₄"



9BMV Boost Pro Cream
Minibrick Pro Blue ⁽¹⁾
29,7x33,3 cm - 11⁵/₈"x13¹/₄"



9BMZ Boost Pro Clay
Minibrick Pro Coffee ⁽¹⁾
29,7x33,3 cm - 11⁵/₈"x13¹/₄"



A 29,6 cm - 11⁵/₈"
B 37,6 cm - 14³/₄"
b 33,3 cm - 13¹/₈"



9BMT Boost Pro Mustard
Minibrick Pro Yellow ⁽¹⁾
29,7x33,3 cm - 11⁵/₈"x13¹/₄"



9BMU Boost Pro Powder Blue
Minibrick Pro Ocean ⁽¹⁾
29,7x33,3 cm - 11⁵/₈"x13¹/₄"

⁽¹⁾ **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Vision

In collaboration
with PARK



Stone-crete look.
Design inspired by seamless
indoor-outdoor connection.

Matching metal range.
Corten, Brass, Steel add bold contrasts.

Complete your in&out project
with modular tridimensional decors
3D Veil and 3D Qube.

The City – spaces designed by Park
PARK showcases Boost Vision’s
versatility, connecting urban scale
and intimate interiors.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Bathroom furniture

Facades

_Concrete Look




GLOW



CAMEL



ASH




HAZE



GREY

_Metal Look



CORTEN



BRASS



STEEL

Porcelain Tiles RECTIFIED MONOCALIBER

_Concrete Look

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " - ID Skin	± 6 mm	Matte R9 A
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN

160x320 cm - 63"x126" - ID Skin	± 6 mm	Hammered R9 A
---------------------------------	--------	----------------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Hammered
--	---------	----------

_Metal Look

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B



GLOW




3D VEIL GLOW



3D QUBE GLOW



CAMEL



3D VEIL CAMEL



3D QUBE CAMEL

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte

3D WALL TILES

40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 10 mm	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 10 mm	Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Vision



Matte ± 6 mm



Matte **Sensitech** ± 9 mm
Grip **Sensitech** ± 9 mm
Outdoor **Sensitech** ± 20 mm



R9 A Matte ± 6 mm
R10 B Matte **Sensitech** ± 9 mm
R11 C Grip **Sensitech** ± 9 mm
R11 C Outdoor **Sensitech** ± 20 mm



V2 Slight Variation

MATTE SURFACE

Floor

Wall



± 6 mm
160x320 cm - 63"x126"
— **Concrete Look - ID Skin**
HCWE Boost Vision Glow Hammered
HCWF Boost Vision Camel Hammered



± 6 mm
120x278 cm - 47 1/4"x109 1/2"
— **Concrete Look - ID Skin**
HCJA Boost Vision Glow
HCJB Boost Vision Camel
HCJC Boost Vision Ash
HCJD Boost Vision Haze
HCJE Boost Vision Grey
— **Metal Look**
HCJF Boost Vision Corten
HCJG Boost Vision Brass
HCJH Boost Vision Steel



± 9 mm
120x120 cm - 47 1/4"x47 1/4"
— **Concrete Look**
HCJL Boost Vision Glow
HCJJ Boost Vision Camel
HCJK Boost Vision Ash
HCJL Boost Vision Haze
HCJM Boost Vision Grey



± 9 mm
80x80 cm - 31 1/2"x31 1/2"
— **Concrete Look**
HCIZ Boost Vision Glow
HCIØ Boost Vision Camel
HCI1 Boost Vision Ash
HCI2 Boost Vision Haze
HCI3 Boost Vision Grey



± 9 mm
60x120 cm - 23 5/8"x47 1/4"
— **Concrete Look**
HCJS Boost Vision Glow
HCJT Boost Vision Camel
HCJU Boost Vision Ash
HCJV Boost Vision Haze
HCJW Boost Vision Grey
— **Metal Look**
HCJX Boost Vision Corten
HCJY Boost Vision Brass
HCJZ Boost Vision Steel



± 9 mm
60x60 cm - 23 5/8"x23 5/8"
— **Concrete Look**
HCJØ Boost Vision Glow
HCJ1 Boost Vision Camel
HCJ2 Boost Vision Ash
HCJ3 Boost Vision Haze
HCJ4 Boost Vision Grey



± 9 mm
30x60 cm - 11 3/4"x23 5/8"
— **Concrete Look**
HCJ5 Boost Vision Glow
HCJ6 Boost Vision Camel
HCJ7 Boost Vision Ash
HCJ8 Boost Vision Haze
HCJ9 Boost Vision Grey

GRIP SURFACE



± 9 mm
120x120 cm - 47 1/4"x47 1/4"
— **Concrete Look**
HCJN Boost Vision Glow
HCJO Boost Vision Camel
HCJP Boost Vision Ash
HCJQ Boost Vision Haze
HCJR Boost Vision Grey



± 9 mm
80x80 cm - 31 1/2"x31 1/2"
— **Concrete Look**
HCI4 Boost Vision Glow
HCI5 Boost Vision Camel
HCI7 Boost Vision Ash
HCI8 Boost Vision Haze
HCI9 Boost Vision Grey



± 20 mm
120x120 cm - 47 1/4"x47 1/4"
— **Concrete Look**
HCKØ Boost Vision Ash
HCK1 Boost Vision Haze
HCK2 Boost Vision Grey



± 20 mm
60x120 cm - 23 5/8"x47 1/4"
— **Concrete Look**
HCUU Boost Vision Ash
HCUV Boost Vision Haze
HCUW Boost Vision Grey



± 20 mm
60x60 cm - 23 5/8"x23 5/8"
— **Concrete Look**
HCUX Boost Vision Ash
HCUY Boost Vision Haze
HCUZ Boost Vision Grey

Concrete Look



GLOW



CAMEL



ASH



HAZE



GREY

Metal Look



CORTEN



BRASS



STEEL

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Vision



HCJF Boost Vision Corten
120x278 cm - 47 7/8" x 109 1/2"



HCJG Boost Vision Brass
120x278 cm - 47 7/8" x 109 1/2"



HCJH Boost Vision Steel
120x278 cm - 47 7/8" x 109 1/2"



Wall Tiles

MATTE SURFACE



± 8,5 mm
40x80 cm - 15 3/4" x 31 1/2"
HCKW Boost Vision Field Glow
HCKX Boost Vision Field Camel




± 10 mm 3D WALL
40x80 cm - 15 3/4" x 31 1/2"
HCKY Boost Vision 3D Veil Glow
HCKZ Boost Vision 3D Veil Camel






± 8,5 mm
50x120 cm - 19 5/8" x 47 1/4"
HCKS Boost Vision Field Glow
HCKT Boost Vision Field Camel



± 10 mm 3D WALL
50x120 cm - 19 5/8" x 47 1/4"
HCKU Boost Vision 3D Qube Glow
HCKV Boost Vision 3D Qube Camel



TRIM TILES P. 302	Battiscopa			Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *	Davanzale / Soglia *		Corner * ± 6 mm	Corner A.E.* ± 6 mm	Elemento L
														
	7,2x120 cm 2 7/8" x 47 1/4"	7,2x80 cm 2 7/8" x 31 1/2"	7,2x60 cm 2 7/8" x 23 3/8"	30x60 cm 11 7/8" x 23 3/8"	30x120 cm 11 7/8" x 47 1/4"	33x120 cm 13" x 47 1/4"	33x60 cm 13" x 23 3/8"	33x33 cm 13" x 13"	7,2x30 cm 2 7/8" x 11 7/8"	max 315x50 H.4 cm 124" x 19 1/2" H.1 1/2"	1x120 cm 3 1/2" x 47 1/4"	1x1 cm 3/16" x 2 1/8"	33x120 H.4 cm 13" x 47 1/4" H.1 1/2"	
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte DX SX	Matte			Grip	
– Concrete Look														
Glow	HCKA	HCKF	HCKK	HDB9	HDB4	HDD6	HDEB	HDE4	HDD1	HDDW	*	HDCK	HDCS	HDCF
Camel	HCKB	HCKG	HCKL	HDCA	HDB5	HDD7	HDEC	HDE5	HDD2	HDDX	*	HDCL	HDCT	HDCG
Ash	HCKC	HCKH	HCKM	HDCB	HDB6	HDD8	HDED	HDE6	HDD3	HDDY	*	HDCM	HDCU	HDCH
Haze	HCKD	HCKI	HCKN	HDCD	HDB7	HDD9	HDEE	HDE7	HDD4	HDDZ	*	HDCN	HDCV	HDCI
Grey	HCKE	HCKJ	HCKO	HDCE	HDB8	HDEA	HDEF	HDE8	HDD5	HDDØ	*	HDCO	HDCW	HDCJ
– Metal Look														
Corten	HDB1	-	-	-	-	-	-	-	-	-	*	HDCP	HDCX	-
Brass	HDB2	-	-	-	-	-	-	-	-	-	*	HDCQ	HDCY	-
Steel	HDB3	-	-	-	-	-	-	-	-	-	*	HDCR	HDCZ	-

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ



V2 Slight
Variation

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Prism

In collaboration
with **Piero Lissoni**



Color Palette by Piero Lissoni.
Extensive, curated colors.

Hand-Troweled Resin.
Timeless inspiration.

Harmonious Graphics.
Seamless spatula effect.

Silk Finish.
Velvety, slightly reflective.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Bathroom furniture

Facades



COTTON




CORD



CLOUD



BLOOM



CARMEL




GRAPE




DUSK



MIDNIGHT



MOSS



EMERALD

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Silk Matte Sensitech R10 B
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 9 mm	Silk Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ³ / ₈ "	± 9 mm	Silk Matte Sensitech R10 B

LARGE SIZES P. 307

Glazed Porcelain Tiles RECTIFIED MONOCALIBER


Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte



CORD




COTTON



CLOUD



BLOOM



CARMEL




GRAPE




DUSK



MIDNIGHT



MOSS



EMERALD

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 ² / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Prism

Porcelain Tiles

MATTE SURFACE

Floor		Wall	
	± 6 mm 120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " A4UQ Prism Cord A4UR Prism Cotton A4US Prism Cloud	 Sensitech	 Sensitech
	± 9 mm 120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ " A4OH Prism Cord A4OI Prism Cotton A4OJ Prism Cloud		
	± 9 mm 60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ " A4OT Prism Cord A4OU Prism Cotton A4OV Prism Cloud		
	± 9 mm 60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ " A4UW Prism Cord A4UX Prism Cotton A4UY Prism Cloud		
	± 9 mm 30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ " A4U2 Prism Cord A4U3 Prism Cotton A4U4 Prism Cloud		

SILK SURFACE

	± 9 mm 120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ " A4ON Prism Cord Silk A4OO Prism Cotton Silk A4OP Prism Cloud Silk	 Sensitech	 Sensitech
	± 9 mm 60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ " A5RW Prism Cord Silk A5RX Prism Cotton Silk A5RY Prism Cloud Silk		
	± 9 mm 30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ " A5R6 Prism Cord Silk A5R7 Prism Cotton Silk A5SA Prism Cloud Silk		

Glazed Porcelain Tiles

MATTE SURFACE

Wall	
	± 6 mm 120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " ⁽¹⁾ A4VH Prism Bloom A4VI Prism Caramel A4VJ Prism Grape A4VK Prism Dusk A4VL Prism Midnight A4VM Prism Moss A4VN Prism Emerald

TRIM TILES P. 302	Battiscopa		Gradino *		Scalino *				Scalino Ang.*		Battiscopa Sag. Scala *				Davanzale / Soglia *		Corner *	Corner
																		
	7,2x60 cm 2 1/8"x23 1/8"		30x60 cm 1 1/4"x23 1/8"		33x120 cm 13"x47 1/4"		33x60 cm 13"x23 1/8"		33x33 cm 13"x13"		7,2x30 cm 2 1/8"x11 1/4"				max 315x50 H 4 cm 124"x19 1/8" H 1 1/8"		1x120 cm 3/8"x47 1/4"	1x1 cm 3/8"x2"
	Matte	Silk	Matte	Silk	Matte	Silk	Matte	Silk	Matte	Silk	SX	DX	SX	DX	Matte	Matte	Matte	
Cotton	A4XØ	A5SF	A4YI	A5SX	A4YU	A4Y6	A4YO	A5S3	A4YØ	A4ZD	A4YC	A4X6	A5SR	A5SL	*	A4ZJ	A4ZP	
Cord	A4XZ	A5SE	A4YH	A5SW	A4YT	A4Y5	A4YN	A5S2	A4YZ	A4ZC	A4YB	A4X5	A5SQ	A5SK	*	A4ZI	A4ZO	
Cloud	A4X1	A5SG	A4YJ	A5SY	A4YV	A4Y7	A4YP	A5S4	A4Y1	A4ZE	A4YD	A4X7	A5SS	A5SM	*	A4ZK	A4ZQ	

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

⁽¹⁾ The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Eviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS



Prism

Porcelain Tiles


DECOR RANGE



A4VO Prism Gradient XL ^{(1) (2)}
120x278 cm - 47 1/4" x 109 1/2"





A4VP Prism Brush XL ^{(1) (2)}
120x278 cm - 47 1/4" x 109 1/2"



A41S Prism Cotton Mosaico Maze 31x35,7 cm - 12 1/4" x 14"
A41Y Prism Cotton Mosaico Maze Silk 31x35,7 cm - 12 1/4" x 14"
A41R Prism Cord Mosaico Maze 31x35,7 cm - 12 1/4" x 14"
A41X Prism Cord Mosaico Maze Silk 31x35,7 cm - 12 1/4" x 14"
A41T Prism Cloud Mosaico Maze 31x35,7 cm - 12 1/4" x 14"
A41Z Prism Cloud Mosaico Maze Silk 31x35,7 cm - 12 1/4" x 14"



A4V1 Prism Cotton Mosaico Matte 30x30 cm - 11 3/4" x 11 3/4"
A4VØ Prism Cord Mosaico Matte 30x30 cm - 11 3/4" x 11 3/4"
A4V2 Prism Cloud Mosaico Matte 30x30 cm - 11 3/4" x 11 3/4"



A 44,6 cm - 17 1/2"
B 31 cm - 12 1/4"
a 35,7 cm - 14"
b 7,6 cm - 3"
c 8,8 cm - 3 1/2"
d 17,6 cm - 6 7/8"



The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.



V2 Slight Variation


Wall Tiles

MATTE SURFACE




± 8,5 mm
50x120 cm - 19 5/8" x 47 1/4"
A4TG Prism Cord
A4TH Prism Cotton
A4TI Prism Cloud
A4TK Prism Bloom
A4TL Prism Caramel
A4TM Prism Grape
A4TN Prism Dusk
A4TO Prism Midnight
A4TP Prism Moss
A4TQ Prism Emerald

Wall



TRIM TILES



1,4x50 cm - 5/8" x 19 5/8"
A4ØP Prism Cord Corner 50 *
A4ØQ Prism Cotton Corner 50 *
A4ØR Prism Cloud Corner 50 *
A4ØT Prism Bloom Corner 50 *
A4ØU Prism Caramel Corner 50 *
A4ØV Prism Grape Corner 50 *
A4ØW Prism Dusk Corner 50 *
A4ØX Prism Midnight Corner 50 *
A4ØY Prism Moss Corner 50 *
A4ØZ Prism Emerald Corner 50 *



1,4x14 cm - 5/8" x 5 3/8"
A4Ø2 Prism Cord Corner A.E. *
A4Ø3 Prism Cotton Corner A.E. *
A4Ø4 Prism Cloud Corner A.E. *
A4Ø6 Prism Bloom Corner A.E. *
A4Ø7 Prism Caramel Corner A.E. *
A4Ø8 Prism Grape Corner A.E. *
A4Ø9 Prism Dusk Corner A.E. *
A41A Prism Midnight Corner A.E. *
A41B Prism Moss Corner A.E. *
A41C Prism Emerald Corner A.E. *

* These parts are supplied to order - I pezzi sono disponibili su ordinazione

- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT FINDER



SURFACE RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR COUNTERTOPS & FURNITURE



FURNITURE



FACADES



TECHNICAL SPECIFICATIONS



Prism


DECOR RANGE



A4ZX Prism Cotton Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"
A4ZW Prism Cord Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"
A4ZY Prism Cloud Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"
A4ZØ Prism Bloom Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"
A4Z1 Prism Caramel Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"



A4Z2 Prism Grape Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"
A4Z3 Prism Dusk Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"
A4Z4 Prism Midnight Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"
A4Z5 Prism Moss Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"
A4Z6 Prism Emerald Mosaico Bead 29,7x29,6 cm - 1¹/₈"x1¹/₈"






A4ØE Prism Cotton Mosaic Q 30,5x30,5 cm - 12"x12"
A4ØD Prism Cord Mosaic Q 30,5x30,5 cm - 12"x12"
A4ØF Prism Cloud Mosaic Q 30,5x30,5 cm - 12"x12"
A4ØH Prism Bloom Mosaic Q 30,5x30,5 cm - 12"x12"
A4ØI Prism Caramel Mosaic Q 30,5x30,5 cm - 12"x12"



A4ØJ Prism Grape Mosaic Q 30,5x30,5 cm - 12"x12"
A4ØK Prism Dusk Mosaic Q 30,5x30,5 cm - 12"x12"
A4ØL Prism Midnight Mosaic Q 30,5x30,5 cm - 12"x12"
A4ØM Prism Moss Mosaic Q 30,5x30,5 cm - 12"x12"
A4ØN Prism Emerald Mosaic Q 30,5x30,5 cm - 12"x12"



A4Z7 Prism Cotton Wiggle ⁽¹⁾ 30,6x32,4 cm - 12"x12³/₄"
A4Z8 Prism Bloom Wiggle ⁽¹⁾ 30,6x32,4 cm - 12"x12³/₄"
A4Z9 Prism Dusk Wiggle ⁽¹⁾ 30,6x32,4 cm - 12"x12³/₄"
A4ØB Prism Moss Wiggle ⁽¹⁾ 30,6x32,4 cm - 12"x12³/₄"



A4TS Prism Brush ⁽²⁾ 50x120 cm - 19⁵/₈"x47¹/₄"

8 patterns



A4ZT Prism Enigma 50x120 cm - 19⁵/₈"x47¹/₄"

This item matches with the following colors / Questo articolo si abbina ai colori seguenti:
Cloud 50x120, Graphite 50x120, Cotton 50x120



A4TR Prism Gradient ⁽²⁾ 50x120 cm - 19⁵/₈"x47¹/₄"

12 patterns



A4ZU Prism Gold ⁽³⁾ 50x120 cm - 19⁵/₈"x47¹/₄"

This item matches with the following colors / Questo articolo si abbina ai colori seguenti:
Bloom 50x120, Caramel 50x120, Grape 50x120, Cord 50x120, Cloud 50x120, Suede 50x120, Cotton 50x120

⁽²⁾ Item sold by square meter. - Articolo venduto al mq. - Article vendu au mètre carré. - Artikel pro m² verkauft. - Artículo vendido por m² - Артикул продается квадратными метрами.

⁽³⁾ Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Telle aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

Marvel



Where everything began.
The first marble collection
of Atlas Concorde.

Exclusive inspiration.
Experience the luxury of the finest marble.

Timeless elegance.
Crafted to elevate your interiors
with enduring sophistication.



DISCOVER
MORE

Floor

Wall

Decors

Slabs for countertops and furniture

Bathroom furniture

Facades



CALACATTA EXTRA

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished Matte R9 A
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Polished
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Polished Matte Sensitech R10 B
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished Matte Sensitech R10 B
75x150 cm - 29 1/2"x59"	± 9 mm	Polished Matte Sensitech R10 B
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Polished Matte Sensitech R10 B
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Polished Matte Sensitech R10 B

LARGE SIZES P. 307



160x320 cm - 63"x126"	± 6 mm	Silk
-----------------------	--------	------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2" NON-RECTIFIED	± 12-20 mm	Polished Silk Matte
159x324 cm - 62 5/8"x127 1/2" NON-RECTIFIED	± 20 mm	Polished Matte




CALACATTA EXTRA

Wall Tiles RECTIFIED MONOCALIBER


SHINY SURFACE

Wall

± 8,5 mm
30,5x56 cm - 12"x22"
9P5L Marvel Calacatta Extra



ASCM Marvel Calacatta
Mosaic
30,5x30,5 - 12"x12"



1,7x1,7 cm
5/8"x5/8"

COMPLETE WITH FURNITURE


INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS



Marvel

Porcelain Tiles



POLISHED SURFACE ⁽¹⁾



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AØBM Marvel Calacatta Extra Polished
AOTJ Marvel Calacatta Extra Bookmatch A Polished
AOTK Marvel Calacatta Extra Bookmatch B Polished
AOUB Marvel Calacatta Extra Endless Polished
A6DU Marvel Calacatta Extra Kit Endless Lp Polished ⁽²⁾ ⁽³⁾



± 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AY2N Marvel Calacatta Extra Polished



± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AY2R Marvel Calacatta Extra Polished



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A21S Marvel Calacatta Extra Polished



± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
7N3O Marvel Calacatta Extra Polished



± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
DØ16 Marvel Calacatta Extra Polished



± 9 mm
75x150 cm - 29¹/₂"x59"
A61F Marvel Calacatta Extra Polished

SILK SURFACE ⁽⁴⁾



± 6 mm
160x320 cm - 63"x126"
AJKZ Marvel Calacatta Extra Bookmatch Silk
AJKY Marvel Calacatta Extra Silk

MATTE SURFACE



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AØBT Marvel Calacatta Extra



± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A2ØY Marvel Calacatta Extra




± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A2Ø8 Marvel Calacatta Extra



± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
7N3A Marvel Calacatta Extra



± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
DØ95 Marvel Calacatta Extra



± 9 mm
75x150 cm - 29¹/₂"x59"
A7HX Marvel Calacatta Extra

DECOR RANGE




ASLC Marvel Calacatta Mosaico 3D ⁽⁵⁾
30x30 cm - 11³/₄"x11³/₄"




ASK5 Marvel Calacatta Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




ASMB Marvel Calacatta Mosaico Polished
30x30 cm - 11³/₄"x11³/₄"



7,4x7,4 cm - 2⁷/₈"x2⁷/₈"



3,5x3,5 cm - 1³/₈"x1³/₈"



1,7x1,7 cm - 5³/₈"x5³/₈"

TRIM TILES P. 302

Battiscopa



7,2x60 cm
2⁷/₈"x23⁵/₈"


Matte

Polished

ASLJ

AVXS

Gradino *




30x60 cm
11³/₄"x23⁵/₈"

Matte

ASLQ

Scalino *



33x75 cm
13"x29¹/₂"

Matte


ASMZ

33x60 cm
13"x23⁵/₈"

Matte

ASMN

Scalino Ang.*



33x33 cm
13"x13"

Matte

ASMT

Battiscopa Sag. Scala *



7,2x30 cm
2⁷/₈"x11³/₄"

Matte


DX

ASNC

SX

ASNI

Davanzale / Soglia *



max 315x50 H.4 cm
124"x19³/₈" H.1¹/₈"

Matte

*

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

⁽²⁾ ⁽³⁾ Please read the notes at page 357

⁽⁴⁾ The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching. - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

⁽⁵⁾ Multi-thickness mosaic, close joint installation without grouting. - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaïque multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

Marvel 3D



Lights on wall.
Marvel becomes 3D.

5 Marvel masterpieces.
Now reinterpreted in three
3D wall textures

3D Crease.
Balanced and contemporary.

3D Reed.
Material and irregular.

Field.
Discreet and elegant.



COLLECTION
CATALOG



VIDEO

Wall

Decors



CALACATTA MERAVIGLIA
FIELD



CALACATTA MERAVIGLIA
3D REED



CALACATTA MERAVIGLIA
3D CREASE



CALACATTA BERNINI
FIELD



CALACATTA BERNINI
3D REED



CALACATTA BERNINI
3D CREASE



TRAVERTINE WHITE
FIELD



TRAVERTINE WHITE
3D REED



TRAVERTINE WHITE
3D CREASE



TRAVERTINE SAND
FIELD



TRAVERTINE SAND
3D REED



TRAVERTINE SAND
3D CREASE



LIGHT MAJESTIC
FIELD



LIGHT MAJESTIC
3D REED



LIGHT MAJESTIC
3D CREASE

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte

COMPLETE WITH FURNITURE
atlas concorde **habitat**

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel 3D

Wall Tiles

MATTE SURFACE



± 8,5 mm

50x120 cm - 19⁵/₈"x47¹/₄"

AQ3M Marvel Field Travertine White

AQ3N Marvel Field Travertine Sand

AQ3O Marvel Field Calacatta Meraviglia

AQ3P Marvel Field Calacatta Bernini

AQ6F Marvel Field Light Majestic



± 8,5 mm 3D WALL

50x120 cm - 19⁵/₈"x47¹/₄"

AQ3Q Marvel 3D Reed Travertine White

AQ3R Marvel 3D Reed Travertine Sand

AQ3S Marvel 3D Reed Calacatta Meraviglia

AQ3T Marvel 3D Reed Calacatta Bernini

AQ6G Marvel 3D Reed Light Majestic

AQ3U Marvel 3D Crease Travertine White

AQ3V Marvel 3D Crease Travertine Sand

AQ3W Marvel 3D Crease Calacatta Meraviglia

AQ3X Marvel 3D Crease Calacatta Bernini

AQ6H Marvel 3D Crease Light Majestic

TRIM TILES



14x50 cm - ⁵/₈"x19⁵/₈"

ASØP Marvel Field Travertine White Corner 50 *

ASØQ Marvel Field Travertine Sand Corner 50 *

ASØR Marvel Field Calacatta Meraviglia Corner 50 *

ASØS Marvel Field Calacatta Bernini Corner 50 *

ASØT Marvel Field Light Majestic Corner 50 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"

ASØU Marvel Field Travertine White Corner A.E. *

ASØV Marvel Field Travertine Sand Corner A.E. *

ASØW Marvel Field Calacatta Meraviglia Corner A.E. *

ASØX Marvel Field Calacatta Bernini Corner A.E. *

ASØY Marvel Field Light Majestic Corner A.E. *

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - изготавливаются на заказ



V2 Slight Variation

Wall



CALACATTA MERAVIGLIA FIELD



CALACATTA MERAVIGLIA 3D REED



CALACATTA MERAVIGLIA 3D CREASE



CALACATTA BERNINI FIELD



CALACATTA BERNINI 3D REED



CALACATTA BERNINI 3D CREASE



TRAVERTINE WHITE FIELD



TRAVERTINE WHITE 3D REED



TRAVERTINE WHITE 3D CREASE



TRAVERTINE SAND FIELD



TRAVERTINE SAND 3D REED



TRAVERTINE SAND 3D CREASE



LIGHT MAJESTIC FIELD



LIGHT MAJESTIC 3D REED



LIGHT MAJESTIC 3D CREASE

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Diva



Inspired by 10 exquisite marbles.
Unmatched rarity, unique like a DIVA.

Perfect finishes.
Each stone in an impeccable finish.

Striking details.
Rich hues, bold veins,
sophisticated weaves.

Tactile allure.
New captivating wall-tile textures.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Slabs for countertops and furniture

Bathroom furniture

Facades



ICE CRYSTAL



TAJ MAHAL



AMETHYST



WHITE EVEREST



PRECIOUS BROWN



AQUA




BAOBAB



SKY STONE



GALAXY



BLACK TEMPEST

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished I Silk
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Polished
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Velvet Velvetech
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished I Velvet Velvetech Matte Sensitech R10 B

LARGE SIZES P. 307

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished I Silk
-----------------------	--------	-----------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Polished I Silk
159x324 cm - 62 ⁵ / ₈ "x127 ¹ / ₂ " NON-RECTIFIED	± 20 mm	Polished



ICE CRYSTAL
FIELD



WHITE EVEREST
FIELD



TAJ MAHAL
FIELD



ICE CRYSTAL
3D CREASE



WHITE EVEREST
3D CREASE



SKY STONE
FIELD

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Diva

Porcelain Tiles

L

LIGHT TRAFFIC

Velvet Velvtech ± 9 mm

M

MEDIUM TRAFFIC

Polished ± 6 - 9 mm
Silk ± 6 mm

H

HEAVY TRAFFIC

Matte *Sensitech* ± 9 mm

R10 B

Matte *Sensitech* ± 9 mm

V3

Moderate Variation

POLISHED SURFACE ⁽¹⁾



± 6 mm
160x320 cm - 63"x126"
AXXG Marvel Ice Crystal Polished Endless
AXXO Marvel Taj Mahal Polished Endless
AXXV Marvel Baobab Polished Endless
AXYJ Marvel Ice Crystal Polished Kit Endless ^{(2) (3)}
AXYL Marvel Taj Mahal Polished Kit Endless ^{(2) (3)}
AXYN Marvel Baobab Polished Kit Endless ^{(2) (3)}



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AX8K Marvel Ice Crystal Polished
AX8M Marvel White Everest Polished
AX8L Marvel Taj Mahal Polished
AX8P Marvel Amethyst Polished
AX8N Marvel Aqua Polished
ARR3 Marvel Baobab Polished
AX8O Marvel Galaxy Polished
AYV3 Marvel Ice Crystal Polished Kit Endless ^{(2) (3)}
AYV5 Marvel White Everest Polished Kit Endless ^{(2) (3)}
AYV4 Marvel Taj Mahal Polished Kit Endless ^{(2) (3)}
AYV8 Marvel Amethyst Polished Kit Endless ^{(2) (3)}
AYV6 Marvel Aqua Polished Kit Endless ^{(2) (3)}
AYV2 Marvel Baobab Polished Kit Endless ^{(2) (3)}
AYV7 Marvel Galaxy Polished Kit Endless ^{(2) (3)}



± 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AXJU Marvel Ice Crystal Polished
AXJW Marvel White Everest Polished
AXJV Marvel Taj Mahal Polished




± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AUQU Marvel Ice Crystal Polished
AUQUV Marvel White Everest Polished
AU8C Marvel Taj Mahal Polished
AU8F Marvel Amethyst Polished
AU8E Marvel Aqua Polished
AU8B Marvel Baobab Polished
AU8D Marvel Galaxy Polished

SILK SURFACE



± 6 mm
160x320 cm - 63"x126"
AXXH Marvel Ice Crystal Silk Endless
ARTK Marvel Appennino Silk
AXXP Marvel Taj Mahal Silk Endless
AKGB Marvel Precious Brown Silk
AXYK Marvel Ice Crystal Silk Kit Endless ^{(2) (3)}
AXYM Marvel Taj Mahal Silk Kit Endless ^{(2) (3)}
ARTM Marvel Appennino Silk Bookmatch
AKGC Marvel Precious Brown Silk Bookmatch



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AX81 Marvel Ice Crystal Silk
AX83 Marvel White Everest Silk
AX82 Marvel Taj Mahal Silk
AX8Y Marvel Precious Brown Silk
AX8Z Marvel Sky Stone Silk
AX8Ø Marvel Black Tempest Silk
AYWC Marvel Ice Crystal Silk Kit Endless ^{(2) (3)}
AYWE Marvel White Everest Silk Kit Endless ^{(2) (3)}
AYWD Marvel Taj Mahal Silk Kit Endless ^{(2) (3)}
AYV9 Marvel Precious Brown Silk Kit Endless ^{(2) (3)}
AYWA Marvel Sky Stone Silk Kit Endless ^{(2) (3)}
AYWB Marvel Black Tempest Silk Kit Endless ^{(2) (3)}

VELVET SURFACE



± 9 mm **Velvtech**
120x120 cm - 47¹/₄"x47¹/₄"
AU8X Marvel Ice Crystal Velvet
AX8R Marvel White Everest Velvet
AX8Q Marvel Taj Mahal Velvet



± 9 mm **Velvtech**
60x120 cm - 23⁵/₈"x47¹/₄"
AUQW Marvel Ice Crystal Velvet
AUQX Marvel White Everest Velvet
AU8G Marvel Taj Mahal Velvet
AU8H Marvel Precious Brown Velvet
AU8I Marvel Sky Stone Velvet
AU8J Marvel Black Tempest Velvet

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

MATTE SURFACE



± 9 mm **Sensitech**
60x120 cm - 23⁵/₈"x47¹/₄"
AX8S Marvel Ice Crystal
AX8U Marvel White Everest
AX8T Marvel Taj Mahal



⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

^{(2) (3)} Please read the notes at page 357

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Diva

Porcelain Tiles

DECOR RANGE



AYD7 Marvel Diva Ice Crystal
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"




AYD9 Marvel Diva White Everest
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



AYD8 Marvel Diva Taj Mahal
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



AYEA Marvel Diva Amethyst
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



AYLT Marvel Diva Ice Crystal
Triangle Polished
28,9x33,4 cm - 11¹/₈"x13¹/₈"




AYLW Marvel Diva White Everest
Triangle Polished
28,9x33,4 cm - 11¹/₈"x13¹/₈"



AYLU Marvel Diva Taj Mahal
Triangle Polished
28,9x33,4 cm - 11¹/₈"x13¹/₈"



AYLX Marvel Diva Aqua
Triangle Polished
28,9x33,4 cm - 11¹/₈"x13¹/₈"



AYLP Marvel Diva Ice Crystal
Hex ⁽¹⁾ Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"




AYLR Marvel Diva White Everest
Hex ⁽¹⁾ Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



AYLQ Marvel Diva Taj Mahal
Hex ⁽¹⁾ Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



AYLS Marvel Diva Baobab
Hex ⁽¹⁾ Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



AYDI Marvel Diva Ice Crystal ⁽²⁾
Grid Velvet ^{Velvetech}
59,5x118,2 cm - 23³/₈"x46¹/₂"




AYDM Marvel Diva Taj Mahal ⁽²⁾
Grid Velvet ^{Velvetech}
59,5x118,2 cm - 23³/₈"x46¹/₂"



AYDØ Marvel Diva White Everest ⁽²⁾
Grid Velvet ^{Velvetech}
59,5x118,2 cm - 23³/₈"x46¹/₂"



AYD1 Marvel Diva Sky Stone ⁽²⁾
Grid Velvet ^{Velvetech}
59,5x118,2 cm - 23³/₈"x46¹/₂"



AYD2 Marvel Diva Ice Crystal
Chevron Velvet ^{Velvetech}
17,5x46,3 cm - 6⁷/₈"x18¹/₄"




AYD4 Marvel Diva White Everest
Chevron Velvet ^{Velvetech}
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



AYD3 Marvel Diva Taj Mahal
Chevron Velvet ^{Velvetech}
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



AYD5 Marvel Diva Black Tempest
Chevron Velvet ^{Velvetech}
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

⁽¹⁾ Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasivi. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

⁽²⁾ Metal insert. We recommend use of a neutral detergent. Do not use acid, alkaline or waxing products or metal scouring pads. Detergents may cause a light loss of colour of the metallic insert, due to either repetitive use or too long contact time. - Inserto metallico. Si consiglia l'utilizzo di un comune detergente neutro, evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo. I detergenti, anche di uso comune, possono portare ad una leggera perdita di colore della bacchetta stessa, o per uso ripetuto o per tempo di contatto troppo elevato. - Insert métallique. Il est conseillé d'utiliser un produit détergent commun et neutre, d'éviter d'utiliser des produits acides ou alcalins, à base de cire ainsi que les pailles de métal. - Metalleinlage. Ein handelsübliches, neutrales Reinigungsmittel und keine sauren oder alkalischen, wachshaltigen Produkte oder Stahlwolle verwenden. - Inserto metálico. Se recomienda utilizar un detergente neutro y evitar productos ácidos o alcalinos, ceras y estropajos metálicos. - Металлическая вставка. Рекомендуется использовать обычное нейтральное моющее средство, избегать использования кислотных или щелочных продуктов, а также средств для вощения и металлических мочалок.

Marvel Diva

Wall Tiles

MATTE SURFACE

Wall



± 8,5 mm

50x120 cm - 19⁵/₈"x47¹/₄"

AYLY Marvel Ice Crystal Field

AYL1 Marvel Taj Mahal Field

AYLZ Marvel White Everest Field

AYLØ Marvel Sky Stone Field



± 8,5 mm

50x120 cm - 19⁵/₈"x47¹/₄"

AYL2 Marvel Ice Crystal 3D Crease

AYL3 Marvel White Everest 3D Crease

V3 Moderate
Variation



ICE CRYSTAL FIELD



ICE CRYSTAL 3D CREASE



WHITE EVEREST FIELD



WHITE EVEREST 3D CREASE



TAJ MAHAL FIELD



SKY STONE FIELD



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Dream



Timeless Elegance.
Elegant white and black marbles effects for stylish projects.

The refined beauty of marble.
Marble effect to enhance any space with elegance and sophistication.

Seamless integration.
Perfectly pairs with all Marvel World products and the entire Atlas Concorde catalog.



DISCOVER
MORE

Floor

Wall



Porcelain Tiles RECTIFIED MONOCALIBER

POLISHED SURFACE ⁽¹⁾

Floor

Wall



± 6 mm
120x278 cm - 47 1/4"x109 1/2"
AOSG Marvel Black Atlantis Polished



± 9 mm
60x120 cm - 23 5/8"x47 1/4"
A21I Marvel Black Atlantis Polished

MATTE SURFACE



Sensitech

± 9 mm
60x120 cm - 23 5/8"x47 1/4"
A21A Marvel Black Atlantis



Polished ± 6 - 9 mm



R10 B Matte Sensitech ± 9 mm



R9 A Matte ± 6 mm
R10 B Matte Sensitech ± 9 mm



V2 Slight
Variation

⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

Sensitech P. 412

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Epic



Stunning marbles, epic scenarios.
Epic marble surfaces that transform every space.

Rich and textured palette.
Seven stones offering limitless design versatility.

Refined finishes, elevated surfaces.
Tailored finishes enhancing color, depth, texture.

Versatile total look combinations.
Designed to mix seamlessly across Atlas Concorde collections.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



TAJ MAHAL WHITE



TAJ MAHAL NOISETTE



ONYX IVORY



ALPINUS



CALACATTA VIOLA



NATURAL ROOTS



ZEPHYR

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished Silk Matte
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished Matte Sensitech R10 B

LARGE SIZES P. 307

atlasPLAN	Thickness	Surface finish
160x320 cm - 63"x126"	± 6 mm	Polished Silk Hammered
SLABS FOR COUNTERTOPS & FURNITURE		
162x324 cm - 63 ³ / ₈ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Polished Silk Hammered Satin

COMPLETE WITH FURNITURE
atlas concorde **habitat**

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Epic

Porcelain Tiles

POLISHED SURFACE ⁽¹⁾



± 6 mm
160x320 cm - 63"x126"
HCLZ Marvel Calacatta Viola Polished Endless
HDV5 Marvel Calacatta Viola Polished Kit Endless ^{(2) (3)}
HDZS Marvel Onyx Ivory Polished
HECD Marvel Onyx Ivory Polished Kit Endless ^{(2) (3)}



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
HEAC Marvel Calacatta Viola Polished
HEIL Marvel Calacatta Viola Polished Kit Endless ^{(2) (3)}
HEAD Marvel Onyx Ivory Polished
HEIM Marvel Onyx Ivory Polished Kit Endless ^{(2) (3)}
HEU7 Marvel Taj Mahal Noisette Polished
HEVA Marvel Taj Mahal Noisette Polished Kit Endless ^{(2) (3)}
HEU8 Marvel Taj Mahal White Polished
HEVB Marvel Taj Mahal White Polished Kit Endless ^{(2) (3)}
HEII Marvel Natural Roots Polished
HEIN Marvel Natural Roots Polished Kit Endless ^{(2) (3)}



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
HEAH Marvel Calacatta Viola Polished
HEAI Marvel Onyx Ivory Polished
HEVD Marvel Taj Mahal Noisette Polished
HEVE Marvel Taj Mahal White Polished
HEIK Marvel Natural Roots Polished

Floor

Wall

SILK SURFACE



± 6 mm
160x320 cm - 63"x126"
HDT2 Marvel Taj Mahal Noisette Silk Endless
HDT3 Marvel Taj Mahal Noisette Silk Kit Endless ^{(2) (3)}
HEAU Marvel Zephyr Silk Endless
HEAV Marvel Zephyr Silk Kit Endless ^{(2) (3)}
HD7C Marvel Taj Mahal White Silk
HD7D Marvel Taj Mahal White Silk Kit Endless ^{(2) (3)}
HEAØ Marvel Natural Roots Silk Endless
HEAY Marvel Natural Roots Silk Kit Endless ^{(2) (3)}



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
HEAE Marvel Taj Mahal Noisette Silk
HEIP Marvel Taj Mahal Noisette Silk Kit Endless ^{(2) (3)}
HEAF Marvel Taj Mahal White Silk
HEIQ Marvel Taj Mahal White Silk Kit Endless ^{(2) (3)}
HEU9 Marvel Zephyr Silk
HEVC Marvel Zephyr Silk Kit Endless ^{(2) (3)}

Floor

Wall

MATTE SURFACE



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂" - ID Skin
HEAG Marvel Alpinus
HEIR Marvel Alpinus Kit Endless



± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
HEVH Marvel Taj Mahal Noisette
HEVI Marvel Taj Mahal White

Sensitech



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
HEAJ Marvel Taj Mahal Noisette
HEAK Marvel Taj Mahal White
HEAL Marvel Alpinus
HEVG Marvel Zephyr

Sensitech

Floor

Wall

HAMMERED MATTE SURFACE



± 6 mm
160x320 cm - 63"x126" - ID Skin
HDV6 Marvel Alpinus Hammered
HEAW Marvel Alpinus Hammered Kit Endless

⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

^{(2) (3)} Please read the notes at page 357



TAJ MAHAL WHITE




TAJ MAHAL NOISETTE



ONYX IVORY



ALPINUS



CALACATTA VIOLA



NATURAL ROOTS



ZEPHYR

HAMMERED



ALPINUS HAMMERED

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Gala



Distinctive personalities.
Inspired by 5 rare and precious stones.

Vibrant and deep colors.
Marble, crystal, granite,
and quartzite inspirations.

Inspired by natural wonders.
The glaciers of Alaska, the Californian
desert, the green of Amazon,
the turquoise of the tropical seas,
the Icelandic volcanoes.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



CRYSTAL WHITE



DESERT SOUL



AMAZONITE



EXOTIC GREEN



CALACATTA BLACK

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Polished
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished

LARGE SIZES P. 307

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished
-----------------------	--------	----------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12-20 mm	Polished Silk
159x324 cm - 62 ⁵ / ₈ "x127 ¹ / ₂ " NON-RECTIFIED	± 20 mm	Polished

COMPLETE WITH FURNITURE
atlas concorde **habitat**

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Gala

Porcelain Tiles



Polished $\pm$ 6 - 9 mm



V3 Moderate Variation

POLISHED SURFACE ⁽¹⁾



$\pm$ 6 mm

160x320 cm - 63"x126"

AJKV Marvel Crystal White Bookmatch Polished
AJKU Marvel Crystal White Polished
AJKH Marvel Desert Soul Bookmatch Polished
AJKG Marvel Desert Soul Polished
AJRQ Marvel Exotic Green Bookmatch Polished
AJRP Marvel Exotic Green Polished



$\pm$ 6 mm

120x278 cm - 47¹/₄"x109¹/₂"

AFXU Marvel Exotic Green Polished
AFXV Marvel Desert Soul Polished
AFXW Marvel Crystal White Polished
AFXX Marvel Amazonite Polished
AFXY Marvel Calacatta Black Polished



$\pm$ 9 mm

120x120 cm - 47¹/₄"x47¹/₄"

ABKA Marvel Exotic Green Polished
AFXM Marvel Desert Soul Polished
AFXN Marvel Crystal White Polished
ABKB Marvel Amazonite Polished
AFXO Marvel Calacatta Black Polished



$\pm$ 9 mm

60x120 cm - 23⁵/₈"x47¹/₄"

AFXP Marvel Exotic Green Polished
AFXQ Marvel Desert Soul Polished
AFXR Marvel Crystal White Polished
AFXS Marvel Amazonite Polished
AFXT Marvel Calacatta Black Polished

Floor


Wall




CRYSTAL WHITE



DESERT SOUL



AMAZONITE



EXOTIC GREEN



CALACATTA BLACK

⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Gems



Modern Venetian Terrazzo.
A contemporary take on classic Venetian terrazzo.

Contemporary colors.
Available in modern, neutral shades.

Seamless Pairing.
Perfectly matches with Marvel World collections.




DISCOVER
MORE

Floor

Wall



TERRAZZO WHITE



TERRAZZO GREY



TERRAZZO PEARL



TERRAZZO CREAM



TERRAZZO BLACK

Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE

Floor

Wall



Sensitech

± 9 mm

60x60 cm - 23⁵/₈"x23⁵/₈"
ATW3 Marvel Terrazzo White
ATW4 Marvel Terrazzo Pearl
ATW5 Marvel Terrazzo Cream
ATW6 Marvel Terrazzo Grey
ATW7 Marvel Terrazzo Black



Matte ± 9 mm




R10 B Matte Sensitech ± 9 mm



V2 Slight
Variation

TRIM TILES P. 302

	Battiscopa	Gradino *	Scalino *	Scalino Ang.*	Davanzale / Soglia *
					
	7,2x60 cm 2 ⁷ / ₈ "x23 ⁵ / ₈ "	30x60 cm 11 ¹ / ₄ "x23 ⁵ / ₈ "	33x60 cm 13"x23 ⁵ / ₈ "	33x33 cm 13"x13"	max 315x50 H.4 cm 124"x19 ⁹ / ₈ " H.1 ¹ / ₈ "
	Matte	Matte	Matte	Matte	Matte
Terrazzo White	AT9M	AT9H	AT9R	AS8Y	•
Terrazzo Pearl	AT9N	AT9I	AT9T	AS8Z	•
Terrazzo Cream	AT9O	AT9J	AT9U	AS8Ø	•
Terrazzo Grey	AT9P	AT9K	AT9V	AS81	•
Terrazzo Black	AT9Q	AT9L	AT9W	AS82	•

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Sensitech P. 412

COMPLETE WITH FURNITURE
atlas concorde **habitat**

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Meraviglia



ADI DESIGN
INDEX 2024

Diamond décor designed
by Zaha Hadid Architects



Inspired by five elegant marbles.
Calacatta Meraviglia is the protagonist of the collection

Velvetech.
The advanced technology with patent field in Europe for an impeccable smooth touch and semi-opaque reflections.

A distinctive decorative proposal.
The Diamond décor in collaboration with Zaha Hadid Architects has been selected for the prestigious Adi Design Index 2024.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades




CALACATTA
MERAVIGLIA



CALACATTA
BERNINI



SILVER
MAJESTIC



GRIGIO
ELEGANTE



BLACK
ORIGIN

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Polished
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Polished Velvet Velvetech
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Polished
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished Velvet Velvetech Matte Sensitech R10 B Hammered Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Polished Matte Sensitech R10 B
30x60 cm - 11 ¹ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Polished Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Hammered Outdoor Sensitech R11 C
---	---------	--

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished Matte R9 A
-----------------------	--------	---------------------------------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Polished Silk
159x324 cm - 62 ⁵ / ₈ "x127 ¹ / ₂ " NON-RECTIFIED	± 20 mm	Polished Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Meraviglia

Porcelain Tiles

POLISHED SURFACE ⁽¹⁾



± 6 mm
160x320 cm - 63"x126"
AJG9 Marvel Calacatta Meraviglia Polished Endless
AKFI Marvel Calacatta Meraviglia Polished Kit Endless ^{(2) (3)}
AJJ9 Marvel Calacatta Meraviglia Polished
AJKA Marvel Calacatta Meraviglia Bookmatch Polished



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AJH2 Marvel Calacatta Meraviglia Polished
AJH3 Marvel Calacatta Bernini Polished
AJH4 Marvel Silver Majestic Polished
AJH5 Marvel Grigio Elegante Polished
AJH6 Marvel Black Origin Polished
AKF8 Marvel Calacatta Meraviglia Polished Kit Endless ^{(2) (3)}
AKF9 Marvel Calacatta Bernini Polished Kit Endless ^{(2) (3)}
AKQU Marvel Silver Majestic Polished Kit Endless ^{(2) (3)}
AKQV Marvel Grigio Elegante Polished Kit Endless ^{(2) (3)}
AKQW Marvel Black Origin Polished Kit Endless ^{(2) (3)}



± 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AJH7 Marvel Calacatta Meraviglia Polished
AJH8 Marvel Calacatta Bernini Polished
AJH9 Marvel Silver Majestic Polished
AJIA Marvel Grigio Elegante Polished
AJIB Marvel Black Origin Polished



± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJIC Marvel Calacatta Meraviglia Polished
AJID Marvel Calacatta Bernini Polished
AJIE Marvel Silver Majestic Polished
AJIF Marvel Grigio Elegante Polished
AJIG Marvel Black Origin Polished



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJAN Marvel Calacatta Meraviglia Polished
AJHU Marvel Calacatta Bernini Polished
AJHV Marvel Silver Majestic Polished
AJHW Marvel Grigio Elegante Polished
AJHX Marvel Black Origin Polished



± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AJI5 Marvel Calacatta Meraviglia Polished
AJI6 Marvel Calacatta Bernini Polished
AJI7 Marvel Silver Majestic Polished
AJI8 Marvel Grigio Elegante Polished
AJI9 Marvel Black Origin Polished



± 9 mm
30x60 cm - 11¹/₄"x23⁵/₈"
AJJF Marvel Calacatta Meraviglia Polished
AJJG Marvel Calacatta Bernini Polished
AJJH Marvel Silver Majestic Polished
AJJI Marvel Grigio Elegante Polished
AJJJ Marvel Black Origin Polished



± 9 mm
75x150 cm - 29¹/₂"x59"
AJEQ Marvel Calacatta Meraviglia Polished
AJHY Marvel Calacatta Bernini Polished
AJHZ Marvel Silver Majestic Polished
AJHØ Marvel Grigio Elegante Polished
AJH1 Marvel Black Origin Polished



Floor

Wall



CALACATTA MERAVIGLIA



CALACATTA BERNINI



SILVER MAJESTIC



GRIGIO ELEGANTE



BLACK ORIGIN

⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

^{(2) (3)} Please read the notes at page 357

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Meraviglia

Porcelain Tiles

VELVET SURFACE



Velvetech
± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJII Marvel Calacatta Meraviglia Velvet
AJJJ Marvel Calacatta Bernini Velvet
AJIK Marvel Silver Majestic Velvet
AJIL Marvel Grigio Elegante Velvet



Velvetech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJGJ Marvel Calacatta Meraviglia Velvet
AJGK Marvel Calacatta Bernini Velvet
AJGL Marvel Silver Majestic Velvet
AI8R Marvel Grigio Elegante Velvet



R9 A Matte ± 6 mm
R10 B Matte **Sensitech** ± 9 mm
R10 B Hammered Matte **Sensitech** ± 9 mm
R11 C Hammered Outdoor **Sensitech** ± 20 mm



V3 Moderate Variation



L Velvet Velvetech ± 9 mm
LIGHT TRAFFIC



M Matte ± 9 mm
MEDIUM TRAFFIC



H Matte **Sensitech** ± 9 mm
Hammered Matte **Sensitech** ± 9 mm
Hammered Outdoor **Sensitech** ± 20 mm
HEAVY TRAFFIC

Floor

Wall

**PRECAUTIONS**
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

MATTE SURFACE



atlasPLAN
± 6 mm
160x320 cm - 63"x126"
AJSZ Marvel Calacatta Meraviglia Endless
AKFJ Marvel Calacatta Meraviglia Kit Endless ⁽²⁾ ⁽³⁾



Sensitech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJIR Marvel Calacatta Meraviglia
AJIS Marvel Calacatta Bernini
AJIT Marvel Silver Majestic
AJIU Marvel Grigio Elegante
AJIV Marvel Black Origin



Sensitech
± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AJJA Marvel Calacatta Meraviglia
AJJB Marvel Calacatta Bernini
AJJC Marvel Silver Majestic
AJJD Marvel Grigio Elegante
AJJE Marvel Black Origin



Sensitech
± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AJJK Marvel Calacatta Meraviglia
AJJL Marvel Calacatta Bernini
AJJM Marvel Silver Majestic
AJJN Marvel Grigio Elegante
AJJO Marvel Black Origin

HAMMERED MATTE SURFACE



Sensitech
± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJIX Marvel Calacatta Meraviglia Hammered
AJJU Marvel Calacatta Bernini Hammered
AJIY Marvel Grigio Elegante Hammered

HAMMERED OUTDOOR ± 20 mm



Sensitech
± 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJPQ Marvel Calacatta Meraviglia Hammered Outdoor
AJPR Marvel Calacatta Bernini Hammered Outdoor
AJPS Marvel Grigio Elegante Hammered Outdoor

VELVET/MATTE

**CALACATTA MERAVIGLIA**

**CALACATTA BERNINI**

**SILVER MAJESTIC**

**GRIGIO ELEGANTE**

**BLACK ORIGIN**

HAMMERED

**CALACATTA MERAVIGLIA HAMMERED**

**CALACATTA BERNINI HAMMERED**

**GRIGIO ELEGANTE HAMMERED**

INDEX

PRODUCT
FINDER

SURFACE
RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES

SLABS FOR
COUNTERTOPS
& FURNITURE

FURNITURE

FACADES

TECHNICAL
SPECIFICATIONS

Sensitech P. 412

Velvetech P. 410


180

181

Marvel Meraviglia

Porcelain Tiles

DECOR RANGE



AJQ6 Marvel Calacatta Meraviglia
Diamond Polished
46,6x284,6 cm - 18³/₈"x112"

Calacatta Meraviglia + Black Origin



AJQ8 Marvel Black Origin
Diamond Polished
46,6x284,6 cm - 18³/₈"x112"


Black Origin + Calacatta Meraviglia




AJQ7 Marvel Silver Majestic
Diamond Polished
46,6x284,6 cm - 18³/₈"x112"

Silver Majestic + Black Origin


Decor designed by
Zaha Hadid Architects




mod A
A 50,5 cm - 19⁷/₈"
a 46,6 cm - 18³/₈"
B 44,8 cm - 17⁷/₈"
b 40,3 cm - 15⁷/₈"



mod B
A 50,5 cm - 19⁷/₈"
a 46,6 cm - 18³/₈"
B 58,3 cm - 23"
b 51,9 cm - 20³/₈"



mod C
A 52,9 cm - 20⁷/₈"
a 46,6 cm - 18³/₈"
B 54,2 cm - 21¹/₈"
b 49,8 cm - 19³/₈"



mod D
A 52,9 cm - 20⁷/₈"
a 46,6 cm - 18³/₈"
B 54,2 cm - 21¹/₈"
b 49,3 cm - 19³/₈"

Diamond designed by ZHA consists of six modules in a box. The mosaic covers a height of 2,85 m, but it's possible to lengthen the composition for larger areas by using the Hexagon mosaic, which corresponds to Module A. For an optimal aesthetic result, it's recommended to lay the product keeping the color transition of the tiles in the center of the composition. - Diamond designed by ZHA è composto da sei moduli contenuti in una scatola. Il mosaico ricopre un'altezza di 2,85 mt, ma è possibile allungare la composizione per superfici più estese utilizzando il mosaico Hexagon, che corrisponde al modulo A. Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo la transizione di colore delle tessere al centro della composizione.



© Copyright Zaha Hadid Limited 2023 manufactured by Ceramiche Atlas Concorde under license from Zaha Hadid Limited

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Meraviglia

DECOR RANGE



AJQY Marvel Calacatta Meraviglia
Hexagon ⁽¹⁾ Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




AJQZ Marvel Calacatta Bernini
Hexagon ⁽¹⁾ Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




AJQØ Marvel Silver Majestic
Hexagon ⁽¹⁾ Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




AJQ1 Marvel Grigio Elegante
Hexagon ⁽¹⁾ Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




AJQ2 Marvel Black Origin
Hexagon ⁽¹⁾ Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




AJP8 Marvel Calacatta Meraviglia
Mosaico Matte [Sensitech](#)
30x30 cm - 11¹/₄"x11¹/₄"




AJP9 Marvel Calacatta Bernini
Mosaico Matte [Sensitech](#)
30x30 cm - 11¹/₄"x11¹/₄"




AJQA Marvel Silver Majestic
Mosaico Matte [Sensitech](#)
30x30 cm - 11¹/₄"x11¹/₄"




AJQB Marvel Grigio Elegante
Mosaico Matte [Sensitech](#)
30x30 cm - 11¹/₄"x11¹/₄"



AJQC Marvel Black Origin
Mosaico Matte [Sensitech](#)
30x30 cm - 11¹/₄"x11¹/₄"



A 50,5 cm - 19⁷/₈"
a 46,6 cm - 18³/₈"
B 44,8 cm - 17⁷/₈"
b 40,3 cm - 15⁷/₈"



3,5x3,5 cm - 1¹/₈"x1¹/₈"



APV5 Marvel Calacatta Meraviglia
Grid Velvet Velvetch
59,5x118,2 cm - 23³/₈"x46¹/₂"



APV6 Marvel Calacatta Bernini
Grid Velvet Velvetch
59,5x118,2 cm - 23³/₈"x46¹/₂"



APV8 Marvel Grigio Elegante
Grid Velvet Velvetch
59,5x118,2 cm - 23³/₈"x46¹/₂"




APV7 Marvel Silver Majestic
Grid Velvet Velvetch
59,5x118,2 cm - 23³/₈"x46¹/₂"

PRECAUTIONS
VELVET IS A DELICATE SURFACE

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.



A 118,2 cm - 46¹/₂"
B 59,5 cm - 23³/₈"
a 29,4 cm - 11⁵/₈"

⁽¹⁾ **Marvel Meraviglia Hexagon recalls the hexagonal Module A of Diamond designed by ZHA, which can be combined with to clad larger surfaces. Or use it on its own to give rooms a prestigious touch.** - Marvel Meraviglia Hexagon riprende il modulo esagonale A di Diamond designed by ZHA, a cui si può abbinare per ricoprire superfici più estese. Oppure utilizzarlo da solo per conferire agli ambienti un tocco di pregio. - Marvel Meraviglia Hexagon reprend le module hexagonal A de Diamond designed by ZHA, auquel elle peut être associée pour recouvrir de plus grandes superficies. Elle peut aussi être utilisée seule pour conférer une touche d'élégance aux espaces. - Marvel Meraviglia Hexagon greift das Sechskantmodul A von Diamond designed by ZHA auf und kann mit diesem kombiniert werden, um ausgedehntere Flächen zu verkleiden. Es kann auch allein verwendet werden, um dem Ambiente besonderes Prestige zu verleihen. - Marvel Meraviglia Hexagon toma el módulo hexagonal A de Diamond diseñado por ZHA, con el cual se puede combinar para cubrir superficies más grandes. O bien, se puede utilizar solo para dar un toque de prestigio a los ambientes. - Marvel Meraviglia Hexagon перенимает шестигранный модуль A у декора Diamond от ZHA и может сочетаться с последним для облицовки более крупных поверхностей. Также может использоваться отдельно для придания интерьерам ноты изысканности.

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Onyx



Onyx like never before.
A contemporary and refined Interpretation.

Superior aesthetics.
Elegance and depth of details for sophisticated spaces.

Timeless Allure.
Transparent and translucent as a glass surface.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Slabs for countertops and furniture


Bathroom furniture

Tables

Facades



WHITE



PEARL




ALABASTER



NOIR



SKY



QUARTZ

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4" x 109 1/2"	± 6 mm	Polished
120x240 cm - 47 1/4" x 94 1/2"	± 9 mm	Polished
120x120 cm - 47 1/4" x 47 1/4"	± 9 mm	Polished
60x120 cm - 23 5/8" x 47 1/4"	± 9 mm	Polished
60x60 cm - 23 5/8" x 23 5/8"	± 9 mm	Polished

LARGE SIZES P. 307

atlasPLAN

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4" x 127 1/2"	± 12 mm	Polished Silk
NON-RECTIFIED		

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Onyx

Porcelain Tiles

POLISHED SURFACE ⁽¹⁾



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AJAH Marvel White Polished
AJAI Marvel Alabaster Polished
AJAJ Marvel Pearl Polished
AJAK Marvel Noir Polished
AJAL Marvel Sky Polished
AJAM Marvel Quartz Polished



± 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AJBG Marvel White Polished
AJBH Marvel Alabaster Polished
AJBI Marvel Pearl Polished
AJBJ Marvel Noir Polished



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AJBO Marvel White Polished
AJBQ Marvel Alabaster Polished
AJBS Marvel Pearl Polished
AJBT Marvel Noir Polished



± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AJBK Marvel White Polished
AJBL Marvel Alabaster Polished
AJBM Marvel Pearl Polished
AJBN Marvel Noir Polished



± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AJBU Marvel White Polished
AJBV Marvel Alabaster Polished
AJBW Marvel Pearl Polished
AJBX Marvel Noir Polished



Polished ± 6 - 9 mm



V3 Moderate Variation

Floor

Wall



WHITE



PEARL



ALABASTER



NOIR



SKY



QUARTZ

⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Shine



Inspired by Italian white marbles.
Featuring exquisite marbles handpicked from the most prestigious quarries.

Wide range of finishes.
Available in an extensive array of finishes.

Seamless vein graphics.
Continuous vein patterns in large formats.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



CALACATTA
DELICATO



CALACATTA
PRESTIGIO



STATUARIO
SUPREMO



CALACATTA
IMPERIALE

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished I Silk
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Polished
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Polished I Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished I Matte Sensitech R10 B
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Polished I Silk
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Polished I Silk I Matte Sensitech R10 B
30x60 cm - 11 ¹ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Silk

LARGE SIZES P. 307

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished Silk
-----------------------	--------	-----------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Polished I Silk
159x324 cm - 62 ⁵ / ₈ "x127 ¹ / ₂ " NON-RECTIFIED	± 20* mm	Polished I Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Shine


Porcelain Tiles

DECOR RANGE



A421 Marvel Calacatta Prestigio
Scenic Bookm A Lp ⁽¹⁾
120x278 cm - 47 1/4"x109 1/2"

A43L Marvel Calacatta Prestigio
Scenic Bookm B Lp ⁽¹⁾
120x278 cm - 47 1/4"x109 1/2"




A423 Marvel Calacatta Delicato
Mosaico Polished
30x30 cm - 11 1/4"x11 1/4"



A424 Marvel Calacatta Prestigio
Mosaico Polished
30x30 cm - 11 1/4"x11 1/4"



A426 Marvel Calacatta Imperiale
Mosaico Polished
30x30 cm - 11 1/4"x11 1/4"



2,3x2,3 cm - 7/8"x7/8"




A413 Marvel Calacatta Delicato
Mosaico Matte
30x30 cm - 11 1/4"x11 1/4"



A414 Marvel Calacatta Prestigio
Mosaico Matte
30x30 cm - 11 1/4"x11 1/4"



A416 Marvel Calacatta Imperiale
Mosaico Matte
30x30 cm - 11 1/4"x11 1/4"



3,1x3,1 cm - 1 1/4"x1 1/4"




A42K Marvel Calacatta Delicato
Mosaico Esagono Polished
30,5x35,2 cm - 12"x13 1/8"



A42W Marvel Calacatta Prestigio
Mosaico Esagono Polished
30,5x35,2 cm - 12"x13 1/8"



A42Y Marvel Calacatta Imperiale
Mosaico Esagono Polished
30,5x35,2 cm - 12"x13 1/8"



A 30,5 cm - 12"
B 35,2 cm - 13 7/8"
10x17 cm - 3 1/8"x6 1/4"



A417 Marvel Calacatta Delicato
Mosaico Esagono Matte
30,5x35,2 cm - 12"x13 1/8"



A418 Marvel Calacatta Prestigio
Mosaico Esagono Matte
30,5x35,2 cm - 12"x13 1/8"



A42J Marvel Calacatta Imperiale
Mosaico Esagono Matte
30,5x35,2 cm - 12"x13 1/8"

⁽¹⁾ 120x278 cm slabs cut into modules that recompose the open vein. This makes it possible to lay them even on curved surfaces. Each slab is cut into 16 numbered modules measuring 15x139 cm. To recreate the open vein, follow the sequence of pieces indicated in the laying patterns inside the packaging. Each slab is placed in 4 boxes, each of which contains 4 modules, for a total of 16 modules, corresponding to a surface of 3.3 mq. - Lastre 120cmx278cm tagliate in moduli che ricompongono la macchia aperta. Consentono la posa anche su superfici curve. Ogni lastra viene tagliata in 16 moduli numerati, di dimensione 15cmx139cm: per ricreare la macchia aperta seguire la sequenza dei pezzi indicata negli schemi di posa all'interno dell'imballo. Ogni lastra viene collocata in 4 scatole, ciascuna delle quali contiene 4 moduli, per un totale di 16 moduli, corrispondenti ad una superficie di 3,3mq. - Dalles de 120 cm x 278 cm découpées en modules qui recomposent la tache ouverte. Elles permettent la pose même sur des surfaces courbes. Chaque dalle est découpée en 16 modules numérotés, mesurant 15 cm x 139 cm: pour recréer la tache ouverte, suivez la séquence de pièces indiquée dans les schémas de pose à l'intérieur de l'emballage. Chaque dalle est placée dans 4 boîtes contenant chacune 4 modules, pour un total de 16 modules, correspondant à une surface de 3,3 mètres carrés. - Platten 120 cm x 278 cm, zu Modulen geschnitten, die das gespiegelte Motiv bilden. Die Verlegung ist auch auf gewölbten Oberflächen möglich. Jede Platte wird in 16 nummerierte Module mit Abmessungen 15 cm x 139 cm geschnitten. Um die Spiegeloptik zu erzielen, die auf den der Verpackung beiliegenden Verlegeplänen angegebene Reihenfolge beachten. Jede Platte wird in 4 Schachteln mit je 4 Modulen verpackt. Die insgesamt 16 Module entsprechen einer Oberfläche von 3,3 qm. - Placas 120cmx278cm cortadas en módulos que recomponen la mancha abierta. También permiten la colocación en superficies curvas. Cada losa se corta en 16 módulos numerados que miden 15cmx139cm: x para recrear la mancha abierta, se sigue la secuencia de las piezas indicadas en los esquemas de colocación dentro del embalaje. Cada losa se coloca en 4 cajas, cada una de estas contiene 4 módulos por un total de 16 módulos, lo que corresponde a un área de 3,3 metros cuadrados. - Плиты 120 см x278 см разрезаны на модули, которые впоследствии складываются в симметричный зеркальный рисунок. Также возможна укладка на изогнутые поверхности. Каждая плита разрезается на 16 пронумерованных модулей размером 15 см x 139 см: чтобы заново сложить исходный симметричный рисунок, необходимо соблюдать последовательность, указанную на схемах укладки внутри упаковки. Каждая плита помещается в 4 коробки по 4 модуля; всего - 16 модулей, соответствующих площади 3,3 кв.м.

 The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Stone



White and black marbles.
The refined beauty of classic marble.

Infinite Combinations.
Rich graphic variations and endless pairing possibilities with marble, wood, and concrete effects.

Unmatched elegance and personalized style.
Subtle textures and tones for both modern and traditional spaces.



DISCOVER
MORE

Floor

Wall

Decors

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished Matte R9 A
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Polished
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Polished Matte Sensitech R10 B
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished Matte Sensitech R10 B
75x150 cm - 29 1/2"x59"	± 9 mm	Polished
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Polished Matte Sensitech R10 B
30x60 cm - 11 1/4"x23 5/8"	± 9 mm	Polished Matte Sensitech R10 B

LARGE SIZES P. 307

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished Silk
-----------------------	--------	-----------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 3/4"x127 1/2" NON-RECTIFIED	± 12-20 mm	Polished Silk Matte
159x324 cm - 62 5/8"x127 1/2" NON-RECTIFIED	± 20 mm	Polished

COMPLETE WITH FURNITURE


INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Stone

Porcelain Tiles



Polished ± 6 - 9 mm
Silk ± 6 mm
Matte ± 6 mm



Matte **Sensitech** ± 9 mm



R9 A Matte ± 6 mm
R10 B Matte **Sensitech** ± 9 mm



V2 Slight
Variation

POLISHED SURFACE ⁽¹⁾



± 6 mm
160x320 cm - 63"x126"
AJKW Marvel Nero Marquina Polished



± 6 mm
120x278 cm - 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "
AØBP Marvel Bianco Dolomite Polished



± 9 mm
120x240 cm - 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "
AZTV Marvel Bianco Dolomite Polished



± 9 mm
120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "
AZTT Marvel Bianco Dolomite Polished



± 9 mm
75x150 cm - 29 $\frac{1}{2}$ "x59"
A7GE Marvel Bianco Dolomite Polished



± 9 mm
60x120 cm - 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "
A21K Marvel Bianco Dolomite Polished



± 9 mm
60x60 cm - 23 $\frac{5}{8}$ "x23 $\frac{5}{8}$ "
AZRI Marvel Bianco Dolomite Polished



± 9 mm
30x60 cm - 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "
DØ39 Marvel Bianco Dolomite Polished

SILK SURFACE ⁽²⁾



± 6 mm
160x320 cm - 63"x126"
AJK2 Marvel Nero Marquina Silk

MATTE SURFACE



± 6 mm
120x278 cm - 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "
A2RS Marvel Bianco Dolomite



± 9 mm **Sensitech**
120x120 cm - 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "
A2Ø4 Marvel Bianco Dolomite



± 9 mm **Sensitech**
60x120 cm - 23 $\frac{5}{8}$ "x47 $\frac{1}{4}$ "
A21C Marvel Bianco Dolomite




± 9 mm **Sensitech**
60x60 cm - 23 $\frac{5}{8}$ "x23 $\frac{5}{8}$ "
AZQS Marvel Bianco Dolomite




± 9 mm **Sensitech**
30x60 cm - 11 $\frac{3}{4}$ "x23 $\frac{5}{8}$ "
D11Ø Marvel Bianco Dolomite

DECOR RANGE




AS3V Marvel Bianco Dolomite
Mosaico Matte
30x30 cm - 11 $\frac{3}{4}$ "x11 $\frac{3}{4}$ "



3,5x3,5 cm - 1 $\frac{3}{8}$ "x1 $\frac{3}{8}$ "




AS2G Marvel Bianco Dolomite
Mosaico Esagono Polished
30x35 cm - 11 $\frac{3}{4}$ "x13 $\frac{3}{4}$ "



A 30 cm - 11 $\frac{3}{4}$ "
B 35 cm - 13 $\frac{3}{4}$ "
10x17 cm - 3 $\frac{7}{8}$ "x6 $\frac{3}{4}$ "




AS31 Marvel Bianco Dolomite
Mosaico Polished Burattato ⁽⁴⁾
29,8x29,8 cm - 11 $\frac{7}{8}$ "x11 $\frac{7}{8}$ "



3,5x1,7 cm
1 $\frac{1}{8}$ "x $\frac{5}{8}$ "




AS2T Marvel Bianco Dolomite
Mosaico Polished
30x30 cm - 11 $\frac{3}{4}$ "x11 $\frac{3}{4}$ "



1,7x1,7 cm - $\frac{5}{8}$ "x $\frac{5}{8}$ "




AS36 Marvel Bianco Dolomite
Mosaico Esagono 3D ⁽³⁾
28,2x35,3 cm - 11"x14"



A 8,8 cm - 3 $\frac{3}{4}$ "
B 8,1 cm - 3 $\frac{1}{8}$ "



AS1Q Marvel
Bianco Dolomite
Chevron Polished
22,5x22,9 cm - 8 $\frac{7}{8}$ "x9"



A 26,4 cm - 10 $\frac{3}{8}$ "
B 9,6 cm - 3 $\frac{3}{4}$ "

TRIM TILES P. 302	Battiscopa		Gradino *		Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *
	7,2x60 cm 2 $\frac{1}{4}$ "x23 $\frac{3}{8}$ "	Digitale 4,6x60 cm 1 $\frac{1}{4}$ "x23 $\frac{3}{8}$ "	30x60 cm 11 $\frac{1}{4}$ "x23 $\frac{3}{8}$ "	33x60 cm 13"x23 $\frac{3}{8}$ "	33x33 cm 13"x13"	7,2x30 cm 2 $\frac{1}{4}$ "x11 $\frac{1}{4}$ "	max 315x50 H.4 cm 124"x19 $\frac{1}{8}$ " H.1 $\frac{1}{8}$ "		
	Matte	Polished	Matte	Polished	Matte	Matte	Matte		
Bianco Dolomite	ATDT	ATDO	ATDJ	ATDE	ATDY	ATD3	DX ATEE	SX ATD8	ATEO ATEJ

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

⁽²⁾ The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching. - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

⁽³⁾ Multi-thickness mosaic, close joint installation without grouting. - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaïque multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

⁽⁴⁾ Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product. - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

Marvel T

In collaboration
with HBA



Travertine experts.

Unique travertine experience.
New colors, authentic texture

Trendy 3D surfaces.
Travertine's natural texture enhances
these finishes.

Collaboration with HBA.
Shared vision embracing authentic
3D sensory surfaces.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



NAVONA
WHITE



NAVONA
SAND



HALO
WHITE



HALO
SAND



ROMANO
SAND



ROMANO
SILVER



STONE
VEIL

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " - ID Skin	± 6 mm	Matte R9 A
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ¹ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN

160x320 cm - 63"x126" - ID Skin	± 6 mm	Hammered R9 A
---------------------------------	--------	----------------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " - ID Skin NON-RECTIFIED	± 12 mm	Hammered
--	---------	----------




NAVONA WHITE
FIELD




NAVONA SAND
FIELD



NAVONA WHITE
3D ARCH




NAVONA WHITE
3D MINI QUBE




NAVONA SAND
3D MINI QUBE



NAVONA SAND
3D ARCH



NAVONA WHITE
3D QUBE



NAVONA SAND
3D QUBE

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 ⁵ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte

3D WALL TILES

40x80 cm - 15 ⁵ / ₄ "x31 ¹ / ₂ "	± 10 mm	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 10 mm	Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel T

Porcelain Tiles



Matte ± 6 mm



Matte *Sensitech* ± 9 mm
Grip *Sensitech* ± 9 mm
Outdoor *Sensitech* ± 20 mm



R9 **A** Matte ± 6 mm
R10 **B** Matte *Sensitech* ± 9 mm
R11 **C** Grip *Sensitech* ± 9 mm
R11 **C** Outdoor *Sensitech* ± 20 mm



V3 Moderate Variation

MATTE SURFACE

Floor

Wall



± 6 mm

160x320 cm - 63"x126" - **ID Skin**

HCLU Marvel Navona White Hammered
HCLX Marvel Halo White Hammered Endless
HDLZ M Halo White Hammered Kit Endless ^{(2) (3)}
HCLW Marvel Romano Sand Hammered
HCLV Marvel Romano Silver Hammered



± 6 mm

120x278 cm - 47¹/₄"x109¹/₂" - **ID Skin**

HCOW Marvel Navona White
HCOX Marvel Navona Sand
HCOY Marvel Halo White
HCOZ Marvel Halo Sand
HCOØ Marvel Romano Sand
HCO1 Marvel Romano Silver
HCO4 Marvel Stone Veil
HDOW Marvel Halo White Kit Endless ^{(2) (3)}
HDOX Marvel Halo Sand Kit Endless ^{(2) (3)}



± 9 mm

120x240 cm - 47¹/₄"x94¹/₂"

HCO5 Marvel Navona Sand
HCO6 Marvel Halo White



± 9 mm

120x120 cm - 47¹/₄"x47¹/₄"


HCCW Marvel Navona White
HCCX Marvel Navona Sand
HCCY Marvel Halo White
HCCZ Marvel Halo Sand



± 9 mm

60x120 cm - 23⁵/₈"x47¹/₄"

HCCØ Marvel Navona White
HCC4 Marvel Navona Sand
HCC5 Marvel Halo White
HCC7 Marvel Halo Sand
HCC9 Marvel Romano Sand
HCDA Marvel Romano Silver
HCDB Marvel Stone Veil



± 9 mm

75x150 cm - 29¹/₂"x59"

HCO7 Marvel Navona White
HCO8 Marvel Navona Sand
HCPA Marvel Halo White
HCPB Marvel Halo Sand



± 9 mm

80x80 cm - 31¹/₂"x31¹/₂"

HCBM Marvel Navona White
HCBN Marvel Navona Sand
HCBO Marvel Halo White
HCBP Marvel Halo Sand



± 9 mm

60x60 cm - 23⁵/₈"x23⁵/₈"

HCPC Marvel Navona White
HCPD Marvel Navona Sand
HCPE Marvel Halo White
HCPF Marvel Halo Sand



± 9 mm

30x60 cm - 11³/₄"x23⁵/₈"

HCPG Marvel Navona White
HCPH Marvel Navona Sand
HCPI Marvel Halo White
HCPJ Marvel Halo Sand

GRIP SURFACE

OUTDOOR ± 20 mm

Outdoor



± 9 mm

60x120 cm - 23⁵/₈"x47¹/₄"

HCDC Marvel Navona Sand Grip
HCDD Marvel Halo Sand Grip
HCDE Marvel Romano Sand Grip



± 20 mm

60x120 cm - 23⁵/₈"x47¹/₄"

HCQE Marvel Navona Sand 20mm
HCQF Marvel Halo Sand 20mm
HCQG Marvel Romano Sand 20mm

TRIM TILES P. 302	Battiscopa				Gradino *		Scalino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *		Corner * ± 6 mm		Elemento L
	7,2x150 cm 2 ⁷ / ₈ "x59"	7,2x120 cm 2 ⁷ / ₈ "x47 ¹ / ₄ "	7,2x80 cm 2 ⁷ / ₈ "x31 ¹ / ₂ "	7,2x60 cm 2 ⁷ / ₈ "x23 ⁵ / ₈ "	30x120 cm 11 ¹ / ₄ "x47 ¹ / ₄ "	30x60 cm 11 ¹ / ₄ "x23 ⁵ / ₈ "	33x150 cm 13"x59"	33x120 cm 13"x47 ¹ / ₄ "	33x60 cm 13"x23 ⁵ / ₈ "	33x33 cm 13"x13"	7,2x30 cm 2 ⁷ / ₈ "x11 ¹ / ₄ "		max 315x50 H 4 cm 124"x19 ¹ / ₄ " H 1 ¹ / ₈ "		1x120 cm 3 ¹ / ₈ "x47 ¹ / ₄ "		33x120 H. 4 cm 13"x47 ¹ / ₄ " H.1 3 ¹ / ₈ "
	Matte.	Matte.	Matte.	Matte.	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte		Line Matte		Grip
	DX	SX									DX	SX					
Navona White	HDN7	HCPM	HDOB	HCPU	HD0F	HD0M	HD0P	HDO6	HD0H	HDPL	HDO2	HDOY	•	HDSE	HDSN	-	-
Navona Sand	HDN8	HCPO	HDOC	HCPV	HDOG	HDON	HDPE	HDO7	HDPI	HDPM	HDO3	HDOZ	•	HDSF	HDSO	-	HDUG
Halo White	HDN9	HCPP	HDOD	HCPW	HDOH	HDOO	HDPF	HDO8	HDPJ	HDPN	HDO4	HDOØ	•	HDSG	-	-	-
Halo Sand	HDOA	HCPO	HDOE	HCPX	HDOI	HDOP	HDPG	HDO9	HDPK	HDPO	HDO5	HDO1	•	HDSH	-	-	HDIUH
Romano Sand	-	HCPR	-	-	HDOJ	-	-	HDPA	-	-	-	-	•	HDSI	-	-	HDIUI
Romano Silver	-	HCPS	-	-	HDOK	-	-	HDPB	-	-	-	-	•	HDSJ	-	-	-
Stone Veil	-	HCPT	-	-	HDOL	-	-	HDPD	-	-	-	-	•	HDSK	-	-	-

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

^{(2) (3)} Please read the notes at page 357

Sensitech P. 412

HAMMERED



NAVONA WHITE HAMMERED



ROMANO SAND HAMMERED



HALO WHITE HAMMERED



ROMANO SILVER HAMMERED

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel T

Porcelain Tiles

BIG SLABS



HCWB Marvel Navona White
Line ♦ Hammered
160x320 cm – 63"x126" – **ID Skin**



HCUØ Marvel Navona White
Line ♦ Matte
120x278 cm – 47 1/4"x109 1/2" – **ID Skin**



HCU1 Marvel Navona Sand
Line ♦ Matte
120x278 cm – 47 1/4"x109 1/2" – **ID Skin**



♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.



Matte ± 6 mm



R9 A Matte ± 6 mm



V3 Moderate Variation

Wall Tiles

MATTE SURFACE

Wall



± 8,5 mm

40x80 cm – 15 3/4"x31 1/2"

HCQA Marvel Navona White Field

HCQB Marvel Navona Sand Field



± 10 mm

40x80 cm – 15 3/4"x31 1/2" **3D WALL** DESIGNED BY HBA

HCQC Marvel 3D Mini Qube Navona White

HCQD Marvel T 3D Mini Qube Navona Sand



± 8,5 mm

50x120 cm – 19 5/8"x47 1/4"

HCPØ Marvel Navona White Field

HCP1 Marvel Navona Sand Field



± 10 mm

50x120 cm – 19 5/8"x47 1/4" **3D WALL** DESIGNED BY HBA


HCP5 Marvel 3D Qube Navona White

HCP7 Marvel 3D Qube Navona Sand

HCP8 Marvel 3D Arch Navona White

HCP9 Marvel 3D Arch Navona Sand

TRIM TILES



14x50 cm – 5 1/8"x19 5/8"

HDN1 Marvel Navona White Field Corner 50 *

HDN2 Marvel Navona Sand Field Corner 50 *

14x40 cm – 5 1/8"x15 3/4"

HDN3 Marvel Navona White Field Corner 40 *

HDN4 Marvel Navona Sand Field Corner 40 *



14x14 cm – 5 1/8"x5 1/8"

HDN5 Marvel Navona Sand White Corner A.E. *

HDN6 Marvel Navona Sand Field Corner A.E. *

* **These parts are supplied to order** – I pezzi sono disponibili su ordinazione

- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung


lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ



NAVONA WHITE FIELD




NAVONA SAND FIELD



NAVONA WHITE 3D MINI QUBE



NAVONA SAND 3D MINI QUBE



NAVONA WHITE 3D QUBE



NAVONA SAND 3D QUBE



NAVONA WHITE 3D ARCH



NAVONA SAND 3D ARCH

3D WALL : DESIGN BY HBA

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Travertine

In collaboration
with HBA



The Grandeur of Travertine.
An iconic star of design.

Eternal Material.
Marble and Stone share a powerful identity.

International Design Vocation.
Exclusive decors designed
in collaboration with HBA.

Vein Cut and Cross Cut.
Expanding Travertine application
possibilities and design.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



WHITE
VEIN CUT



SAND
VEIN CUT




PEARL
VEIN CUT



WHITE
CROSS CUT



SAND
CROSS CUT



PEARL
CROSS CUT

Porcelain Tiles RECTIFIED MONOCALIBER

VEIN CUT

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ¹ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered R9 A
-----------------------	--------	----------------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Hammered
--	---------	----------

CROSS CUT

Sizes	Thickness	Surface finish
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
---	--------	--------------------------------------

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Travertine

Porcelain Tiles

Vein Cut

MATTE SURFACE



± 6 mm
160x320 cm - 63"x126"
ALYW Marvel Travertino White Hammered
AJKQ Marvel Travertino Sand Hammered
ALYV Marvel Travertino Pearl Hammered



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AFS1 Marvel White Vein
AFS2 Marvel Sand Vein
AFS3 Marvel Pearl Vein



± 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AFT7 Marvel White Vein
AFT8 Marvel Sand Vein
AFT9 Marvel Pearl Vein



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A8UW Marvel White Vein
AFUA Marvel Sand Vein
AFUB Marvel Pearl Vein



± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AUR9 Marvel White Vein
AUSA Marvel Sand Vein
AUSB Marvel Pearl Vein

GRIP SURFACE



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AFUC Marvel White Vein Grip
AFUD Marvel Sand Vein Grip
AFUE Marvel Pearl Vein Grip



± 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AGE7 Marvel White Vein 20 mm
AGE8 Marvel Sand Vein 20 mm
AGE9 Marvel Pearl Vein 20 mm

Cross Cut

MATTE SURFACE



± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
A8WU Marvel White Cross
A8WV Marvel Sand Cross
A8WW Marvel Pearl Cross



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A8UZ Marvel White Cross
AFUF Marvel Sand Cross
AFUG Marvel Pearl Cross



± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AFUK Marvel White Cross
AFUL Marvel Sand Cross
AFUM Marvel Pearl Cross

GRIP SURFACE



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AFUH Marvel White Cross Grip
AFUI Marvel Sand Cross Grip
AFUJ Marvel Pearl Cross Grip

Floor

Wall

Outdoor

Floor

Wall

Outdoor



WHITE VEIN CUT



WHITE CROSS CUT



SAND VEIN CUT



SAND CROSS CUT



PEARL VEIN CUT



PEARL CROSS CUT

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel Travertine

Porcelain Tiles

DECOR RANGE DESIGNED BY HBA



AF9S Marvel Travertine White Diamond [®]
60x60 cm - 23⁵/₈"x23⁵/₈"



AF9T Marvel Travertine Sand Diamond [®]
60x60 cm - 23⁵/₈"x23⁵/₈"



AF9U Marvel Travertine Pearl Diamond [®]
60x60 cm - 23⁵/₈"x23⁵/₈"



AF9P Marvel Travertine White Cross Chiselled Urban Grid [®]
30x60 cm - 11¹/₄"x23⁵/₈"




AF9Q Marvel Travertine Sand Cross Chiselled Urban Grid [®]
30x60 cm - 11¹/₄"x23⁵/₈"




AF9R Marvel Travertine Pearl Cross Chiselled Urban Grid [®]
30x60 cm - 11¹/₄"x23⁵/₈"




For best results it is recommended to follow one of the following laying patterns. - Per un risultato estetico ottimale si consiglia di seguire uno dei seguenti schemi di posa. - Nous vous invitons à respecter un des schémas de pose suivants pour un résultat esthétique optimal. - Für ein optisch optimales Resultat empfehlen wir, eines der nachstehenden Verlegemuster zu befolgen. - Para obtener un mejor resultado estético, es aconsejable seguir uno de los siguientes esquemas de colocación. - Для достижения наилучшего эстетического результата рекомендуется использовать одну из следующих схем укладки.



LAYING PATTERN 1



LAYING PATTERN 2



⁽¹⁾ **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки. использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

⁽²⁾ **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделывать углубления затиркой.

⁽³⁾ **The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



DECOR RANGE DESIGNED BY HBA




AF9J Marvel Travertine White Mosaico Origami
28x41,2 cm - 11"x16¹/₄"



AF9K Marvel Travertine Sand Mosaico Origami
28x41,2 cm - 11"x16¹/₄"



AF9L Marvel Travertine Pearl Mosaico Origami
28x41,2 cm - 11"x16¹/₄"




AF9M Marvel Travertine White Mosaico Basketweave
35x46,8 cm - 13³/₄"x18³/₄"



AF9N Marvel Travertine Sand Mosaico Basketweave
35x46,8 cm - 13³/₄"x18³/₄"



AF9O Marvel Travertine Pearl Mosaico Basketweave
35x46,8 cm - 13³/₄"x18³/₄"




AF9G Marvel Travertine White Mosaico Tessellation
22x26 cm - 8⁵/₈"x10¹/₄"



AF9H Marvel Travertine Sand Mosaico Tessellation
22x26 cm - 8⁵/₈"x10¹/₄"



AF9I Marvel Travertine Pearl Mosaico Tessellation
22x26 cm - 8⁵/₈"x10¹/₄"



TRIM TILES P. 302	Battiscopa	Gradino *	Scalino *	Scalino Ang.*	Corner * ± 6 mm	Battiscopa Sag. Scala *	Davanzale / Soglia *	Elemento L
	Digitale 7,2x120 cm 2 ¹ / ₈ "x47 ¹ / ₄ " Matte	30x120 cm 11 ¹ / ₄ "x47 ¹ / ₄ " Matte	33x120 cm 13"x47 ¹ / ₄ " Matte	33x60 cm 13"x23 ⁵ / ₈ " Matte	33x33 cm 13"x13" Matte	7,2x30 cm 2 ⁷ / ₈ "x11 ¹ / ₄ " Matte	max 315x50 H.4 cm 124"x19 ⁵ / ₈ " H.1 ¹ / ₈ " Matte	33x120 H. 4 cm 13"x47 ¹ / ₄ " H.1 ¹ / ₈ " Grip
White Vein Cut	AF7B	AF7T	AF7Z	-	DX AF9V	SX AF9Y	•	AGEV
Sand Vein Cut	AF7C	AF7U	AF8A	-	AF9W	AF9Z	•	AGEW
Pearl Vein Cut	AF7D	AF7V	AF8B	-	AF9X	AF9Z	•	AGEX
White Cross Cut	AF7E	AF7W	AF8C	AGAA	AGEQ	-	•	AGEY
Sand Cross Cut	AF7F	AF7X	AF8D	AGEO	AGET	-	•	AGEZ
Pearl Cross Cut	AF7G	AF7Y	AF8E	AGEP	AGEU	-	•	AGEØ

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Marvel X



10 years of Marvel.
Five new essences that embody
Marvel distinctive elements.

Everyday Extraordinary.
Soft hues, graphic depth,
and attention to detail.

Marble for outdoors.
Hammered finish design with a texture
inspired by freshly quarried marble.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



CALACATTA APUANO



CALACATTA SUBLIME




CALACATTA PERLA



GREY CLOUD



FIOR DI BOSCO



CALACATTA APUANO
HAMMERED



FIOR DI BOSCO
HAMMERED

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Polished Silk
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Polished
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Polished Silk
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Polished Silk
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Polished Matte Sensitech R10 B Hammered Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Polished Matte Sensitech R10 B
30x60 cm - 11 ¹ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Polished Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
---	---------	---

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Polished Silk
-----------------------	--------	-----------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Polished Silk
--	---------	-----------------

COMPLETE WITH FURNITURE
 atlas concorde habitat

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel X

Porcelain Tiles

POLISHED SURFACE ⁽¹⁾



± 6 mm
160x320 cm - 63"x126"
AJRV Marvel Fior di Bosco Polished
AJRW Marvel Fior di Bosco Bookmatch Polished
AJRR Marvel Calacatta Apuano Polished Endless
AKFN Marvel Calacatta Apuano Polished Kit Endless ⁽²⁾ ⁽³⁾



± 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AFU2 Marvel Calacatta Apuano Polished
AFU3 Marvel Calacatta Sublime Polished
AFU4 Marvel Calacatta Perla Polished
AFU5 Marvel Grey Cloud Polished
AFU6 Marvel Fior di Bosco Polished



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
A8Z2 Marvel Calacatta Apuano Polished
A8Z3 Marvel Calacatta Sublime Polished
A8Z4 Marvel Calacatta Perla Polished
A8Z5 Marvel Grey Cloud Polished
A8Z6 Marvel Fior di Bosco Polished



± 9 mm
75x150 cm - 29¹/₂"x59"
AFVB Marvel Calacatta Apuano Polished
AFVC Marvel Calacatta Sublime Polished
AFVD Marvel Calacatta Perla Polished
AEKQ Marvel Grey Cloud Polished
AEKR Marvel Fior di Bosco Polished



Polished **± 6 - 9 mm**



V2 Slight
Variation
Calacatta Apuano



V3 Moderate
Variation
Calacatta Sublime,
Calacatta Perla,
Grey Cloud,
Fior di Bosco

Floor

Wall



CALACATTA APUANO



CALACATTA SUBLIME



CALACATTA PERLA



GREY CLOUD



FIOR DI BOSCO

⁽¹⁾ The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches. - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

^{(2) (3)} Please read the notes at page 357



INDEX

PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel X

Porcelain Tiles



Silk ± 6 - 9 mm



Matte *Sensitech* ± 9 mm
Hammered Matte *Sensitech* ± 9 mm
Outdoor *Sensitech* ± 20 mm



R10 B Matte *Sensitech* ± 9 mm
R10 B Hammered Matte *Sensitech* ± 9 mm
R11 C Outdoor *Sensitech* ± 20 mm



V2 Slight
Variation
Calacatta Apuano



V3 Moderate
Variation
Calacatta Sublime,
Calacatta Perla,
Grey Cloud,
Fior di Bosco

SILK SURFACE ⁽¹⁾

Floor

Wall



± 6 mm
160x320 cm - 63"x126"
AYB4 Fior di Bosco Silk
AYB5 Fior di Bosco Bookmatch Silk



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AFUX Marvel Calacatta Apuano Silk
AFUY Marvel Calacatta Sublime Silk
AFWO Marvel Calacatta Sublime 120x278 Silk Kit Endless ⁽²⁾ ⁽³⁾
AFUZ Marvel Calacatta Perla Silk
AFUØ Marvel Grey Cloud Silk
AFU1 Marvel Fior di Bosco Silk



± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AFVJ Marvel Calacatta Apuano Silk
AFVK Marvel Calacatta Sublime Silk
AFVL Marvel Calacatta Perla Silk
AFVM Marvel Grey Cloud Silk
AFVN Marvel Fior di Bosco Silk



± 9 mm
75x150 cm - 29¹/₂"x59"
AFVO Marvel Calacatta Apuano Silk
AFVP Marvel Calacatta Sublime Silk
AFVQ Marvel Calacatta Perla Silk
AFVR Marvel Grey Cloud Silk
AFVS Marvel Fior di Bosco Silk

MATTE SURFACE



Sensitech

± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AFWI Marvel Calacatta Apuano
AFWJ Marvel Calacatta Sublime
AFWK Marvel Calacatta Perla
AFWL Marvel Grey Cloud
AFWM Marvel Fior di Bosco



Sensitech

± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AFV3 Marvel Calacatta Apuano
AFV4 Marvel Calacatta Sublime
AFV5 Marvel Calacatta Perla
AFV6 Marvel Grey Cloud
AFV7 Marvel Fior di Bosco



Sensitech

± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AFWD Marvel Calacatta Apuano
AFWE Marvel Calacatta Sublime
AFWF Marvel Calacatta Perla
AFWG Marvel Grey Cloud
AFWH Marvel Fior di Bosco

HAMMERED MATTE SURFACE



Sensitech

± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AFM2 Marvel Calacatta Apuano Hammered
AFM3 Marvel Fior di Bosco Hammered

OUTDOOR SURFACE

Outdoor



Sensitech

± 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AGFA Marvel Calacatta Apuano Hammered 20 mm
AGFB Marvel Fior di Bosco Hammered 20 mm

⁽¹⁾ The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching. - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

^{(2) (3)} Please read the notes at page 357

SILK/MATTE



CALACATTA APUANO



CALACATTA SUBLIME



CALACATTA PERLA



GREY CLOUD



FIOR DI BOSCO

HAMMERED



CALACATTA APUANO HAMMERED



FIOR DI BOSCO HAMMERED

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Marvel X

Porcelain Tiles

DECOR RANGE




AF8W Marvel Calacatta Apuano
Mosaico Chevron Polished ⁽¹⁾
46,3x19,2 cm - 18¹/₄"x7¹/₂"



AF8X Marvel Calacatta Sublime
Mosaico Chevron Polished ⁽¹⁾
46,3x19,2 cm - 18¹/₄"x7¹/₂"



AF8Y Marvel Calacatta Perla
Mosaico Chevron Polished ⁽¹⁾
46,3x19,2 cm - 18¹/₄"x7¹/₂"



AF8Z Marvel Grey Cloud
Mosaico Chevron Polished ⁽¹⁾
46,3x19,2 cm - 18¹/₄"x7¹/₂"




AF9A Marvel Fior di Bosco
Mosaico Chevron Polished ⁽¹⁾
46,3x19,2 cm - 18¹/₄"x7¹/₂"



AF8Q Marvel
Mosaico Hive Hex Polished ⁽²⁾
37,2x32,2 cm - 14⁵/₈"x12⁵/₈"

Calacatta Sublime + Grey Cloud + Fior di Bosco



AF8R Marvel Calacatta Apuano
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⁷/₈"



AF8S Calacatta Sublime
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⁷/₈"




AF8T Calacatta Perla
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⁷/₈"



AF8U Calacatta Grey Cloud
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⁷/₈"



AF8V Calacatta Fior di Bosco
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⁷/₈"



AF8L Marvel Calacatta Apuano
Mosaico Esagono Silk
30x35 cm - 11³/₄"x13³/₄"



AF8M Marvel Calacatta Sublime
Mosaico Esagono Silk
30x35 cm - 11³/₄"x13³/₄"




AF8N Marvel Calacatta Perla
Mosaico Esagono Silk
30x35 cm - 11³/₄"x13³/₄"



AF8O Marvel Grey Cloud
Mosaico Esagono Silk
30x35 cm - 11³/₄"x13³/₄"



AF8P Marvel Fior di Bosco
Mosaico Esagono Silk
30x35 cm - 11³/₄"x13³/₄"



AF9B Marvel Calacatta Apuano
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




AF9C Marvel Calacatta Sublime
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




AF9D Marvel Calacatta Perla
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



AF9E Marvel Grey Cloud
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"







AF9F Marvel Fior di Bosco
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



⁽¹⁾ Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

⁽²⁾ For an optimal look it is advisable to lay the product in the same direction. - Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo lo stesso verso. - Pour un résultat esthétique optimal, il est recommandé de poser le produit dans le même sens. - Für ein optisch optimales Resultat sollte die Verlegung stets in dieselbe Richtung erfolgen. - Para un resultado estético óptimo, se recomienda colocar el producto manteniendo la misma dirección. - Для оптимального эстетического результата рекомендуется укладывать изделие в одном направлении.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

TRIM TILES P. 302	Battiscopa					Gradino *				Scalino *					Scalino Ang.*					Battiscopa Sag. Scala *						Davanzale / Soglia *		Corner *		Corner				
																																		
	7,2x150 cm 2 1/8"x59"		7,2x120 cm 2 7/8"x47 1/4"			7,2x60 cm 2 7/8"x23 3/4"		30x120 cm 1 1/4"x47 1/4"		30x60 cm 1 1/4"x23 3/4"		37,5x150 cm 14 1/4"x59"		33x120 cm 13"x47 1/4"		33x60 cm 13"x23 3/4"		37,5x37,5 cm 14 1/4"x14 1/4"		33x33 cm 13"x13"			7,2x30 cm 2 7/8"x1 1/4"						max 315x50 H 4 cm 124"x19 1/4" H 1 1/4"		1x120 cm 1 1/2"x47 1/4"		1x1 cm 1 1/2"x1"	
	Pol.	Silk	Pol.	Silk	Matte	Pol.	Matte	Matte	Matte	Pol.	Silk	Matte	Pol.	Silk	Matte	Pol.	Silk	Pol.	Matte	Silk	Polished DX	SX	Matte DX	SX	DX	SX	Matte	Pol.	Silk	Pol.	Silk			
Calacatta Apuano	AGF8	AGGD	AGFV	AGFØ	AGFO	AGFI	AGFD	AGHM	AGHH	AGIO	AGIU	AGH7	AGID	AGIH	AGHS	AGHX	AGJN	AGJI	AGI8	AGIZ	AGJD	AGGV	AGGØ	AGGI	AGGO	AGG6	AGHC	*	AGJX	AGJS	AGJ9	AGJ4		
Calacatta Sublime	AGF9	AGGE	AGFW	AGF1	AGFR	AGFJ	AGFE	AGHN	AGHI	AGIP	AGIV	AGH9	AGIE	AGU	AGHT	AGHY	AGJO	AGJJ	AGI9	AGIØ	AGJE	AGGW	AGG2	AGGJ	AGGP	AGG7	AGHD	*	AGJY	AGJT	AGKA	AGJ5		
Calacatta Perla	AGGA	AGGF	AGFX	AGF2	AGFS	AGFK	AGFF	AGHO	AGHU	AGIQ	AGIW	AGIA	AGIF	AGIK	AGHU	AGHZ	AGJP	AGJK	AGJA	AGI5	AGJF	AGGX	AGG3	AGGL	AGGQ	AGG8	AGHE	*	AGJZ	AGJU	AGKB	AGJ6		
Grey Cloud	AGGB	AGGG	AGFY	AGF3	AGFT	AGFM	AGFG	AGHP	AGHK	AGIS	AGIX	AGIB	AGIG	AGIL	AGHV	AGHØ	AGJQ	AGJL	AGJB	AGI6	AGJG	AGGY	AGG4	AGGM	AGGS	AGHA	AGHF	*	AGJØ	AGJV	AGKC	AGI7		
Fior di Bosco	AGGC	AGGH	AGFZ	AGF5	AGFU	AGFN	AGFH	AGHQ	AGHL	AGIT	AGIY	AGIC	AGIH	AGIN	AGHW	AGH5	AGJR	AGJM	AGJC	AGI7	AGJH	AGGZ	AGG5	AGGN	AGGU	AGHB	AGHG	*	AGJ1	AGJW	AGKD	AGJ8		
Calacatta Apuano Hammered	-	-	-	-	AGF6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-			
Fior di Bosco Hammered	-	-	-	-	AGF7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-			

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Icor

In collaboration
with Archea Associati



Limestone, reimagined.
Warm, modern, comfortable.

Breaking barriers.
Outdoor and indoor merged into one.

Captivating textures.
New exclusive 3D wall-tiles like carved in the stone.

Outstanding range.
New extensive choice of indoor&outdoor decors.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors


Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades



BONE



DUST



DUNE



CRETE



OYSTER



SIDERAL

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ³ / ₈ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ " Railway ♦	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
30x60 cm - 11 ³ / ₄ "x23 ³ / ₈ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ " Railway ♦	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered
SLABS FOR COUNTERTOPS & FURNITURE		
162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Hammered



BONE
FIELD



BONE
3D WHEAT



BONE
3D MASONRY



DUST
FIELD



DUST
3D WHEAT



DUST
3D MASONRY

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte
3D WALL TILES		
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 10 mm	Matte

COMPLETE WITH FURNITURE
atlasconcordehabitat

♦ **Graphic pattern.** Misalignments in the continuity between different patterns is normal for this type of product. - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Icor

Porcelain Tiles

MATTE SURFACE



± 6 mm
160x320 cm - 63"x126"
AX6K Boost Icor Bone Hammered
AX6M Boost Icor Dune Hammered



± 6 mm
120x278 cm - 47¹/₄"x109¹/₂"
AYAO Boost Icor Dust
AYAN Boost Icor Bone
AYAQ Boost Icor Oyster
AYAP Boost Icor Dune



± 9 mm
120x240 cm - 47¹/₄"x94¹/₂"
AX54 Boost Icor Dust
AX53 Boost Icor Bone
AX55 Boost Icor Oyster
AX1Y Boost Icor Dune



± 9 mm
120x120 cm - 47¹/₄"x47¹/₄"
AYAZ Boost Icor Dust
AYAY Boost Icor Bone
AYA2 Boost Icor Oyster
AYAØ Boost Icor Dune
AYA4 Boost Icor Sideral
AYA3 Boost Icor Crete



± 9 mm
80x80 cm - 31¹/₂"x31¹/₂"
HBAS Boost Icor Dust
HBAR Boost Icor Bone
HBAU Boost Icor Oyster
HBAT Boost Icor Dune
HBAW Boost Icor Sideral
HBAV Boost Icor Crete



± 9 mm
75x150 cm - 29¹/₂"x59"
AYAT Boost Icor Dust
AYAR Boost Icor Bone
AYAV Boost Icor Oyster
AYAU Boost Icor Dune
AYAX Boost Icor Sideral
AYAW Boost Icor Crete



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AX59 Boost Icor Dust
AX58 Boost Icor Bone
AX6B Boost Icor Oyster
AX6A Boost Icor Dune
AX6D Boost Icor Sideral
AX6C Boost Icor Crete



± 9 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AYBA Boost Icor Dust
AYA9 Boost Icor Bone
AYBC Boost Icor Oyster
AYBB Boost Icor Dune
AYBE Boost Icor Sideral
AYBD Boost Icor Crete



± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AYBG Boost Icor Dust
AYBF Boost Icor Bone
AYBI Boost Icor Oyster
AYBH Boost Icor Dune
AYBK Boost Icor Sideral
AYBJ Boost Icor Crete

GRIP SURFACE



± 9 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AYA6 Boost Icor Dust Grip
AYA5 Boost Icor Bone Grip
AYA8 Boost Icor Oyster Grip
AYA7 Boost Icor Dune Grip



± 9 mm
30x60 cm - 11³/₄"x23⁵/₈"
AYBM Boost Icor Dust Grip
AYBL Boost Icor Bone Grip
AYBO Boost Icor Oyster Grip
AYBN Boost Icor Dune Grip

OUTDOOR ± 20 mm



± 20 mm
120x120 cm - 47¹/₄"x47¹/₄"
AYCH Boost Icor Dust 20mm
AYCG Boost Icor Bone 20mm
AYCJ Boost Icor Oyster 20mm
AYCI Boost Icor Dune 20mm



± 20 mm
80x80 cm - 31¹/₂"x31¹/₂"
HBAY Boost Icor Dust 20mm
HBAX Boost Icor Bone 20mm
HBAØ Boost Icor Oyster 20mm
HBAZ Boost Icor Dune 20mm



± 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AYCE Boost Icor Dust 20mm
AYCD Boost Icor Bone 20mm
AYCF Boost Icor Oyster 20mm
AX8J Boost Icor Dune 20mm



± 20 mm
60x60 cm - 23⁵/₈"x23⁵/₈"
AYCM Boost Icor Dust 20mm
AYCK Boost Icor Bone 20mm
AYCO Boost Icor Oyster 20mm
AYCN Boost Icor Dune 20mm

Floor

Wall

Outdoor



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Icor

Porcelain Tiles

DECOR RANGE



Boost Icor Bone
Railway ^{*}
60x120 cm - 23³/₈"x47¹/₄"

AYBP 9 mm Matte [Sensitech](#)
AYBQ 9 mm Grip [Sensitech](#)



AYZC Boost Icor Bone Mosaico Chevron 30,5x35,6 cm - 12"x14"
AYZD Boost Icor Dust Mosaico Chevron 30,5x35,6 cm - 12"x14"
AYZE Boost Icor Dune Mosaico Chevron 30,5x35,6 cm - 12"x14"
AYZG Boost Icor Crete Mosaico Chevron 30,5x35,6 cm - 12"x14"
AYZF Boost Icor Oyster Mosaico Chevron 30,5x35,6 cm - 12"x14"
AYZH Boost Icor Sideral Mosaico Chevron 30,5x35,6 cm - 12"x14"



AZ82 Boost Icor Bone Mosaico Furnace 30x19,5 cm - 11¹/₄"x7⁵/₈"
AZ83 Boost Icor Dust Mosaico Furnace 30x19,5 cm - 11¹/₄"x7⁵/₈"
AZ84 Boost Icor Dune Mosaico Furnace 30x19,5 cm - 11¹/₄"x7⁵/₈"
AZ86 Boost Icor Crete Mosaico Furnace 30x19,5 cm - 11¹/₄"x7⁵/₈"
AZ85 Boost Icor Oyster Mosaico Furnace 30x19,5 cm - 11¹/₄"x7⁵/₈"
AZ87 Boost Icor Sideral Mosaico Furnace 30x19,5 cm - 11¹/₄"x7⁵/₈"

TRIM TILES P. 302	Battiscopa				Gradino *		Scalino *	Scalino *	Scalino Ang.*	Battiscopa Sag. Scala *		Elemento L	Corner *	Corner A.E *
	7,2x150 cm 2 ¹ / ₈ "x59"	7,2x120 cm 2 ¹ / ₈ "x47 ¹ / ₄ "	7,2x80 cm 2 ¹ / ₈ "x31 ¹ / ₂ "	7,2x60 cm 2 ¹ / ₈ "x23 ³ / ₈ "	30x120 cm 11 ¹ / ₄ "x47 ¹ / ₄ "	30x60 cm 11 ¹ / ₄ "x23 ³ / ₈ "	33x150 cm 13"x59"	33x120 cm 13"x47 ¹ / ₄ "	33x60 cm 13"x23 ³ / ₈ "	33x33 cm 13"x13"	7,2x30 cm 2 ¹ / ₈ "x11 ¹ / ₄ "	33x120 H. 4 cm 13"x47 ¹ / ₄ " H.1 5 ¹ / ₈ "	1x120 cm 3 ¹ / ₈ "x47 ¹ / ₄ "	1x1 cm 3 ¹ / ₈ "x2 ¹ / ₈ "
	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech DX SX	Grip Sensitech	Matte	Matte
Bone	AYHF	AYG2	HBA6	AYG9	AYH3	AYHX	AYJK	AYJE	AYI1	AYJQ	AYHR	AYHL	AYH9	AYJW
Dust	AYHG	AYG3	HBA7	AYHA	AYH4	AYHY	AYJL	AYJF	AYI2	AYJR	AYHT	AYHM	AYIA	AYJX
Dune	AYHH	AYG4	HBA8	AYHB	AYH5	AYHZ	AYJM	AYJG	AYI3	AYJS	AYHU	AYHN	AYIB	AYJY
Oyster	AYHI	AYG5	HBA9	AYHC	AYH6	AYHØ	AYJN	AYJH	AYI4	AYJT	AYHV	AYHO	AYIC	AYJZ
Crete	AYHJ	AYG7	HBBA	AYHD	AYH7	AYH1	AYJO	AYJI	AYI5	AYJU	AYHS	AYHP	-	-
Sideral	AYHK	AYG8	HBBB	AYHE	AYH8	AYH2	AYJP	AYJJ	AYI7	AYJV	AYHW	AYHQ	-	-

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий

OUTDOOR DECORS



Boost Icor Bone
Pebble A+B
59,5x59,5 cm - 23³/₈"x23³/₈"

AYZU 9 mm Grip [Sensitech](#)
AYZ1 20 mm Outdoor [Sensitech](#)



Boost Icor Dune
Pebble A+B
59,5x59,5 cm - 23³/₈"x23³/₈"

AYZW 9 mm Grip [Sensitech](#)
AYZ3 20 mm Outdoor [Sensitech](#)




Boost Icor Dust
Pebble A+B
59,5x59,5 cm - 23³/₈"x23³/₈"

AYZV 9 mm Grip [Sensitech](#)
AYZ2 20 mm Outdoor [Sensitech](#)




Boost Icor Oyster
Pebble A+B
59,5x59,5 cm - 23³/₈"x23³/₈"

AYZX 9 mm Grip [Sensitech](#)
AYZ4 20 mm Outdoor [Sensitech](#)



Pebble A: 0.259 mq
Pebble B: 0.252 mq



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




Boost Icor

Porcelain Tiles




AYZM Boost Icor Bone
Combo A 20mm Outdoor [Sensitech](#)
48,4x119 cm - 19¹/₈"x46⁷/₈"

AYZQ Boost Icor Bone
Combo B 20mm Outdoor [Sensitech](#)
42,5x119 cm - 16³/₄"x46⁷/₈"



AYZO Boost Icor Dune
Combo A 20mm Outdoor [Sensitech](#)
48,4x119 cm - 19¹/₈"x46⁷/₈"

AYZS Boost Icor Dune
Combo B 20mm Outdoor [Sensitech](#)
42,5x119 cm - 16³/₄"x46⁷/₈"



AYZN Boost Icor Dust
Combo A 20mm Outdoor [Sensitech](#)
48,4x119 cm - 19¹/₈"x46⁷/₈"

AYZR Boost Icor Dust
Combo B 20mm Outdoor [Sensitech](#)
42,5x119 cm - 16³/₄"x46⁷/₈"



AYZP Boost Icor Oyster
Combo A 20mm Outdoor [Sensitech](#)
48,4x119 cm - 19¹/₈"x46⁷/₈"

AYZT Boost Icor Oyster
Combo B 20mm Outdoor [Sensitech](#)
42,5x119 cm - 16³/₄"x46⁷/₈"

Wall Tiles

MATTE SURFACE



± 8,5 mm

50x120 cm - 19⁵/₈"x47¹/₄"

AYQM Boost Icor Bone Field

AYQN Boost Icor Dust Field



± 10 mm 3D WALL

50x120 cm - 19⁵/₈"x47¹/₄"


AYQO Boost Icor 3D Wheat Bone

AYQP Boost Icor 3D Wheat Dust

AYQQ Boost Icor 3D Masonry Bone

AYQR Boost Icor 3D Masonry Dust

TRIM TILES



14x50 cm - ⁵/₈"x19⁵/₈"

AYQS Boost Icor Bone Field Corner 50 *

AYQT Boost Icor Dust Field Corner 50 *




14x14 cm - ⁵/₈"x⁵/₈"

AYQU Boost Icor Bone Field Corner A.E. *

AYQV Boost Icor Dust Field Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione
- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung
lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ




BONE FIELD



DUST FIELD



3D WHEAT BONE



3D WHEAT DUST



3D MASONRY BONE



3D MASONRY DUST

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Mineral



Quartzite effect.
A rich and comprehensive project inspired by the elegance of quartzite.

In&Out versatility:
Perfect for both indoor and outdoor spaces.

Natural contemporary style.
A modern solution for those who love the natural stone look in a contemporary design setting.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Facades



WHITE



PEARL



GREY



SMOKE



TARMAC

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A *
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B *
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x90 cm - 23 ⁵ / ₈ "x35 ³ / ₈ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered R9 A
-----------------------	--------	----------------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Hammered
--	---------	----------

* Elegant surface

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Mineral

Porcelain Tiles

MATTE SURFACE






Floor		Wall	
	± 6 mm 160x320 cm - 63"x126" AKGA Boost Mineral Grey Hammered		± 6 mm 120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " AHWZ Boost Mineral Smoke Elegant AHWØ Boost Mineral Tarmac Elegant AHWW Boost Mineral White Elegant AHWX Boost Mineral Pearl Elegant AHWY Boost Mineral Grey Elegant
	± 9 mm 60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ " AHUE Boost Mineral Smoke AHUF Boost Mineral Tarmac AHUB Boost Mineral White AHUC Boost Mineral Pearl AHUD Boost Mineral Grey		± 9 mm 60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ " AHW9 Boost Mineral Smoke AHXA Boost Mineral Tarmac AHW6 Boost Mineral White AHW7 Boost Mineral Pearl AHW8 Boost Mineral Grey
	± 9 mm 30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ " AH2V Boost Mineral Smoke AH2W Boost Mineral Tarmac AH2S Boost Mineral White AH2T Boost Mineral Pearl AH2U Boost Mineral Grey		± 9 mm 75x150 cm - 29 ¹ / ₂ "x59" AHWU Boost Mineral Smoke AHWV Boost Mineral Tarmac AHWS Boost Mineral White AHWT Boost Mineral Pearl AHSD Boost Mineral Grey

GRIP SURFACE


Outdoor	
	± 9 mm 60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ " AHXJ Boost Mineral Smoke Grip AHXK Boost Mineral Tarmac Grip AHXG Boost Mineral White Grip AHXH Boost Mineral Pearl Grip AHXI Boost Mineral Grey Grip
	± 9 mm 60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ " AHXO Boost Mineral Smoke Grip AHXP Boost Mineral Tarmac Grip AHXL Boost Mineral White Grip AHXM Boost Mineral Pearl Grip AHXN Boost Mineral Grey Grip

OUTDOOR ± 20 mm

	± 20 mm 120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ " AH37 Boost Mineral Smoke 20 mm AH38 Boost Mineral Tarmac 20 mm AH35 Boost Mineral White 20 mm AH36 Boost Mineral Grey 20 mm		± 20 mm 60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ " AH4B Boost Mineral Smoke 20 mm AH4C Boost Mineral Tarmac 20 mm AH39 Boost Mineral White 20 mm AH4A Boost Mineral Grey 20 mm		± 20 mm 60x90 cm - 23 ⁵ / ₈ "x35 ³ / ₈ " AH4F Boost Mineral Smoke 20 mm AH4G Boost Mineral Tarmac 20 mm AH4D Boost Mineral White 20 mm AH4E Boost Mineral Grey 20 mm		± 20 mm 60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ " AH4J Boost Mineral Smoke 20 mm AH4K Boost Mineral Tarmac 20 mm AH4H Boost Mineral White 20 mm AH4I Boost Mineral Grey 20 mm
---	---	---	--	---	---	---	---

TRIM TILES P. 302	Battiscopa			Gradino *		Scalino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *	Davanzale / Soglia *	Elemento L	Corner * ± 6 mm	Corner A.E * ± 6 mm
															
	7,2x150 cm 2 ⁷ / ₈ "x59"	7,2x120 cm 2 ⁷ / ₈ "x47 ¹ / ₄ "	7,2x60 cm 2 ⁷ / ₈ "x23 ⁵ / ₈ "	30x120 cm 11 ³ / ₄ "x47 ¹ / ₄ "	30x60 cm 11 ³ / ₄ "x23 ⁵ / ₈ "	33x150 cm 13"x59"	33x120 cm 13"x47 ¹ / ₄ "	33x60 cm 13"x23 ⁵ / ₈ "	33x33 cm 13"x13"	7,2x30 cm 2 ⁷ / ₈ "x11 ³ / ₄ "	Matte	max 315x50 H.4 cm 124"x19 ³ / ₈ " H.1 ¹ / ₈ "	33x120 H. 4 cm 13"x47 ¹ / ₄ " H. 1 ¹ / ₈ "	1x120 cm 3 ³ / ₈ "x47 ¹ / ₄ "	1x1 cm 3 ³ / ₈ "x1 ³ / ₈ "
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	SX	Matte	Grip	Matte	Matte
White	AIIR	AIIK	AIIA	AUJC	AIJ7	AIJW	AIJR	AIJM	AIJ1	AIW	AI1	•	AIJH	AU6	AIKB
Pearl	AIIS	AIIL	AIIB	AUJD	AIJ8	AIJX	AUIS	AIJN	AUJ2	AIIX	AI2	•	AIJI	AU7	AIKC
Grey	AIIT	AIIN	AIIC	AUJE	AIJ9	AUIY	AUIJ	AUIO	AUI3	AIJY	AI4	•	AUIJ	AUI8	AIKD
Smoke	AUIU	AUIO	AUID	AUIF	AUIA	AUIZ	AUIU	AUIP	AUI4	AIJZ	AI5	•	AUIK	AUI9	AIKE
Tarmac	AUIV	AIIP	AIIE	AUIG	AUIB	AUIØ	AUIV	AUIQ	AUI5	AIJØ	AI6	•	AUIJ	AIKA	AIKF

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Mineral

Porcelain Tiles

DECOR RANGE



AIGS Boost Mineral White
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




AIGT Boost Mineral Pearl
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




AIGU Boost Mineral Grey
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



AIGW Boost Mineral Smoke
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



AIGX Boost Mineral Tarmac
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



AlHG Boost Mineral White
Domino Lux ^(*)
35x29,2 cm - 13³/₄"x11¹/₂"




AlHH Boost Mineral Pearl
Domino Lux ^(*)
35x29,2 cm - 13³/₄"x11¹/₂"




AlHI Boost Mineral Grey
Domino Lux ^(*)
35x29,2 cm - 13³/₄"x11¹/₂"



AlHJ Boost Mineral Smoke
Domino Lux ^(*)
35x29,2 cm - 13³/₄"x11¹/₂"



AlHK Boost Mineral Tarmac
Domino Lux ^(*)
35x29,2 cm - 13³/₄"x11¹/₂"



A 35 cm - 13³/₄"
a 1,5 cm - 18¹/₄"
B 29,2 cm - 11¹/₂"
b 9,6 cm - 7¹/₂"



AIG4 Boost Mineral White
Venus Lux ^(*)
60x120 cm - 23³/₈"x47¹/₄"



AIG5 Boost Mineral Pearl
Venus Lux ^(*)
60x120 cm - 23³/₈"x47¹/₄"




AIG7 Boost Mineral Grey
Venus Lux ^(*)
60x120 cm - 23³/₈"x47¹/₄"



AIG8 Boost Mineral Smoke
Venus Lux ^(*)
60x120 cm - 23³/₈"x47¹/₄"



AIG9 Boost Mineral Tarmac
Venus Lux ^(*)
60x120 cm - 23³/₈"x47¹/₄"



A 120 cm - 18¹/₄"
B 60 cm - 12³/₈"



 The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

^(*) Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочаки.

^(*) Engraved mosaic. For best results it is advisable to completely plaster the engravings. - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaïque gravée, pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой.

Boost Mix



Inspired by Ceppo di Grè.
The iconic stone of 20th-century Milanese architecture, reinterpreted.

Elegant Personality.
Featuring a distinctive but stylish pebble-like appearance.

Sought-after solution.
One of the most coveted choices for contemporary interior and exterior design.



COLLECTION
CATALOG

Floor

Wall

Decors

Outdoor

Bathroom furniture

Facades



IVORY



PEARL



SMOKE

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Matte R9 A
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 5/8"x23 5/8"	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS		
30x60 cm - 11 3/4"x23 5/8"	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 1/4"x47 1/4"	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 5/8"x47 1/4"	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 5/8"x23 5/8"	± 20 mm	Outdoor Sensitech R11 C

COMPLETE WITH FURNITURE
 atlas concorde **habitat**

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS



Boost Mix

Porcelain Tiles

MATTE SURFACE



± 6 mm
120x278 cm - 47 1/4"x109 1/2"
A8Y7 Boost Mix Ivory
A8Y8 Boost Mix Pearl
A8Y9 Boost Mix Smoke



± 9 mm
120x120 cm - 47 1/4"x47 1/4"
A8XD Boost Mix Ivory
A8XE Boost Mix Pearl
A8XF Boost Mix Smoke



± 9 mm
60x120 cm - 23 5/8"x47 1/4"
A8ØI Boost Mix Ivory
A8ØJ Boost Mix Pearl
A8ØK Boost Mix Smoke



± 9 mm
60x60 cm - 23 5/8"x23 5/8"
A8ØL Boost Mix Ivory
A8ØM Boost Mix Pearl
A8ØN Boost Mix Smoke



± 9 mm
30x60 cm - 11 3/4"x23 5/8"
A8ØO Boost Mix Ivory
A8ØP Boost Mix Pearl
A8ØQ Boost Mix Smoke

GRIP SURFACE



± 9 mm
30x60 cm - 11 3/4"x23 5/8"
A8ØR Boost Mix Ivory Grip
A8ØS Boost Mix Pearl Grip
A8ØT Boost Mix Smoke Grip

OUTDOOR ± 20 mm



± 20 mm
120x120 cm - 47 1/4"x47 1/4"
A84U Boost Mix Ivory 20 mm
A84V Boost Mix Pearl 20 mm
A84W Boost Mix Smoke 20 mm



± 20 mm
60x120 cm - 23 5/8"x47 1/4"
A84R Boost Mix Ivory 20 mm
A84S Boost Mix Pearl 20 mm
A84T Boost Mix Smoke 20 mm



± 20 mm
60x60 cm - 23 5/8"x23 5/8"
A84O Boost Mix Ivory 20 mm
A84P Boost Mix Pearl 20 mm
A84Q Boost Mix Smoke 20 mm

Floor

Wall

Outdoor

TRIM TILES P. 302	Battiscopa		Gradino *		Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L	Corner * ± 6 mm	Corner A.E * ± 6 mm
	7,2x120 cm 2 7/8"x47 1/4"	7,2x60 cm 2 7/8"x23 5/8"	30x120 cm 11 1/4"x47 1/4"	30x60 cm 11 1/4"x23 5/8"	33x120 cm 13"x47 1/4"	33x60 cm 13"x23 5/8"	33x33 cm 13"x13"	7,2x30 cm 2 7/8"x11 1/4"		max 315x50 H.4 cm 124"x19 3/8" H.1 1/8"	15x60 H. 4 cm 5 7/8"x23 5/8" H. 1 1/8"	1x120 cm 3 7/8"x47 1/4"	1x1 cm 3 7/8"x3 7/8"
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Grip	Matte	Matte
Ivory	A83O	A83L	A832	A83X	A838	A835	A84C					A84I	A84L
Pearl	A83P	A83M	A833	A83Y	A839	A836	A84D					A84J	A84M
Smoke	A83Q	A83N	A834	A83Z	A84B	A837	A84E					A84K	A84N

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Sensitech P. 412

Porcelain Tiles


DECOR RANGE



A829 Boost Mix Ivory
Mosaico Matte
30x30 cm - 11 3/4"x11 3/4"



A83G Boost Mix Pearl
Mosaico Matte
30x30 cm - 11 3/4"x11 3/4"



A83H Boost Mix Smoke
Mosaico Matte
30x30 cm - 11 3/4"x11 3/4"




A83I Boost Mix Ivory
Mosaico Slide ⁽¹⁾
29x32,6 cm - 11 3/8"x12 7/8"




A83J Boost Mix Pearl
Mosaico Slide ⁽¹⁾
29x32,6 cm - 11 3/8"x12 7/8"



A83K Boost Mix Smoke
Mosaico Slide ⁽¹⁾
29x32,6 cm - 11 3/8"x12 7/8"



4,8x4,8 cm - 1 7/8"x1 7/8"



a 6,3x28,8 cm - 2 1/2"x11 3/8"
b 6,3x29,8 cm - 5/8"x11 3/4"
c 32,57 cm - 12 7/8"

⁽¹⁾ For the best performance of the mosaic we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions. - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attenendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaïque, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.

Boost Stone



Inspired by Pyrenean Limestone.
Timeless sophistication
and modern charm.

Contemporary style.
Create spaces with subtle tones, delicate
hues, and minimal color variations.

Perfect micro-details.
Flawlessly replicate the varied surface
of the inspirational stone.

Ten Neutral Colors.
Derived from the cement-effect
collections of Boost and Boost Pro.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Bathroom furniture

Facades



IVORY



WHITE



CREAM



PEARL




CLAY



GREY



TAUPE



SMOKE



TOBACCO



TARMAC

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech R11 C

atlas^{PLAN}

160x320 cm - 63"x126"	± 6 mm	Hammered R9 A
-----------------------	--------	----------------------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " NON-RECTIFIED	± 12 mm	Hammered
--	---------	----------

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Stone

Porcelain Tiles

MATTE SURFACE



± 6 mm
160x320 cm - 63"x126"

AJRX B.Stone Ivory Hammered



± 6 mm
120x278 cm - 47 1/4"x109 1/2"

A6R7 B.Stone White
A6SC B.Stone Pearl
A6SD B.Stone Grey
A6SE B.Stone Smoke
A6SG B.Stone Tarmac

A6R8 B.Stone Ivory
A6R9 B.Stone Cream
A6SA B.Stone Clay
A6SB B.Stone Taupe
A6SF B.Stone Tobacco



± 9 mm
120x120 cm - 47 1/4"x47 1/4"

A6QS B.Stone White
A6QX B.Stone Pearl
A6QY B.Stone Grey
A6L8 B.Stone Smoke
A6QØ B.Stone Tarmac
A6QT B.Stone Ivory
A6QU B.Stone Cream
A6QV B.Stone Clay
A6QW B.Stone Taupe
A6QZ B.Stone Tobacco



± 9 mm
80x80 cm - 31 1/2"x31 1/2"

A9R1 Boost Stone White
A9R3 Boost Stone Pearl
A9R4 Boost Stone Grey
A9RV Boost Stone Smoke
A9RZ Boost Stone Tarmac
A9R2 Boost Stone Ivory
A9RØ Boost Stone Cream
A9RX Boost Stone Clay
A9RY Boost Stone Taupe
A9RW Boost Stone Tobacco



± 9 mm
60x120 cm - 23 5/8"x47 1/4"

A6Q2 B.Stone White
A6Q7 B.Stone Pearl
A6Q8 B.Stone Grey
A6Q9 B.Stone Smoke
A6RB B.Stone Tarmac
A6Q3 B.Stone Ivory
A6Q4 B.Stone Cream
A6Q5 B.Stone Clay
A6Q6 B.Stone Taupe
A6RA B.Stone Tobacco



± 9 mm
60x60 cm - 23 5/8"x23 5/8"

A6RC B.Stone White
A6RL B.Stone Pearl
A6RM B.Stone Grey
A6RN B.Stone Smoke
A6RP B.Stone Tarmac
A6RD B.Stone Ivory
A6RI B.Stone Cream
A6RJ B.Stone Clay
A6RK B.Stone Taupe
A6RO B.Stone Tobacco



± 9 mm
30x60 cm - 11 3/4"x23 5/8"

A6RX B.Stone White
A6R2 B.Stone Pearl
A6R3 B.Stone Grey
A6R4 B.Stone Smoke
A6R6 B.Stone Tarmac
A6RY B.Stone Ivory
A6RZ B.Stone Cream
A6RØ B.Stone Clay
A6R1 B.Stone Taupe
A6R5 B.Stone Tobacco

GRIP SURFACE



± 9 mm
60x120 cm - 23 5/8"x47 1/4"

A66R B.Stone White Grip
A66W B.Stone Pearl Grip
A66X B.Stone Grey Grip
A66Y B.Stone Smoke Grip
A66Ø B.Stone Tarmac Grip
A66S B.Stone Ivory Grip
A66T B.Stone Cream Grip
A66U B.Stone Clay Grip
A66V B.Stone Taupe Grip
A66Z B.Stone Tobacco Grip



± 9 mm
30x60 cm - 11 3/4"x23 5/8"

A661 B.Stone White Grip
A666 B.Stone Pearl Grip
A667 B.Stone Grey Grip
A668 B.Stone Smoke Grip
A67A B.Stone Tarmac Grip
A662 B.Stone Ivory Grip
A663 B.Stone Cream Grip
A664 B.Stone Clay Grip
A665 B.Stone Taupe Grip
A669 B.Stone Tobacco Grip



± 20 mm
120x120 cm - 47 1/4"x47 1/4"

A67M B.Stone White 20 mm
A67P B.Stone Grey 20 mm
A71I B.Stone Smoke 20 mm
A67Q B.Stone Tarmac 20 mm
A67N B.Stone Cream 20 mm
A67O B.Stone Clay 20 mm



± 20 mm
60x120 cm - 23 5/8"x47 1/4"

A67R B.Stone White 20 mm
A67U B.Stone Grey 20 mm
A71J B.Stone Smoke 20 mm
A67V B.Stone Tarmac 20 mm
A67S B.Stone Cream 20 mm
A67T B.Stone Clay 20 mm



± 20 mm
60x60 cm - 23 5/8"x23 5/8"

A67W B.Stone White 20 mm
A67Z B.Stone Grey 20 mm
A71K B.Stone Smoke 20 mm
A67Ø B.Stone Tarmac 20 mm
A67X B.Stone Cream 20 mm
A67Y B.Stone Clay 20 mm

OUTDOOR ± 20 mm

Outdoor

TRIM TILES P. 302	Battiscopa		Gradino *		Scalino *		Scalino Ang. *	Battiscopa Sag. Scala *	Davanzale / Soglia *		Elemento L	Corner * ± 6 mm	Corner A.E * ± 6 mm
	72x80 cm 2 7/8"x31 1/2" Matte	72x60 cm 2 7/8"x23 5/8" Matte	30x60 cm 11 3/4"x23 5/8" Matte		33x120 cm 13"x47 1/4" Matte	33x60 cm 13"x23 5/8" Matte	33x33 cm 13"x13" Matte	72x30 cm 2 7/8"x11 1/4" Matte	max 315x50 H.4 cm 124"x19 1/2" H.1 1/8" Matte		33x120 H.4 cm 13"x47 1/4" H.1 1/8" Grip	1x120 cm 3 1/2"x47 1/4" Matte	1x1 cm 3/8"x2 1/4" Matte
White	HAMT	A7NC	A7N6		A7OQ	A7OG	A7OØ	DX A7NW	*		A7P8	A7PA	A7PK
Pearl	HAMV	A7NH	A7OB		A7OV	A7OL	A7O5	A7N1	*		A7QD	A7PF	A7PP
Grey	HAMW	A7NI	A7OC		A7OW	A7OM	A7O6	A7N2	*		A7QE	A7PG	A7PQ
Smoke	HAMN	A7NJ	A7OD		A7OX	A7ON	A7O7	A7N3	*		A7QF	A7PH	A7PR
Tarmac	HAMR	A7NL	A7OF		A7OZ	A7OP	A7O9	A7N5	*		A7QH	A7PJ	A7PT
Ivory	HAMU	A7ND	A7N7		A7OR	A7OH	A7O1	A7NX	*		A7P9	A7PB	A7PL
Cream	HAMS	A7NE	A7N8		A7OS	A7OI	A7O2	A7NY	*		A7QA	A7PC	A7PM
Clay	HAMP	A7NF	A7N9		A7OT	A7OJ	A7O3	A7NZ	*		A7QB	A7PD	A7PN
Taupe	HAMQ	A7NG	A7OA		A7OU	A7OK	A7O4	A7NØ	*		A7QC	A7PE	A7PO
Tobacco	HAMO	A7NK	A7OE		A7OY	A7OY	A7O8	A7N4	*		A7QG	A7PI	A7PS

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Sensitech P. 412



WHITE



IVORY



PEARL



CREAM



GREY



CLAY



SMOKE



TAUPE



TARMAC



TOBACCO

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Boost Stone

Porcelain Tiles

DECOR RANGE



A7C3 Boost Stone White
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"

A7C4 Boost Stone Ivory
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"



A7C8 Boost Stone Pearl
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"

A7C5 Boost Stone Cream
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"



A7C9 Boost Stone Grey
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"

A7C6 Boost Stone Clay
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"




A7DA Boost Stone Smoke
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"

A7C7 Boost Stone Taupe
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"



A7DC Boost Stone Tarmac
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"

A7DB Boost Stone Tobacco
Mosaico Brick
30x60 cm - 11¹/₄"x23⁵/₈"



A 3,9x60 cm - 1 1/2" x 23 5/8"
B 1,7x60 cm - 5/8" x 23 5/8"
C 4,6x60 cm - 1 1/4" x 23 5/8"



A7DD Boost Stone White
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



A7DI Boost Stone Pearl
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"




A7DJ Boost Stone Grey
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



A7DK Boost Stone Smoke
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



A7DM Boost Stone Tarmac
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



4,8x4,8 cm - 1 7/8" x 1 7/8"



A7DE Boost Stone Ivory
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



A7DF Boost Stone Cream
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



A7DG Boost Stone Clay
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



A7DH Boost Stone Taupe
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



A7DL Boost Stone Tobacco
Mosaico Matte
30x30 cm - 11¹/₄"x11¹/₄"



A67I Boost Stone White
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"



A7CY Boost Stone Pearl
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"




A7CZ Boost Stone Grey
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"



A7CØ Boost Stone Smoke
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"



A7C2 Boost Stone Tarmac
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"



A 9,7x3,8 cm - 3 7/8" x 1 1/2"
B 4,8x3,8 cm - 1 7/8" x 1 1/2"
C 4,6x3,6 cm - 1 5/8" x 1 1/8"



A7CU Boost Stone Ivory
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"



A7CV Boost Stone Cream
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"



A7CW Boost Stone Clay
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"



A7CX Boost Stone Taupe
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"



A7C1 Boost Stone Tobacco
Mosaico Hex
25x28,5 cm - 9 7/8" x 11 1/4"




A7DO Boost Stone
Mosaico Cube Warm
30x30 cm - 11¹/₄"x11¹/₄"

Warm:
Boost Stone Cream
Boost Stone Clay
Boost Stone Ivory
Boost Pro Ivory



A7DN Boost Stone
Mosaico Cube Cold
30x30 cm - 11¹/₄"x11¹/₄"

Cold:
Boost Stone Smoke
Boost Stone Grey
Boost Stone Pearl
Boost Pearl



A 29,8 cm - 11 1/4"
a 14,6 cm - 5 3/4"
b 14,8 cm - 5 7/8"
c 20,8 cm - 8 1/4"
D 29,8 cm - 11 1/4"
d 29,5 cm - 11 5/8"

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Brave



Inspired by Italian alpine quartzites.
Timeless elegance
and modern sophistication.

The feature of the natural stone.
Distinctive veins, colors and inclusions
inspired by natural stones.

Five Color Variants.
From warm, natural white to deep
anthracite, perfect for modern
design projects.

Indoor and Outdoor Versatility.
Combining the realism of stone-effect
surfaces with the allure of trendy
natural hues.



DISCOVER
MORE

Floor

Wall

Decors

Outdoor

Bathroom furniture

Facades



GYPSUM



PEARL



GREY



COKE

Porcelain Tiles RECTIFIED MONOCALIBER


Sizes	Thickness	Surface finish
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ³ / ₈ "	± 9 mm	Matte Sensitech R10 B

OUTDOOR AND WET AREAS

30x60 cm - 11 ³ / ₄ "x23 ³ / ₈ "	± 9 mm	Grip Sensitech R11 C
60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 20 mm	Outdoor Sensitech R11 C



GYPSUM



3D WAVE
GYPSUM



3D BLADE
GYPSUM

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte
3D WALL TILES		
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 10 mm	Matte

COMPLETE WITH FURNITURE
 **atlas concorde** 

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Brave

Porcelain Tiles



Matte *Sensitech* ± 9 mm
Grip *Sensitech* ± 9 mm
Outdoor *Sensitech* ± 20 mm



R10 B Matte *Sensitech* ± 9 mm
R11 C Grip *Sensitech* ± 9 mm
R11 C Outdoor *Sensitech* ± 20 mm



V2 Slight
Variation

MATTE SURFACE

 <i>Sensitech</i> ± 9 mm 75x150 cm - 29¹/₂"x59" A7G5 Brave Gypsum A7G6 Brave Pearl A7G7 Brave Grey A7G9 Brave Coke	 <i>Sensitech</i> ± 9 mm 60x60 cm - 23⁵/₈"x23⁵/₈" AW9U Brave Gypsum AW9V Brave Pearl AW9W Brave Grey AW9Y Brave Coke	 <i>Sensitech</i> ± 9 mm 30x60 cm - 11¹/₄"x23⁵/₈" DØ46 Brave Gypsum DØ47 Brave Pearl DØ48 Brave Grey DØ5Ø Brave Coke
---	---	---




GRIP SURFACE

 <i>Sensitech</i> ± 9 mm 30x60 cm - 11¹/₄"x23⁵/₈" DØ51 Brave Gypsum Grip DØ52 Brave Pearl Grip DØ53 Brave Grey Grip DØ55 Brave Coke Grip	 <i>Sensitech</i> ± 20 mm 60x120 cm - 23⁵/₈"x47¹/₄" AT5I Brave Gypsum 20 mm AT5J Brave Pearl 20 mm AT5K Brave Grey 20 mm AT5M Brave Coke 20 mm	 <i>Sensitech</i> ± 20 mm 60x60 cm - 23⁵/₈"x23⁵/₈" AXAT Brave Gypsum 20 mm AXAU Brave Pearl 20 mm AXAV Brave Grey 20 mm AXAX Brave Coke 20 mm
---	---	--

OUTDOOR ± 20 mm

Outdoor



TRIM TILES P. 302	Battiscopa	Gradino *	Scalino *	Scalino *			Scalino Ang.*		Battiscopa Sag. Scala *		Davanzale / Soglia *	Elemento L *
												
	7.2x60 2 ⁷ / ₈ "x23 ⁵ / ₈ "	30x60 11 ¹ / ₄ "x23 ⁵ / ₈ "	33x150 13"x59"	33x90 13"x35 ¹ / ₈ "	33x75 13"x29 ¹ / ₂ "	33x60 13"x23 ⁵ / ₈ "	33x33 13"x13"		7.2x30 2 ⁷ / ₈ "x11 ¹ / ₂ "		max 315x50 H.4 cm 124"x19 ¹ / ₈ " H.1 ¹ / ₈ "	15x60 H. 4 5 ¹ / ₈ "x23 ⁵ / ₈ " H. 1 ¹ / ₈ "
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	SX	Matte	SX	Matte	Grip
Gypsum	A1IE	A1IJ	AZT9	A1IP	A1IU	A1IZ	A1JA	A1I4	A1JK	A1JF	•	A1JP
Pearl	A1IF	A1IL	AZUA	A1IQ	A1IV	A1IØ	A1JB	A1I5	A1JL	A1JG	•	A1JQ
Grey	A1IG	A1IM	A1ZQ	A1IR	A1IW	A1I1	A1JC	A1I6	A1JM	A1JH	•	A1JR
Coke	A1II	A1IO	AZEW	A1IT	A1IY	A1I3	A1JE	A1I8	A1JO	A1JJ	•	A1JT

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Brave

Porcelain Tiles

DECOR RANGE



A1FM Brave Gypsum
Mosaico
30x30 cm - 11¹/₄"x11¹/₄"




A1FO Brave Grey
Mosaico
30x30 cm - 11¹/₄"x11¹/₄"



A1FQ Brave Coke
Mosaico
30x30 cm - 11¹/₄"x11¹/₄"



A1FN Brave Pearl
Mosaico
30x30 cm - 11¹/₄"x11¹/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A1F1 Brave Gypsum
Brick 3D ⁽¹⁾
29x59 cm - 11¹/₈"x23¹/₄"



A1F2 Brave Pearl
Brick 3D ⁽¹⁾
29x59 cm - 11¹/₈"x23¹/₄"



A 19,9x7,1 cm - 7⁷/₈"x2⁷/₈"
B 38,6x7,1 cm - 15¹/₈"x2⁷/₈"



A1F3 Brave Grey
Brick 3D ⁽¹⁾
29x59 cm - 11¹/₈"x23¹/₄"



A1F5 Brave Coke
Brick 3D ⁽¹⁾
29x59 cm - 11¹/₈"x23¹/₄"

Wall Tiles

MATTE SURFACE

Wall




± 8,5 mm
40x80 cm - 15¹/₄"x31¹/₂"
8BWU Brave Gypsum



± 10 mm **3D WALL**
40x80 cm - 15¹/₄"x31¹/₂"
8BDG Brave 3D Wave Gypsum
8BBG Brave 3D Blade Gypsum



GYPSUM



3D WAVE GYPSUM



3D BLADE GYPSUM

DECOR RANGE



9BBG Brave Gypsum
Mosaic
30,5x30,5 cm - 12"x12"



1,7x8,5 cm - 5⁵/₈"x3³/₈"
1,7x6,4 cm - 5⁵/₈"x2¹/₂"

TRIM TILES



LBSU Brave Gypsum
Spigolo 0,8
0,8x20 cm - 3¹/₈"x7⁷/₈"



A1BU Brave Gypsum
Spigolo 0,8 A.E.
0,8x0,8 cm - 3¹/₈"x3¹/₈"



LBSL Brave Pearl
Spigolo 0,8
0,8x20 cm - 3¹/₈"x7⁷/₈"



A1BL Brave Pearl
Spigolo 0,8 A.E.
0,8x0,8 cm - 3¹/₈"x3¹/₈"

3D TRIM TILES



LB1G Brave Gypsum
Spigolo 10mm * ⁽¹⁾
1x20 cm - 3¹/₈"x7⁷/₈"



LB1R Brave Pearl
Spigolo 10mm * ⁽¹⁾
1x20 cm - 3¹/₈"x7⁷/₈"

⁽¹⁾ **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito - Mosaik multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

⁽¹⁾ **The 10 mm edge matches three-dimensional wall tiles having a 10-11 mm thickness** - Lo spigolo 10 mm si abbina a rivestimenti tridimensionali di spessore 10-11 mm - Le bord 10 mm s'adapte aux revêtements tridimensionnels épaisseur 10-11 mm - Die 10 mm Kante ist mit dreidimensionalen Wandfliesen mit einer Dicke von 10-11 mm kombinierbar - La arista de 10 mm se combina con revestimientos tridimensionales de 10 -11 mm de grosor - Угловой элемент 10 мм сочетается с трехмерной настенной плиткой толщиной 10-11 мм

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Lims



Inspired by global limestone selections. Experience the seamless blend of nature and design.

Variety and detail. Featuring a wide range of graphics and rich details.

Contemporary style. Essential and welcoming, perfect for modern spaces.

Warm and natural tones. Achieve stylistic harmony in residential, commercial, and hospitality spaces.



DISCOVER
MORE

Floor

Wall

Outdoor

Bathroom furniture

Facades



IVORY

Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE

Floor

Wall



± 6 mm
120x278 cm - 47 1/4"x109 1/2"
A3EI Lims Ivory



Sensitech

± 9 mm
120x120 cm - 47 1/4"x47 1/4"
A3DI Lims Ivory



Sensitech

± 9 mm
75x150 cm - 29 1/2"x59"
A7HT Lims Ivory

OUTDOOR ± 20 mm

Outdoor



Sensitech

± 20 mm
60x120 cm - 23 5/8"x47 1/4"
A3LU Lims Ivory 20 mm



Sensitech

± 20 mm
60x60 cm - 23 5/8"x23 5/8"
A3LY Lims Ivory 20 mm



Matte ± 6 mm
M
MEDIUM
TRAFFIC



Matte Sensitech ± 9 mm
Outdoor Sensitech ± 20 mm
H
HEAVY
TRAFFIC



R9 A Matte ± 6 mm
R10 B Matte Sensitech ± 9 mm
R11 C Outdoor Sensitech ± 20 mm



V3 Moderate
Variation

TRIM TILES P. 302



37,5x75 cm
14 7/8"x29 1/2"
Matte

A3VV



37,5x150 cm
14 7/8"x59"
Matte

A3NU



33x120 cm
13"x47 1/4"
Matte

A3NQ



37,5x75 cm
14 7/8"x29 1/2"
Matte

A3VZ



37,5x37,5 cm
14 7/8"x14 7/8"
Matte

A3WD



33x33 cm
13"x13"
Matte

A3NY



7,2x30 cm
2 7/8"x11 7/8"
Matte

DX

SX


A3JQ

A3JM



max 315x50 H 4 cm
124"x19 5/8" H 1 1/8"
Matte

•



15x75 H. 4 cm
5 7/8"x29 1/2" H. 1 1/8"
Grip

A3N2



1x120 cm
3 7/8"x47 1/4"
Matte

A3WH



1x1 cm
3 7/8"x3 7/8"
Matte

A3WL

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Sensitech P. 412

COMPLETE WITH FURNITURE

atlas concorde habitat

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Nyra

In collaboration
with **Alberto Apostoli**



First of his kind.
Nyra gives rise to Nyra World, the Atlas Concorde new stone-effect range.

Exclusive collaboration.
Wellness expertise and unique design by Alberto Apostoli.

Ceramic meets natural materials.
Unique blend of nature-inspired, original design.

First stone with graphic accents.
Ambrosia adds bold graphics for larger formats.

In and out.
Seamless indoor-outdoor design with unmatched continuity.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Slabs for countertops and furniture

Bathroom furniture

Tables

Facades




STAR




HAY



SUNLIGHT



MIST



METEOR



CHARCOAL



AMBROSIA

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte R9 A
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech R10 B
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Grip Sensitech R11 C
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Grip Sensitech R11 C
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech R11 C

atlasPLAN

160x320 cm - 63"x126"	± 6 mm	Hammered
-----------------------	--------	----------

SLABS FOR COUNTERTOPS & FURNITURE

162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " - ID Skin NON-RECTIFIED	± 12 mm	Hammered
--	---------	----------



STAR FIELD



STAR 3D QUBE



STAR 3D SADDLE



HAY FIELD



HAY 3D QUBE



HAY 3D SADDLE

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 8,5 mm	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm	Matte
3D WALL TILES		
40x80 cm - 15 ³ / ₄ "x31 ¹ / ₂ "	± 10 mm	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 10 mm	Matte

COMPLETE WITH FURNITURE



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Nyra

Porcelain Tiles

MATTE SURFACE



± 6 mm
160x320 cm - 63"x126"
HCWC Nyra Hay Hammered
HCWD Nyra Mist Hammered
HCLY Nyra Ambrosia Hammered



± 6 mm
120x278 cm - 47 1/4"x109 1/2"
HCQI Nyra Star
HCQJ Nyra Hay
HCQK Nyra Sunlight
HCQL Nyra Mist
HCQM Nyra Ambrosia



± 9 mm
120x240 cm - 47 1/4"x94 1/2"
HCQN Nyra Star
HCQO Nyra Hay
HCQP Nyra Sunlight
HCQQ Nyra Mist



± 9 mm
120x120 cm - 47 1/4"x47 1/4"
HCQX Nyra Star
HCQY Nyra Hay
HCQZ Nyra Sunlight
HCQØ Nyra Mist
HCQ1 Nyra Meteor
HCQ2 Nyra Charcoal
HCQ3 Nyra Ambrosia



± 9 mm
60x120 cm - 23 5/8"x47 1/4"
HCQ4 Nyra Star
HCQ5 Nyra Hay
HCQ6 Nyra Sunlight
HCQ7 Nyra Mist
HCQ8 Nyra Meteor
HCQ9 Nyra Charcoal
HCRA Nyra Ambrosia




± 9 mm
60x60 cm - 23 5/8"x23 5/8"
HCRF Nyra Star
HCRG Nyra Hay
HCRH Nyra Sunlight
HCRI Nyra Mist
HCRJ Nyra Meteor
HCRK Nyra Charcoal



± 9 mm
30x60 cm - 11 1/4"x23 5/8"
HCRN Nyra Star
HCRO Nyra Hay
HCRP Nyra Sunlight
HCRQ Nyra Mist
HCRR Nyra Meteor
HCRS Nyra Charcoal



± 9 mm
80x80 cm - 31 1/2"x31 1/2"
HCRX Nyra Star
HCRY Nyra Hay
HCRZ Nyra Sunlight
HCRØ Nyra Mist
HCR5 Nyra Meteor
HCR7 Nyra Charcoal



± 9 mm
75x150 cm - 29 1/2"x59"
HCQR Nyra Star
HCQS Nyra Hay
HCQT Nyra Sunlight
HCQU Nyra Mist
HCQV Nyra Meteor
HCQW Nyra Charcoal

GRIP SURFACE



± 9 mm
60x120 cm - 23 5/8"x47 1/4"
HCRB Nyra Star
HCRC Nyra Hay
HCRD Nyra Sunlight
HCRE Nyra Mist



± 9 mm
60x60 cm - 23 5/8"x23 5/8"
HCRL Nyra Hay
HCRM Nyra Mist



± 9 mm
30x60 cm - 11 1/4"x23 5/8"
HCRT Nyra Star
HCRU Nyra Hay
HCRV Nyra Sunlight
HCRW Nyra Mist

OUTDOOR ± 20 mm



± 20 mm
120x120 cm - 47 1/4"x47 1/4"
HCSE Nyra Star
HCSF Nyra Hay
HCSG Nyra Sunlight
HCOJ Nyra Mist



± 9 mm
80x80 cm - 31 1/2"x31 1/2"
HCSP Nyra Star
HCSQ Nyra Hay
HCSR Nyra Sunlight
HCSS Nyra Mist



± 20 mm
60x120 cm - 23 5/8"x47 1/4"
HCSH Nyra Star
HCSI Nyra Hay
HCSJ Nyra Sunlight
HCSK Nyra Mist





± 20 mm
60x60 cm - 23 5/8"x23 5/8"
HCSL Nyra Star
HCSM Nyra Hay
HCSN Nyra Sunlight
HCSO Nyra Mist

Outdoor

Floor

Wall



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Nyra

Porcelain Tiles

DECOR RANGE



HCYK Nyra Star
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"




HCYL Nyra Hay
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCYM Nyra Sunlight
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCYN Nyra Mist
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCYO Nyra Meteor
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCYP Nyra Charcoal
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCYQ Nyra Ambrosia
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCU5 Nyra Star
Mosaico Opus
32x32 cm - 12²/₅"x12²/₅"




HCU7 Nyra Hay
Mosaico Opus
32x32 cm - 12²/₅"x12²/₅"



HCU8 Nyra Sunlight
Mosaico Opus
32x32 cm - 12²/₅"x12²/₅"



HCU9 Nyra Mist
Mosaico Opus
32x32 cm - 12²/₅"x12²/₅"



HCVA Nyra Meteor
Mosaico Opus
32x32 cm - 12²/₅"x12²/₅"



HCVB Nyra Charcoal
Mosaico Opus
32x32 cm - 12²/₅"x12²/₅"



HCVC Nyra Ambrosia
Mosaico Opus
32x32 cm - 12²/₅"x12²/₅"

TRIM TILES P. 302	Battiscopa				Gradino *		Scalino *	Scalino *		Scalino Ang.*	Battiscopa Sag. Scala *	Davanzale / Soglia *	Corner * ± 6 mm	Corner A.E. * ± 6 mm	Elemento L *
	7,2x150 cm 2 ¹ / ₅ "x59"	7,2x120 cm 2 ¹ / ₅ "x47 ¹ / ₄ "	7,2x80 cm 2 ¹ / ₅ "x31 ¹ / ₂ "	7,2x60 2 ¹ / ₅ "x23 ¹ / ₅ "	30x120 11 ¹ / ₄ "x47 ¹ / ₄ "	30x60 11 ¹ / ₄ "x23 ¹ / ₅ "	33x150 13"x59"	33x120 13"x47 ¹ / ₄ "	33x60 13"x23 ¹ / ₅ "	33x33 13"x13"	7,2x30 2 ¹ / ₅ "x11 ¹ / ₄ "	max 315x50 H.4 cm 124"x19 ¹ / ₂ " H.1 ¹ / ₅ "	1x120 cm 3 ¹ / ₅ "x47 ¹ / ₄ "	1x1 cm 3 ¹ / ₅ "x1 ¹ / ₅ "	15x60 H. 4 5 ¹ / ₅ "x23 ¹ / ₅ " H. 1 ¹ / ₅ "
	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Grip
Star	HC4F	HCX5	HC4L	HCYD	HC4Y	HC4R	HC6M	HC6F	HC58	HC6S	HC51	HC5U	HC5A	HC5E	HC45
Hay	HC4G	HCX6	HC4M	HCYE	HC4Z	HC4S	HC6N	HC6G	HC59	HC6T	HC52	HC5V	HC5A	HC5F	HC46
Sunlight	HC4H	HCX7	HC4N	HCYF	HC4Ø	HC4T	HC6O	HC6H	HC6A	HC6U	HC53	HC5W	HC5B	HC5G	HC47
Mist	HC4I	HCX8	HC4O	HCYG	HC41	HC4U	HC6P	HC6I	HC6B	HC6V	HC54	HC5X	HC5C	HC5H	HC48
Meteor	HC4J	HCX9	HC4P	HCYH	HC42	HC4V	HC6Q	HC6J	HC6C	HC6W	HC55	HC5Y	-	-	-
Charcoal	HC4K	HCYB	HC4Q	HCYI	HC43	HC4W	HC6R	HC6K	HC6D	HC6X	HC56	HC5Z	-	-	-
Ambrosia	-	HCYC	-	HCYJ	HC44	HC4X	-	HC6L	HC6E	HC6Y	HC57	HC5Ø	HC5D	HC5I	-

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

Wall Tiles

MATTE SURFACE



± 8,5 mm
40x80 cm - 15¹/₄"x31¹/₂"
HCSX Nyra Star Field
HCSY Nyra Hay Field




± 10 mm 3D WALL
40x80 cm - 15¹/₄"x31¹/₂"
HCSZ Nyra 3D Saddle Star
HCSØ Nyra 3D Saddle Hay




± 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
HCST Nyra Star Field
HCSU Nyra Hay Field



± 10 mm 3D WALL
50x120 cm - 19⁵/₈"x47¹/₄"
HCSV Nyra 3D Qube Star
HCSW Nyra 3D Qube Hay



TRIM TILES



1,4x50 cm - 5¹/₈"x19⁵/₈"
HCVX Nyra Star Field Corner 50 *
HCVY Nyra Hay Field Corner 50 *
HCV1 Nyra Hay Field Corner 40 *
HCV2 Nyra Hay Field Corner 40 *



1,4x1,4 cm - 5¹/₈"x2¹/₅"
HCVZ Nyra Star Field Corner A.E. *
HCVØ Nyra Hay Field Corner A.E. *

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Norde



Bold Quartzite Effect.
Strong, dynamic personality.

High Accuracy.
Meticulous, realistic reproduction.

Seamless Integration.
Blends indoor and outdoor.

Outdoor selection.
Unique decors range for customized and modern outdoor flooring.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor

Bathroom furniture

Facades



MAGNESIO



ORO



PLATINO



PIOMBO

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech R10 B
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech R10 B

OUTDOOR AND WET AREAS

60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech R11 C
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech R11 C
60x90 cm - 23 ⁵ / ₈ "x35 ³ / ₈ "	± 20 mm	Outdoor Sensitech R11 C
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech R11 C
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech R11 C

COMPLETE WITH FURNITURE
 atlas concorde **habitat**

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Norde

Porcelain Tiles



Matte **Sensitech** ± 9 mm
Grip **Sensitech** / Roccia ± 9 mm
Outdoor **Sensitech** ± 20 mm



R10 B Matte **Sensitech** ± 9 mm
R11 C Grip **Sensitech** ± 9 mm
R11 C Outdoor **Sensitech** ± 20 mm



V3 Moderate
Variation

MATTE SURFACE



Sensitech

± 9 mm

60x120 cm - 23⁵/₈"x47¹/₄"

A5LM Norde Magnesio

A5LN Norde Oro

A45Z Norde Platino

A5LO Norde Piombo



Sensitech

± 9 mm

60x60 cm - 23⁵/₈"x23⁵/₈"

A5M6 Norde Magnesio

A5M7 Norde Oro

A5M8 Norde Platino

A5M9 Norde Piombo



Sensitech

± 9 mm

30x60 cm - 11¹/₄"x23⁵/₈"

A5ND Norde Magnesio

A5NE Norde Oro

A5NF Norde Platino

A5NG Norde Piombo

Floor

Wall

GRIP SURFACE



Sensitech

± 9 mm

60x120 cm - 23⁵/₈"x47¹/₄"

A5MH Norde Magnesio Grip

A5MI Norde Oro Grip

A45Ø Norde Platino Grip

A5MJ Norde Piombo Grip

Outdoor

OUTDOOR ± 20 mm



Sensitech

± 20 mm

60x120 cm - 23⁵/₈"x47¹/₄"

A5TV Norde Magnesio 20 mm

A5TW Norde Oro 20 mm

A45I Norde Platino 20 mm

A5TX Norde Piombo 20 mm



Sensitech

± 20 mm

60x90 cm - 23⁵/₈"x35³/₈"

A5T2 Norde Magnesio 20 mm

A5T3 Norde Oro 20 mm

A5T4 Norde Platino 20 mm

A5T5 Norde Piombo 20 mm



Sensitech

± 20 mm

60x60 cm - 23⁵/₈"x23⁵/₈"

A5TY Norde Magnesio 20 mm

A5TZ Norde Oro 20 mm

A5TØ Norde Platino 20 mm

A5T1 Norde Piombo 20 mm



Sensitech

± 20 mm

80x80 cm - 31¹/₂"x31¹/₂"

A56L Norde Magnesio 20 mm

A56M Norde Oro 20 mm

A56N Norde Platino 20 mm

A56O Norde Piombo 20 mm



MAGNESIO



ORO



PLATINO



PIOMBO

TRIM TILES P. 302

Battiscopa



7,2x60 cm
2⁷/₈"x23⁵/₈"

Matte


Gradino *



30x60 cm
11¹/₄"x23⁵/₈"

Matte

Scalino *




33x120 cm
13"x47¹/₄"

Matte

33x60 cm
13"x23⁵/₈"

Matte

Scalino Ang.*



33x33 cm
13"x13"

Matte

Battiscopa Sag. Scala *



7,2x30 cm
2⁷/₈"x11¹/₄"

Matte

DX

A583

SX

A587

A584

A588

A585

A589

A586

A59C

Davanzale / Soglia *



max 315x60 H.4 cm
124"x19⁵/₈" H.1⁵/₈"

Matte

•

•

•

•

Elemento L *



33x120 H. 4 cm
13"x47¹/₄" H.1⁵/₈"

Grip

A592

A593

A594

A595

Magnesio

A58Y

A59D

A59T

A59H

A59X

A583

A587

Oro

A58Z

A59E

A59U

A59I

A59Y

A584

A588

Platino

A58I

A59F

A59V

A59J

A59Z

A585

A589

Piombo

A582

A59G

A59W

A59K

A59I

A586

A59C

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

Norde

Porcelain Tiles

DECOR RANGE



A59P Norde Magnesio Brick
30x60 cm - 11¹/₄" x 23⁵/₈"




A59R Norde Platino Brick
30x60 cm - 11¹/₄" x 23⁵/₈"



A59Q Norde Oro Brick
30x60 cm - 11¹/₄" x 23⁵/₈"



A59S Norde Piombo Brick
30x60 cm - 11¹/₄" x 23⁵/₈"



30x60 cm - 11¹/₄" x 23⁵/₈"



A58U Norde Magnesio
Composizione Palladiana Grip [Sensitech](#) ⁽¹⁾ ⁽²⁾



A58V Norde Oro
Composizione Palladiana Grip [Sensitech](#) ⁽¹⁾ ⁽²⁾



A58W Norde Platino
Composizione Palladiana Grip [Sensitech](#) ⁽¹⁾ ⁽²⁾



A58X Norde Piombo
Composizione Palladiana Grip [Sensitech](#) ⁽¹⁾ ⁽²⁾

Sensitech P. 412

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



A59L Norde Magnesio
Mosaico
30x30 cm - 11¹/₄" x 11¹/₄"




A59M Norde Oro
Mosaico
30x30 cm - 11¹/₄" x 11¹/₄"



A59N Norde Platino
Mosaico
30x30 cm - 11¹/₄" x 11¹/₄"



A59O Norde Piombo
Mosaico
30x30 cm - 11¹/₄" x 11¹/₄"



*4,8x4,8 cm - 1⁷/₈" x 1⁷/₈"




A58M Norde Magnesio Path A+B 20 mm Outdoor [Sensitech](#) ⁽³⁾
54x54 cm - 21¹/₄" x 21¹/₄"

A58Q Norde Magnesio Path C 20 mm Outdoor [Sensitech](#) ⁽³⁾
55x109 cm - 21⁵/₈" x 42⁷/₈"



A58N Norde Oro Path A+B 20mm Outdoor [Sensitech](#) ⁽³⁾
54x54 cm - 21¹/₄" x 21¹/₄"

A58R Norde Oro Path C 20mm Outdoor [Sensitech](#) ⁽³⁾
55x109 cm - 21⁵/₈" x 42⁷/₈"



A58O Norde Platino Path A+B 20 mm Outdoor [Sensitech](#) ⁽³⁾
54x54 cm - 21¹/₄" x 21¹/₄"

A58S Norde Platino Path C 20 mm Outdoor [Sensitech](#) ⁽³⁾
55x109 cm - 21⁵/₈" x 42⁷/₈"



A58P Norde Piombo Path A+B 20mm Outdoor [Sensitech](#) ⁽³⁾
54x54 cm - 21¹/₄" x 21¹/₄"

A58T Norde Piombo Path C 20mm Outdoor [Sensitech](#) ⁽³⁾
55x109 cm - 21⁵/₈" x 42⁷/₈"

⁽¹⁾ **Minimum order: 8 m2. Variable tessera size and shape with tumbled edge. We recommend installation with a joint of no less than 10 mm.** - Ordine minimo di 8 mq. Dimensione e forma delle tessere variabile con bordo burattato. Si consiglia posa con fuga non inferiore a 10mm. - Commande minimum: 8 mètres carrés. Dimensions et forme des tesselles variables avec bord tamisé. Pose conseillée avec un joint non inférieur à 10mm. - Mindestbestellmenge 8 qm. Abmessung und Form der Steine sind unterschiedlich, aber alle weisen getrommelte Kanten auf. Für die Verlegung wird eine Fugenbreite von nicht weniger als 10 mm empfohlen. - Pedido mínimo de 8 m2. Tamaño y forma variable de los mosaicos con borde brufido. Se recomienda colocación con junta de no menos de 10 mm. - Минимальный объем заказа - 8 кв.м. Размер и форма chips варьируются, chips имеют выщерблиные края. Рекомендуется укладка с межплиточным швом не менее 10 мм.

⁽²⁾ **Example of layout measuring about 1 m²** - Esempio di posato corrispondente a circa 1 mq. - Exemple de produit posé correspondant à 1 mètre carré environ. - Verlegebeispiel für circa 1 qm. - Ejemplo de colocación correspondiente aproximadamente a 1 m². - Пример укладки, соответствующий примерно 1 кв.м.

⁽³⁾ **We recommend "dry" installation on gravel and/or grass.** - Si consiglia posa "a secco" su ghiaia e/o erba. - Pose « à sec » sur gravillons et/ou herbe conseillée. - Es wird eine Trockenverlegung auf Kies bzw. Rasen empfohlen. - Se recomienda colocación «en seco» sobre grava o hierba. - Рекомендуется «сухая» укладка на гравий и/или траву.

Entice



Oak Effect.
Embrace the timeless beauty
with tone-on-tone shades.

Two Selections:
Choose between Natural and Elegant,
with or without knots.

Sophisticated color range.



COLLECTION
CATALOG




VIDEO


Floor

Wall


Outdoor



PALE OAK
NATURAL



COPPER OAK
NATURAL



BROWNEOAK
NATURAL




ASH OAK
NATURAL



PALE OAK
ELEGANT



COPPER OAK
ELEGANT



BROWNEOAK
ELEGANT



ASH OAK
ELEGANT

Porcelain Tiles RECTIFIED MONOCALIBER **NATURAL**

Sizes	Thickness	Surface finish
18,5x150 cm - 7 1/4"x59"	± 9 mm	Matte Sensitech R10 B
20x120 cm - 7 7/8"x47 1/4"	± 9 mm	Matte Sensitech R10 B

OUTDOOR AND WET AREAS		
20x120 cm - 7 7/8"x47 1/4"	± 9 mm	Grip Sensitech R11 C
30x120 cm - 11 3/4"x47 1/4"	± 20 mm	Outdoor Sensitech R11 C

ELEGANT		
Sizes	Thickness	Surface finish
18,5x150 cm - 7 1/4"x59"	± 9 mm	Matte R9 A

COMPLETE WITH FURNITURE
 atlas concorde **habitat**

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Entice

Porcelain Tiles

H **HEAVY TRAFFIC**
Matte ± 9 mm
Matte *Sensitech* ± 9 mm
Grip *Sensitech* ± 9 mm
Outdoor *Sensitech* ± 20 mm


R9 A Matte ± 9 mm ELEGANT
R10 B Matte *Sensitech* ± 9 mm NATURAL
R11 C Grip *Sensitech* ± 9 mm
R11 C Outdoor *Sensitech* ± 20 mm

V2 Slight Variation

MATTE SURFACE - NATURAL

Floor


Wall



PALE OAK NATURAL



COPPER OAK NATURAL



BROWNEOAK NATURAL



ASH OAK NATURAL

Sensitech
 ± 9 mm

18,5x150 cm - 7¹/₄"x59"
A8X6 Entice Pale Oak Natural
A8X7 Entice Copper Oak Natural
A8X9 Entice Browned Oak Natural
A8YA Entice Ash Oak Natural

Sensitech
 ± 9 mm

20x120 cm - 7⁷/₈"x47¹/₄"
A841 Entice Pale Oak Natural
A84Y Entice Copper Oak Natural
A84Z Entice Browned Oak Natural
A84Ø Entice Ash Oak Natural

GRIP SURFACE

Sensitech
 ± 9 mm

20x120 cm - 7⁷/₈"x47¹/₄"
A842 Entice Pale Oak Natural Grip
A843 Entice Copper Oak Natural Grip
A844 Entice Browned Oak Natural Grip
A845 Entice Ash Oak Natural Grip

OUTDOOR ± 20 mm

Sensitech
 ± 20 mm

30x120 cm - 11³/₄"x47¹/₄"
A9DD Entice Pale Oak Natural 20 mm
A9DE Entice Copper Oak Natural 20 mm
A9DF Entice Browned Oak Natural 20 mm
A9DG Entice Ash Oak Natural 20 mm

Outdoor

Sensitech

P. 412

MATTE SURFACE - ELEGANT

Floor

Wall



PALE OAK ELEGANT



COPPER OAK ELEGANT



BROWNEOAK ELEGANT




ASH OAK ELEGANT

Sensitech
 ± 9 mm

18,5x150 cm - 7¹/₄"x59"
A8YB Entice Pale Oak Elegant
A8YC Entice Copper Oak Elegant
A8YD Entice Browned Oak Elegant
A8YE Entice Ash Oak Elegant

TRIM TILES
P. 302

Battiscopa



7,2x150 cm
2¹/₄"x59"
Matte


6,5x120 cm
2¹/₂"x47¹/₄"
Matte

Scalino *



33x150 cm
13"x59"
Matte

Scalino *



33x120 cm
13"x7¹/₄"
Matte

Battiscopa Sag. Scala *



7,2x30 cm
2¹/₄"x1¹/₄"
Matte

Davanzale / Soglia *



max 315x50 H 4 cm
124"x19¹/₂" H 1¹/₂"
Matte

Elemento L *



20x120 H. 4 cm
7⁷/₈"x59" H. 1¹/₂"
Grip

Pale Oak Natural
Copper Oak Natural
Browned Oak Natural
Ash Oak Natural
Pale Oak Elegant
Copper Oak Elegant
Browned Oak Elegant
Ash Oak Elegant

A85B
A85C
A85D
A85E
A85F
A85G
A85H
A85I

AHAB
AHAA
AG95
AG94
-
-
-
-

AFIØ
AFI1
AFI3
AFI4
AFI5
AFI6
AFI7
AFI8

AFI9
AFJA
AFJB
AFJC
-
-
-
-

DX
A85N
A85O
A85P
A85Q

SX
A85J
A85K
A85L
A85M

•
•
•
•
•
•
•
•

AFJD
AFJE
AFJF
AFJG
-
-
-
-

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Etic



Untreated wood essences.
Delicate color and fine structure.



DISCOVER
MORE

Floor

Wall

Decors



Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE

Floor

Wall

± 9 mm

22,5x90 cm - 8 7/8" x 35 3/8"

AJ8D Etic Rovere



Matte ± 9 mm



R9 A Matte ± 9 mm



V3 Moderate Variation
Rovere

DECOR RANGE



2,3x90 cm - 7/8" x 35 3/8"

AM8D Etic Rovere
Tatami
22,5x90 cm - 8 7/8" x 35 3/8"

COMPLETE WITH FURNITURE

atlas concorde **habitat**

TRIM TILES
P. 302


Battiscopa



7,2x90 cm
2 7/8" x 35 3/8"
Matte

AM76


Scalino *



22,5x90 cm
8 7/8" x 35 3/8"
Matte

AM97

Scalino Ang.*



22,5x22,5 cm
8 7/8" x 8 7/8"
Matte

DX

ANAF

SX

ANCW

Battiscopa Sag. Scala *



7,2x30 cm
2 7/8" x 11 3/4"
Matte

DX

ANCH

SX

ANCO

Davanzale / Soglia *



max 315x50 H.4 cm
124" x 19 1/8" H.1 1/8"
Matte

•

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




Etic Pro



Rovere Venice.
A reinterpretation of the “Briccola” of Venice lagoon.


Indoor and Outdoor versatility.



Sensitech P. 412

Porcelain Tiles RECTIFIED MONOCALIBER

MATTE SURFACE



± 9 mm

25x150 cm - 9⁷/₈"x59"

AV4I Etic Rovere Venice




± 9 mm

22,5x90 cm - 8⁷/₈"x35³/₈"

AV4M Etic Rovere Venice

OUTDOOR ± 20 mm



± 20 mm

30x120 cm - 11³/₄"x47¹/₄"

AV42 Etic Rovere Venice 20mm



Matte ± 9 mm
Outdoor **Sensitech** ± 20 mm



R9 A Matte ± 9 mm
R11 C Outdoor **Sensitech** ± 20 mm



V3 Moderate
Variation



DISCOVER
MORE


Floor

Wall

Decors

Outdoor

DECOR RANGE




2,3x90 cm
7¹/₈"x35³/₈"

AWVZ Etic Rovere Venice
Tatami
22,5x90 cm - 8⁷/₈"x35³/₈"




AWYI Etic Rovere Venice
Industrial 3D ⁽¹⁾
44x28,5 cm - 17³/₈"x11¹/₄"




2,4x22 cm
1"x8⁵/₈"



AWV3 Etic Rovere Venice
Herringbone
36,2x41,2 cm - 14¹/₈"x16¹/₈"



4,9x29 cm
1⁷/₈"x11¹/₈"




A 17 cm - 6³/₄"
B 39,8 cm - 15⁵/₈"
C 14,7 cm - 5³/₄"

AWV7 Etic Rovere Venice
Chevron A+B
35x34,5 cm - 13³/₄"x13³/₈"



AWYE Etic Rovere Venice
Chevron Tatami A+B
74x22,2 cm - 29¹/₈"x8⁵/₈"



A 3,2 cm - 1¹/₄"
B 73,8 cm - 29"
C 2,3 cm - 7¹/₈"

COMPLETE WITH FURNITURE
atlas concorde habitat

TRIM TILES P. 302

Battiscopa



7,2x90 cm
2⁷/₈"x35³/₈"
Matte

AV68

Scalino *



22,5x90 cm
8⁷/₈"x35³/₈"
Matte

AV7Z


Scalino *



33x150 cm
13"x59"
Matte

AZFC

Scalino Ang.*



22,5x22,5 cm
8⁷/₈"x8⁷/₈"
Matte

DX
AV78

SX
AV73

Battiscopa Sag. Scala *



7,2x30 cm
2⁷/₈"x11¹/₄"
Matte

DX
AV8G

SX
AV8C

Davanzale / Soglia *



max 315x50 H.4 cm
124"x19¹/₈" H.1¹/₈"
Matte

*

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

⁽¹⁾ Multi-thickness mosaic, close joint installation without grouting. - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaïque multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástico y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

The decoration can only be laid on the wall - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Exence



Italian Oak.
Ideal for cozy and welcoming spaces.

Natural Graphics.
Featuring diverse shades, knots, and grain patterns.

Highlighted Knots and Veins.
Emphasize the natural beauty of the wood.



COLLECTION
CATALOG

Floor

Wall

Decors


Outdoor



VANILLA



ALMOND



AMBER

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
18,5x150 cm - 7 1/4"x59"	± 9 mm	Matte Sensitech R10 B
20x120 cm - 7 7/8"x47 1/4"	± 9 mm	Matte Sensitech R10 B


OUTDOOR AND WET AREAS

18,5x150 cm - 7 1/4"x59"	± 9 mm	Grip Sensitech R11 C
30x120 cm - 11 1/4"x47 1/4"	± 20 mm	Outdoor Sensitech R11 C

COMPLETE WITH FURNITURE
atlas concorde habitat

TRIM TILES P. 302

Battiscopa




7,2x150 cm
2 7/8"x59"

Matte

6,5x120 cm
2 1/2"x47 1/4"

Matte

Scalino *



33x150 cm
13"x59"

Matte

Battiscopa Sag. Scala *



7,2x30 cm
2 7/8"x11 1/4"

Matte

DX

AOU1

AMBE

AMBF

SX

AOU2

AMBG

AMBH

Davanzale / Soglia *



max 315x50 H.4 cm
124"x19 1/2"x H.1 1/2"


Matte

*

*

*

Elemento L *



18,5x150 H. 4 cm
7 1/4"x59" H. 1 1/2"

Grip

AOZI

AOZJ

AOZK

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Exence

Porcelain Tiles

H Matte **Sensitech** ± 9 mm
Grip **Sensitech** ± 9 mm
Outdoor **Sensitech** ± 20 mm
HEAVY TRAFFIC


R10 B Matte **Sensitech** ± 9 mm
R11 C Grip **Sensitech** ± 9 mm
R11 C Outdoor **Sensitech** ± 20 mm

V2 Slight Variation

MATTE SURFACE

Floor

Wall



Sensitech
± 9 mm
18,5x150 cm - 7 1/4" x 59"
AOUH Exence Vanilla
AL87 Exence Almond
AL88 Exence Amber

Sensitech
± 9 mm
20x120 cm - 7 7/8" x 47 1/4"
AO47 Exence Vanilla
AO48 Exence Almond
AO49 Exence Amber

GRIP SURFACE

OUTDOOR ± 20 mm

Outdoor

Sensitech
± 9 mm
18,5x150 cm - 7 1/4" x 59"
AOUK Exence Vanilla Grip
AOUI Exence Almond Grip
AOUJ Exence Amber Grip

Sensitech
± 20 mm
30x120 cm - 11 3/4" x 47 1/4"
A2RY Exence Almond 20 mm
A2RZ Exence Amber 20 mm

DECOR RANGE



AOUU Exence
Vanilla Square
56,1x56,1 cm - 22" x 22"



AOUV Exence
Almond Square
56,1x56,1 cm - 22" x 22"



AOUW Exence
Amber Square
56,1x56,1 cm - 22" x 22"



AOUR Exence
Vanilla Tatami
18,5x75 cm - 7 1/4" x 29 1/2"



AOUS Exence
Almond Tatami
18,5x75 cm - 7 1/4" x 29 1/2"



AOUT Exence
Amber Tatami
18,5x75 cm - 7 1/4" x 29 1/2"



AOUG Exence
Vanilla Chevron
32,5x45 cm - 12 3/4" x 17 3/4"



AMBJ Exence
Almond Chevron
32,5x45 cm - 12 3/4" x 17 3/4"



AMBL Exence
Amber Chevron
32,5x45 cm - 12 3/4" x 17 3/4"

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Heartwood



Exquisite aged parquet.
Evoke the charm of historic villas and palaces.

Rich surface.
Smoothed, planed, and polished oak.

Harmonic Shades.
From deep brown to blonde, honey to amber.



COLLECTION
CATALOG

Floor

Wall


Decors



MALT



BRANDY



MOKA

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
18,5x150 cm - 7 1/4"x59"	± 9 mm	Matte Sensitech R10 B
20x120 cm - 7 7/8"x47 1/4"	± 9 mm	Matte Sensitech R10 B

COMPLETE WITH FURNITURE
 **atlas concorde** 

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Heartwood

Porcelain Tiles


MATTE SURFACE

Floor


Wall



MALT



BRANDY



MOKA

 **Sensitech**
± 9 mm

18,5x150 cm - 7 1/4"x59"

AL68 Heartwood Malt
AL84 Heartwood Brandy
AL69 Heartwood Moka

 **Sensitech**
± 9 mm

20x120 cm - 7 7/8"x47 1/4"

AL7E Heartwood Malt
AL85 Heartwood Brandy
AL7F Heartwood Moka



Matte **Sensitech** ± 9 mm



R10 B Matte **Sensitech** ± 9 mm



V3 Moderate
Variation

DECOR RANGE



AOYG Heartwood Malt
Mansion Weave
34,6x40 cm - 13 5/8"x15 3/4"




AOYH Heartwood Brandy
Mansion Weave
34,6x40 cm - 13 5/8"x15 3/4"



AOYJ Heartwood Moka
Mansion Weave
34,6x40 cm - 13 5/8"x15 3/4"



AOYD Heartwood Malt Tatami
18,5x75 cm - 7 1/4"x29 1/2"




AOYE Heartwood Brandy Tatami
18,5x75 cm - 7 1/4"x29 1/2"



AOYF Heartwood Moka Tatami
18,5x75 cm - 7 1/4"x29 1/2"

TRIM TILES
P. 302

Battiscopa



7,2x150 cm
2 7/8"x59"

Matte

6,5x120 cm
2 1/2"x47 1/4"

Matte

Scalino *



33x150 cm
13"x59"

Matte

Battiscopa Sag. Scala *



7,2x30 cm
2 7/8"x11 1/4"

Matte

DX

AMAW

AMAX

AMAY

SX

AMAZ

AMAØ

AMA1

Davanzale / Soglia *



max 315x50 H.4 cm
124"x19 5/8" H.1 5/8"

Matte

•

•

•

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Log



 **atlas concorde** | **ITLAS**
MEETING TOGETHER

New oak effect.
Enhanced by the wood expertise of ITLAS.

Two Selections:
choose between Natural and Forest.

Atlas Concorde ID Skin.
The next level of texture details.

A complete range as never before.
Indoor & Outdoor, wall-tiles, large slabs.



COLLECTION
CATALOG



VIDEO

Floor


Wall

Decors


Outdoor



BRIGHT OAK
NATURAL




BRIGHT OAK
FOREST



ICON OAK
NATURAL




ICON OAK
FOREST



AMBER OAK
NATURAL




AMBER OAK
FOREST




DEEP OAK
NATURAL



DEEP OAK
FOREST



MOON OAK
NATURAL




MOON OAK
FOREST




BRIGHT OAK
3D PLEAT



ICON OAK
3D PLEAT



AMBER OAK
3D PLEAT



DEEP OAK
3D PLEAT



MOON OAK
3D PLEAT

Porcelain Tiles RECTIFIED MONOCALIBER

NATURAL SELECTION

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4" x 109 1/2" - ID Skin	± 6 mm	Matte R9 A
20x180 cm - 7 7/8" x 70 7/8" - ID Skin	± 9,5 mm	Matte Sensitech R10 B
20x120 cm - 7 7/8" x 47 1/4" - ID Skin	± 9 mm	Matte Sensitech R10 B
18,5x150 cm - 7 1/4" x 59"	± 9 mm	Matte Sensitech R10 B

LARGE SIZES P. 307

OUTDOOR AND WET AREAS

60x120 cm - 23 5/8" x 47 1/4" Deck *	± 20 mm	Outdoor Sensitech R11 C
--------------------------------------	---------	---

FOREST SELECTION

Sizes	Thickness	Surface finish
20x180 cm - 7 7/8" x 70 7/8" - ID Skin	± 9,5 mm	Matte Sensitech R10 B
20x120 cm - 7 7/8" x 47 1/4" - ID Skin	± 9 mm	Matte Sensitech R10 B
18,5x150 cm - 7 1/4" x 59"	± 9 mm	Matte Sensitech R10 B

OUTDOOR AND WET AREAS

20x120 cm - 7 7/8" x 47 1/4" - ID Skin	± 9 mm	Grip Sensitech R11 C
30x120 cm - 11 7/8" x 47 1/4"	± 20 mm	Outdoor Sensitech R11 C

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
3D WALL TILES		
50x120 cm - 19 5/8" x 47 1/4"	± 8,5 mm	Matte

COMPLETE WITH FURNITURE
 **atlas concorde habitat**

♦ **Graphic pattern.** Misalignments in the continuity between different patterns is normal for this type of product. - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Log

Porcelain Tiles

M Matte $\pm$ 6 mm
MEDIUM TRAFFIC

H Matte Sensitech $\pm$ 9 - 9.5 mm
Grip Sensitech $\pm$ 9 mm
HEAVY TRAFFIC Outdoor Sensitech $\pm$ 20 mm

R9 A Matte $\pm$ 6 mm
R10 B Matte Sensitech $\pm$ 9 - 9.5 mm
R11 C Grip Sensitech $\pm$ 9 mm
Outdoor Sensitech $\pm$ 20 mm


V2 Slight Variation
Natural Selection
all colors

V3 Moderate Variation
Forest Selection
all colors


MATTE SURFACE - NATURAL SELECTION

Floor

Wall



BRIGHT OAK NATURAL




ICON OAK NATURAL



AMBER OAK NATURAL



DEEP OAK NATURAL



MOON OAK NATURAL

Sensitech
 $\pm$ 9.5 mm
20x180 cm - 7⁷/₈"x70⁷/₈" - ID Skin
AX5T Log Icon Oak
AX5V Log Bright Oak
AX5X Log Amber Oak
AX5Z Log Deep Oak
AX5I Log Moon Oak

Sensitech
 $\pm$ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄" - ID Skin
AX3A Log Icon Oak
AX3C Log Bright Oak
AX3E Log Amber Oak
AX3G Log Deep Oak
AX3I Log Moon Oak

Sensitech
 $\pm$ 9 mm
18,5x150 cm - 7¹/₄"x59"
AX3K Log Icon Oak
AX3M Log Bright Oak
AX3O Log Amber Oak
AX3Q Log Deep Oak
AX3S Log Moon Oak


Sensitech

P. 412

MATTE SURFACE - FOREST SELECTION

Floor

Wall



BRIGHT OAK FOREST




ICON OAK FOREST



AMBER OAK FOREST



DEEP OAK FOREST



MOON OAK FOREST

Sensitech
 $\pm$ 9.5 mm
20x180 cm - 7⁷/₈"x70⁷/₈" - ID Skin
AX5U Log Icon Oak Forest
AX5W Log Bright Oak Forest
AX5Y Log Amber Oak Forest
AX5Ø Log Deep Oak Forest
AX52 Log Moon Oak Forest

Sensitech
 $\pm$ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄" - ID Skin
AX3B Log Icon Oak Forest
AX3D Log Bright Oak Forest
AX3F Log Amber Oak Forest
AX3H Log Deep Oak Forest
AX3J Log Moon Oak Forest

Sensitech
 $\pm$ 9 mm
18,5x150 cm - 7¹/₄"x59"
AX3L Log Icon Oak Forest
AX3N Log Bright Oak Forest
AX3P Log Amber Oak Forest
AX3R Log Deep Oak Forest
AX3T Log Moon Oak Forest

GRIP SURFACE

Outdoor

Sensitech
 $\pm$ 9 mm
20x120 cm - 7⁷/₈"x47¹/₄" - ID Skin
AX4H Log Icon Oak Forest Grip
AX4I Log Bright Oak Forest Grip
AX4J Log Amber Oak Forest Grip
AX4K Log Deep Oak Forest Grip
AX4L Log Moon Oak Forest Grip

OUTDOOR $\pm$ 20 mm

Sensitech
 $\pm$ 20 mm
30x120 cm - 11³/₄"x47¹/₄"
AX4A Log Icon Oak Forest 20mm
AX4B Log Bright Oak Forest 20mm
AX4C Log Amber Oak Forest 20mm
AX4D Log Deep Oak Forest 20mm
AX4E Log Moon Oak Forest 20mm

Sensitech

P. 412

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




Log


Porcelain Tiles

OUTDOOR ± 20 mm - NATURAL SELECTION

Outdoor



BRIGHT OAK DECK ♦




ICON OAK DECK ♦

 **Sensitech**
± 20 mm
60x120 cm - 23⁵/₈"x47¹/₄"
AXØT Log Icon Oak Deck 20mm ♦
AXØU Log Bright Oak Deck 20mm ♦

TRIM TILES P. 302


Battiscopa



7,2x150 cm
2¹/₈"x59"
Matte Sensitech


w.2x120 cm
2¹/₈"x47¹/₄"
Matte Sensitech

Scalino *



33x150 cm
13"x59"
Matte Sensitech

Scalino *



33x120 cm
13"x47¹/₄"
Matte Sensitech

Elemento L



20x120 H.4 cm
7¹/₈"x47¹/₄" H.1¹/₈"
Grip Sensitech

Icon Oak
Bright Oak
Amber Oak
Deep Oak
Moon Oak

AX3Z
AX3Ø
AX31
AX32
AX33

AX3U
AX3V
AX3W
AX3X
AX3Y

AX2U
AX2V
AX2W
AX2X
AX2Y

AX2M
AX2N
AX2O
AX2P
AX2Q

AX34
AX35
AX36
AX37
AX38

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

Sensitech P. 412

DECOR RANGE



AX4M Log Icon Oak
Classic Frame ♦ Matte Sensitech
120x120 cm - 47¹/₄"x47¹/₄"



AX4N Log Icon Oak
Modern Frame 1 ♦ Matte Sensitech
120x120 cm - 47¹/₄"x47¹/₄"



AX4O Log Icon Oak
Modern Frame 2 ♦ Matte Sensitech
60x60 cm - 23⁵/₈"x23⁵/₈"



AYCQ Log Bright Oak
3D Tatami ♦ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCP Log Icon Oak
3D Tatami ♦ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCR Log Amber Oak
3D Tatami ♦ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCS Log Deep Oak
3D Tatami ♦ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"




AYCT Log Moon Oak
3D Tatami ♦ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"

■ **Multi-thickness mosaic, close joint installation without grouting.**
Mosaico multispessore, posa senza stuccatura a giunto unito.
Mosaïque multi-épaisseur, pose sans mastic avec joint nul.
Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel.
Mosaico multiespesor, colocación sin mástique y sin juntas.
Мозаика разной толщины; укладка встык без затирки швов.

18,5x120 cm
7¹/₄"x47¹/₄"


CHEVRON




AX4Q Log Bright Oak
Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"




AX4P Log Icon Oak
Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"




AX4R Log Amber Oak
Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"



AX4S Log Deep Oak
Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"



AX4T Log Moon Oak
Chevron ♦ Matte
7,5x45 cm - 3"x17³/₄"



C 7,5 cm - 3"
D 45 cm - 17³/₄"

♦ **At least 12 pairs A + B are guaranteed in each box.** - All'interno di ciascuna scatola è garantita la presenza di almeno 12 coppie A+B. - À l'intérieur de chaque boîte, la présence d'au moins 12 couples A+B est garantie. - Es wird garantiert, dass in jeder Schachtel mindestens 12 Paare A+B enthalten sind. - Se garantiza la presencia de al menos 12 parejas A+B dentro de cada caja. - Внутри каждой коробки гарантируется наличие не менее 12 пар A+B

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Log

Porcelain Tiles

BIG SLABS



AX28 Log Bright Oak
Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX29 Log Bright Oak
Line * Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX26 Log Icon Oak
Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX27 Log Icon Oak
Line * Matte
120x278 cm - 47¹/₄"x109¹/₂"



Matte ± 6 mm



R9 A Matte ± 6 mm



V2 Slight
Variation
Natural Selection
all colors



V2 Slight
Variation



♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

Wall Tiles

MATTE SURFACE




Wall


± 8,5 mm 3D WALL

50x120 cm - 19⁵/₈"x47¹/₄"


- AX16 Log 3D Pleat Icon Oak
- AX17 Log 3D Pleat Bright Oak
- AX18 Log 3D Pleat Amber Oak
- AX19 Log 3D Pleat Deep Oak
- AX2A Log 3D Pleat Moon Oak



BRIGHT OAK 3D PLEAT




ICON OAK 3D PLEAT



AMBER OAK 3D PLEAT



DEEP OAK 3D PLEAT



MOON OAK 3D PLEAT

TRIM TILES



14x50 cm - 5⁵/₈"x19⁵/₈"

- AX2B Log 3D Pleat Icon Oak Corner 50 *
- AX2C Log 3D Pleat Bright Oak Corner 50 *
- AX2D Log 3D Pleat Amber Oak Corner 50 *
- AX2E Log 3D Pleat Deep Oak Corner 50 *
- AX2F Log 3D Pleat Moon Oak Corner 50 *



1,4x14 cm - 5⁵/₈"x5⁵/₈"

- AX2G Log 3D Pleat Icon Oak Corner A.E. *
- AX2H Log 3D Pleat Bright Oak Corner A.E. *
- AX2I Log 3D Pleat Amber Oak Corner A.E. *
- AX2J Log 3D Pleat Deep Oak Corner A.E. *
- AX2K Log 3D Pleat Moon Oak Corner A.E. *

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавлиются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Log Cansei



 **atlas concorde** | **ITLAS**
MEETING TOGETHER

New beech effect.
Enhanced by the wood expertise
of ITLAS.

The uniqueness of Cansiglio Beech tree.
Never seen before.

Extremely natural.
Incredibly detailed.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors

Outdoor



SOSPIRO



RIALTO



MURANO



DARSENA



FENICE

Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
20x120 cm - 7 7/8"x47 1/4"	± 9 mm	Matte Sensitech R10 B
18,5x150 cm - 7 1/4"x59"	± 9 mm	Matte Sensitech R10 B

OUTDOOR AND WET AREAS

20x120 cm - 7 7/8"x47 1/4"	± 9 mm	Grip Sensitech R11 C
----------------------------	--------	--------------------------------------

COMPLETE WITH FURNITURE
 **atlas concorde habitat**

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Log Cansei

Porcelain Tiles

MATTE SURFACE

Floor

Wall



SOSPIRO




RIALTO



FENICE



MURANO



DARSENA

 **Sensitech**

± 9 mm
20x120 cm - 7 7/8"x47 1/4"
AX68 Log Cansei Sospiro
AX69 Log Cansei Rialto
AX7A Log Cansei Fenice
AX7B Log Cansei Murano
AX7C Log Cansei Darsena

 **Sensitech**

± 9 mm
18,5x150 cm - 7 1/4"x59"
AX7D Log Cansei Sospiro
AX7E Log Cansei Rialto
AX7F Log Cansei Fenice
AX7G Log Cansei Murano
AX7H Log Cansei Darsena

 **R10 B** Matte **Sensitech** ± 9 mm
R11 C Grip **Sensitech** ± 9 mm

 **V3** Moderate
Variation

GRIP SURFACE

Outdoor

 **Sensitech**

± 9 mm
20x120 cm - 7 7/8"x47 1/4"
AX7J Log Cansei Sospiro Grip
AX7K Log Cansei Rialto Grip
AX7L Log Cansei Fenice Grip
AX7M Log Cansei Murano Grip
AX7N Log Cansei Darsena Grip

DECOR RANGE



AX9S Log Cansei Sospiro
Riga * Matte **Sensitech**
18,5x150 cm - 7 1/4"x59"



AX9T Log Cansei Rialto
Riga * Matte **Sensitech**
18,5x150 cm - 7 1/4"x59"




AX9U Log Cansei Murano
Riga * Matte **Sensitech**
18,5x150 cm - 7 1/4"x59"



18,5x150 cm
7 1/4"x59"

TRIM TILES

P. 302

	Battiscopa		Scalino *	Scalino *	Elemento L
					
	7,2x150 cm 2 7/8"x59"	7,2x120 cm 2 7/8"x47 1/4"	33x150 cm 13"x59"	33x120 cm 13"x47 1/4"	20x120 H.4 cm 7 7/8"x47 1/4" H.1 1/8"
	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Grip Sensitech
Sospiro	AX73	AX7Y	AX6Z	AX7O	AX7T
Rialto	AX74	AX7Z	AX6Ø	AX7P	AX7U
Fenice	AX75	AX7Ø	AX61	AX7Q	AX7V
Murano	AX76	AX71	AX62	AX7R	AX7W
Darsena	AX77	AX72	AX63	AX7S	AX7X

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Log Select



 **atlas concorde** | **ITLAS**
MEETING TOGETHER

Timeless aesthetics.
Refined knot-free oak for modern spaces.

Distinct knot-free wood.
Pure, Sawn, Flamed: versatile styles for all tastes.

Designed for everyone.
Wide variety suits any indoor or outdoor.

Long-standing collaboration.
Enhanced by the wood expertise of ITLAS



COLLECTION
CATALOG



VIDEO

FloorWallDecorsOutdoor

IVORY PURE

BRIGHT PURE

ICON PURE

AMBER PURE

MOON PURE

WHITE FLAMED

BRIGHT FLAMED

ICON FLAMED

MOKA FLAMED

SILVER FLAMED

IVORY SAWN

BRIGHT SAWN

ICON SAWN

Porcelain Tiles RECTIFIED MONOCALIBER

PURE SELECTION

Sizes

20x180 cm - 7⁷/₈"x70¹/₈"

20x120 cm - 7⁷/₈"x47¹/₄"

18,5x150 cm - 7¹/₄"x59"

Thickness

± 9,5 mm

± 9 mm

± 9 mm

Surface finish

Matte [Sensitech R10 B](#)

Matte [Sensitech R10 B](#)

Matte [Sensitech R10 B](#)

OUTDOOR AND WET AREAS

20x120 cm - 7⁷/₈"x47¹/₄"

± 9 mm

Grip [Sensitech R11 C](#)

FLAMED SELECTION

Sizes

20x120 cm - 7⁷/₈"x47¹/₄" - ID Skin

18,5x150 cm - 7¹/₄"x59"

Thickness

± 9 mm

± 9 mm

Surface finish

Matte [Sensitech R10 B](#)

Matte [Sensitech R10 B](#)

OUTDOOR AND WET AREAS

20x120 cm - 7⁷/₈"x47¹/₄" - ID Skin

30x120 cm - 11¹/₄"x47¹/₄"

± 9 mm

± 20 mm

Grip [Sensitech R11 C](#)

Outdoor [Sensitech R11 C](#)

SAWN SELECTION

Sizes

20x120 cm - 7⁷/₈"x47¹/₄" - ID Skin

Thickness

± 9 mm

Surface finish

Matte [Sensitech R10 B](#)

COMPLETE WITH FURNITURE

 **atlas concorde** 

293

INDEX

PRODUCT
FINDER

SURFACE
RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES

SLABS FOR
COUNTERTOPS
& FURNITURE

FURNITURE

FACADES

TECHNICAL
SPECIFICATIONS

Log Select

Porcelain Tiles



Matte **Sensitech** ± 9 - 9,5 mm
Grip **Sensitech** ± 9 mm



R10 B Matte **Sensitech** ± 9 - 9,5 mm
R11 C Grip **Sensitech** ± 9 mm




V2 Slight
Variation

MATTE SURFACE - PURE SELECTION

Floor

Wall



IVORY PURE




BRIGHT PURE



ICON PURE



AMBER PURE



MOON PURE

Sensitech
± 9,5 mm

20x180 cm - 7¹/₈"x47¹/₄"
HCAV Log Select Bright Pure
HCAW Log Select Icon Pure
HCAX Log Select Amber Pure

Sensitech
± 9 mm

20x120 cm - 7⁷/₈"x47¹/₄"
HB8F Log Select Ivory Pure
HB8C Log Select Bright Pure
HB8D Log Select Icon Pure
HB8E Log Select Amber Pure
HB8G Log Select Moon Pure

Sensitech
± 9 mm

18,5x150 cm - 7¹/₄"x59"
HB85 Log Select Ivory Pure
HB82 Log Select Bright Pure
HB83 Log Select Icon Pure
HB84 Log Select Amber Pure
HB86 Log Select Moon Pure

GRIP SURFACE

Outdoor

Sensitech
± 9 mm

20x120 cm - 7⁷/₈"x47¹/₄"
HCAY Log Select Bright Pure Grip
HCAZ Log Select Icon Pure Grip
HCAØ Log Select Amber Pure Grip

Sensitech

P. 412

MATTE SURFACE - FLAMED SELECTION

Floor

Wall



WHITE FLAMED



BRIGHT FLAMED



ICON FLAMED



MOKA FLAMED



SILVER FLAMED

Sensitech
± 9 mm

20x120 cm - 7⁷/₈"x47¹/₄" - ID Skin
HB8M Log Select White Flamed
HB8K Log Select Bright Flamed
HB8L Log Select Icon Flamed
HB8N Log Select Moka Flamed
HB8O Log Select Silver Flamed

Sensitech
± 9 mm

18,5x150 cm - 7¹/₄"x59"
HCFO Log Select White Flamed
HCFM Log Select Bright Flamed
HCFN Log Select Icon Flamed
HCFP Log Select Moka Flamed
HCFQ Log Select Silver Flamed

GRIP SURFACE

Outdoor

Sensitech

± 9 mm
20x120 cm - 7⁷/₈"x47¹/₄" - ID Skin
HCFJ Log Select Bright Flamed Grip
HCFK Log Select Icon Flamed Grip
HCFL Log Select Silver Flamed Grip

OUTDOOR ± 20 mm

Sensitech
± 20 mm

30x120 cm - 11³/₈"x47¹/₄"
HCAD Log Select Icon Flamed 20mm
HCAH Log Select Silver Flamed 20mm

Sensitech

P. 412

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Log Select

Porcelain Tiles

MATTE SURFACE - SAWN SELECTION



 **Sensitech**
± 9 mm
20x120 cm - 7 7/8"x47 1/4" - ID Skin
HB8J Log Select Ivory Sawn
HB8H Log Select Bright Sawn
HB8I Log Select Icon Sawn



Matte **Sensitech** ± 9 - 9,5 mm
Grip **Sensitech** ± 9 mm



R10 B Matte **Sensitech** ± 9 - 9,5 mm
R11 C Grip **Sensitech** ± 9 mm





V2 Slight
Variation

Floor

Wall



TRIM TILES P. 302	Battiscopa		Scalino *	Scalino *	Elemento L
					
	7,2x150 cm 27/8"x59"	7,2x120 cm 27/8"x47 1/4"	33x150 cm 13"x59"	33x120 cm 13"x47 1/4"	20x120 H.4 cm 7 7/8"x47 1/4" H.1 1/8"
	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Grip Sensitech
Bright Pure	HB9Q	HB87	HB98	HB9V	HCA2
Icon Pure	HB9R	HB88	HB99	HB9W	HCA3
Amber Pure	HB9S	HB89	HCAA	HB9X	HCA5
Ivory Pure	HB9T	HB9A	HCA8	HB9Y	-
Moon Pure	HB9U	HB9B	HCAC	HB9Z	-
Bright Sawn	-	HB9C	-	HB9Ø	-
Icon Sawn	-	HB9D	-	HB91	-
Ivory Sawn	-	HB9E	-	HB92	-
Bright Flamed	HCFR	HB9L	HCFW	HB93	HCF1
Icon Flamed	HCFS	HB9M	HCFX	HB94	HCF5
White Flamed	HCFI	HB9N	HCFY	HB95	-
Moka Flamed	HCFU	HB9O	HCFZ	HB96	-
Silver Flamed	HCFV	HB9P	HCFØ	HB97	HCF7

* These parts are supplied to order - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготавливаются на заказ

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Vest



Exclusive textile effect.
Inspired by natural fabrics,
offering unique experience.

Elegant visual contrast.
Solid color from afar,
rich fabric texture up close.

Natural combinations.
Perfect harmony with wood,
stone, marble, concrete.

Hygienic fabric innovation.
Fabric aesthetics meet hygiene
and durability demands.



COLLECTION
CATALOG



VIDEO

Floor

Wall

Decors



COTTON



LINEN



ECRU



BREATH


Porcelain Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
120x278 cm - 47 1/4" x 109 1/2"	± 6 mm	Matte R9 A


LARGE SIZES P. 307



COTTON



LINEN




ECRU

Wall Tiles RECTIFIED MONOCALIBER

Sizes	Thickness	Surface finish
50x120 cm - 19 5/8" x 47 1/4"	± 8,5 mm	Matte

3D WALL TILES

50x120 cm - 19 5/8" x 47 1/4"	± 10 mm	Matte
-------------------------------	---------	-------



3D QUBE
WHITE



3D QUBE
GLAM

COMPLETE WITH FURNITURE


INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




Vest

Porcelain Tiles


BIG SLABS



HCH1 Vest Cotton
Matte
120x278 cm - 47¹/₄"x109¹/₂"



HCH2 Vest Linen
Matte
120x278 cm - 47¹/₄"x109¹/₂"



HCH3 Vest Ecu
Matte
120x278 cm - 47¹/₄"x109¹/₂"



HDUD Vest Breath *
Matte
120x278 cm - 47¹/₄"x109¹/₂"



Matte ± 6 mm



R9 A Matte ± 6 mm



V2 Slight
Variation



V2 Slight
Variation

Wall Tiles

MATTE SURFACE



± 8,5 mm
50x120 cm - 19⁵/₈"x47¹/₄"
HCDP Vest Cotton
HCDQ Vest Linen
HCDR Vest Ecu




± 10 mm 3D WALL
50x120 cm - 19⁵/₈"x47¹/₄"
HCDS Vest 3D Qube White
HCDT Vest 3D Qube Glam

Wall




COTTON




LINEN



ECRU



3D QUBE WHITE



3D QUBE GLAM

TRIM TILES



1x120 cm - 3¹/₈"x47¹/₄"
HCH7 Vest Cotton Corner 50 *
HCH8 Vest Linen Corner 50 *
HCH9 Vest Ecu Corner 50 *



1x1 cm - 3¹/₈"x3¹/₈"
HCIA Vest Cotton Corner A.E. *
HCIB Vest Linen Corner A.E. *
HCIC Vest Ecu Corner A.E. *

* These parts are supplied to order - I pezzi sono disponibili su ordinazione


- Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung
lieferbar - Las piezas se hacen por encargo - Изготавлиются на заказ




♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

Trim tiles


TRIM TILES ± 9 mm - ± 9,5 mm



OUTDOOR TRIM TILES ± 9 mm




OUTDOOR TRIM TILES ± 20 mm



⁽¹⁾ Right/left angular elements are available - Sono disponibili gli elementi angolari dx/sx

TRIM TILES TECHNICAL DRAWS



Trim tiles, 20 mm

																								
		Round												Round 60				Gradino						
		Angolare Dx/Sx												Angolare				Angolare Dx/Sx						
		30x60 cm 11 1/4 x 23 1/8"				30x120 cm 11 1/4 x 48 1/8"				30x120 cm 13 4/8 x 48 1/8"				60x60 cm 23 1/8 x 23 1/8"				30x60 cm 11 1/4 x 23 1/8"						
		40x80 cm 15 1/4 x 31 1/8"				60x90 cm 23 1/8 x 35 7/8"				60x90 cm 23 1/8 x 35 7/8"				40x80 cm 15 1/4 x 31 1/8"				30x120 cm 11 1/4 x 48 1/8"				30x60 cm 11 1/4 x 23 1/8"		
BOOST	•	•	•			•	•	•	•					•	•	•	•	•	•	•	•	•		
BOOST BALANCE		•	•			•	•	•	•					•	•			•	•	•	•	•		
BOOST EXPRESSION		•	•			•	•	•	•									•	•	•	•	•		
BOOST ICOR		•	•			•	•	•	•					•	•			•	•	•	•	•		
BOOST NATURAL	•	•	•			•	•	•	•									•	•	•	•	•		
BOOST NATURAL PRO		•	•			•	•	•	•									•	•	•	•	•		
BOOST MINERAL		•	•		•	•	•	•	•				•	•				•	•	•	•	•		
BOOST MIX	•	•	•			•	•	•	•									•	•	•	•	•		
BOOST PRO	•	•	•			•	•	•	•					•	•			•	•	•	•	•		
BOOST STONE	•	•	•			•	•	•	•									•	•	•	•	•		
BOOST VISION		•	•			•	•	•	•										•	•	•	•		
BRAVE		•	•			•	•	•	•									•	•	•	•	•		
ENTICE				•						•	•													
ETIC PRO				•						•	•													
EXENCE				•						•	•													
LIMS	•	•	•			•	•	•	•									•	•	•	•	•		
LOG			•							•	•													
MARVEL MERAVIGLIA			•					•	•															
MARVEL T			•					•	•															
MARVEL TRAVERTINE			•					•	•															
MARVEL X			•					•	•															
NYRA		•	•			•	•	•	•					•	•			•	•	•	•	•		
NORDE	•	•	•		•	•	•	•	•				•	•	•	•		•	•	•	•	•		

[illegible]




Large Sizes

- ↔ MARBLE LOOK
- ↔ STONE LOOK
- ↔ CONCRETE LOOK
- ↔ WOOD, METAL & FABRIC LOOK
- ↔ SOLID, COLOR & DECOR LOOK
- ↔ KIT ENDLESS LAYING PATTERNS
- ↔ BOOKMATCH LAYING PATTERNS

- ↔ MARBLE LOOK
- ↔ STONE LOOK
- ↔ CONCRETE LOOK
- ↔ WOOD LOOK
- ↔ SOLID LOOK
- ↔ SLABS FOR COUNTERTOPS & FURNITURE


atlasconcorde

- Floor
- Wall
- Furniture
- Facades



atlasPLAN

- Floor
- Wall
- Slabs for furniture



- Slabs for countertops and furniture



162x324 ± 12-20 mm
NON-RECTIFIED SINGLE SLAB

159x324 ± 20 mm
NON-RECTIFIED SINGLE SLAB

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS



Large Sizes⁽¹⁾

Porcelain Tiles **Marble Look**




MARVEL - CALACATTA EXTRA
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AY2R Calacatta Extra Polished
A2ØY Calacatta Extra Matte [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AY2N Calacatta Extra Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AØBM Calacatta Extra Polished
AØBT Calacatta Extra Matte
AOTJ Calacatta Extra Bookmatch A Polished
AOTK Calacatta Extra Bookmatch B Polished
A6DU Calacatta Extra Kit Endless Polished
AOUB Calacatta Extra Endless Polished *

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AJKY Calacatta Extra Silk
AJKZ Calacatta Extra Bookmatch Silk
162x324 cm - 63³/₈"x127¹/₂" P. 358
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

* Calacatta Extra Endless is composed of four graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns. (SEE PAGE 365)



MARVEL SHINE - CALACATTA DELICATO
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A4Q8 Calacatta Delicato Polished
A4Q4 Calacatta Delicato Matte [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
A4RH Calacatta Delicato Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A4OY Calacatta Delicato Polished

atlasPLAN

162x324 cm - 63³/₈"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL X - CALACATTA APUANO
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AFU7 Calacatta Apuano Polished
AFVJ Calacatta Apuano Silk
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AFU2 Calacatta Apuano Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFUS Calacatta Apuano Polished
AFUX Calacatta Apuano Silk

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AJRR Calacatta Apuano Endless Polished
AKFN Calacatta Apuano Kit Endless Polished
162x324 cm - 63³/₈"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




MARVEL STONE - BIANCO DOLOMITE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AZTT Bianco Dolomite Polished
A2Ø4 Bianco Dolomite Matte [Sensitech](#)

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AZTV Bianco Dolomite Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AØBP Bianco Dolomite Polished
A2RS Bianco Dolomite Matte

atlasPLAN

162x324 cm - 63³/₈"x127¹/₂" P. 358
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL MERAVIGLIA - CALACATTA MERAVIGLIA
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJIC Calacatta Meraviglia Polished
AJII Calacatta Meraviglia Velvet [Velvtech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJH7 Calacatta Meraviglia Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJH2 Calacatta Meraviglia Polished
AKF8 Calacatta Meraviglia Kit Endless Polished

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AJJ9 Calacatta Meraviglia Polished
AJKA Calacatta Meraviglia Bookmatch Polished
AJSZ Calacatta Meraviglia Matte Endless
AKFJ Calacatta Meraviglia Kit Endless Matte
AJG9 Calacatta Meraviglia Endless Polished
AKFI Calacatta Meraviglia Kit Endless Polished
162x324 cm - 63³/₈"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL GALA - CRYSTAL WHITE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AFXN Crystal White Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFXW Crystal White Polished

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AJKU Crystal White Polished
AJKV Crystal White Bookmatch Polished

162x324 cm - 63³/₈"x127¹/₂" P. 358
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL MERAVIGLIA - CALACATTA BERNINI
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJID Calacatta Bernini Polished
AJIJ Calacatta Bernini Velvet [Velvtech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJH8 Calacatta Bernini Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJH3 Calacatta Bernini Polished
AKF9 Calacatta Bernini Kit Endless Polished

atlasPLAN

162x324 cm - 63³/₈"x127¹/₂" P. 358
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL SHINE - CALACATTA PRESTIGIO
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A4Q9 Calacatta Prestigio Polished
A4Q5 Calacatta Prestigio Matte [Sensitech](#)

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
A4RI Calacatta Prestigio Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A4OZ Calacatta Prestigio Polished
A4O6 Calacatta Prestigio Silk
A4O2 Calacatta Prestigio Bookmatch A Polished
A4O3 Calacatta Prestigio Bookmatch B Polished
A6EO Calacatta Prestigio Kit Endless Polished
A6ER Calacatta Prestigio Kit Endless Silk

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
A4RR Calacatta Prestigio Endless Polished
AKFL Calacatta Prestigio Kit Endless Polished

162x324 cm - 63³/₈"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL SHINE - STATUARIO SUPREMO
atlasPLAN
162x324 cm - 63³/₈"x127¹/₂" P. 358
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL SHINE - CALACATTA IMPERIALE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A4RB Calacatta Imperiale Polished
A4Q7 Calacatta Imperiale Matte [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
A4RK Calacatta Imperiale Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A4O1 Calacatta Imperiale Polished
A6EQ Calacatta Imperiale Kit Endless Polished

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AJKØ Calacatta Imperiale Silk
AJK1 Calacatta Imperiale Bookmatch Silk
162x324 cm - 63³/₈"x127¹/₂" P. 358
159x324 cm - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL X - CALACATTA SUBLIME
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A8YT Calacatta Sublime Polished
AFVK Calacatta Sublime Silk
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AFU3 Calacatta Sublime Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFUT Calacatta Sublime Polished
AFUY Calacatta Sublime Silk
AFWN Calacatta Sublime Kit Endless Polished
AFWO Calacatta Sublime Kit Endless Silk

MARVEL T - HALO WHITE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCCY Marvel Halo White Matte [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm*
HCO6 Marvel Halo White Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCOY Marvel Halo White Matte
HDOW Marvel Halo White Kit Endless Matte

atlasPLAN

160x320 cm - 63"x126" ± 6 mm*
HCLX Marvel Halo White Hammered Endless
HDLZ Marvel Halo White Hammered Kit Endless

162x324 cm - 63³/₈"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL EPIC - TAJ MAHAL WHITE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HEVI Marvel Taj Mahal White Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HEU8 Marvel Taj Mahal White Polished
HEVB Marvel Taj Mahal White Polished Kit Endless
HEAF Marvel Taj Mahal White Silk
HEIQ Marvel Taj Mahal White Silk Kit Endless

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
HD7C Marvel Taj Mahal White Silk
HD7D Marvel Taj Mahal White Silk Kit Endless
162x324 cm - 63³/₈"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



*ID-Skin

⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

Large Sizes⁽¹⁾

Porcelain Tiles **Marble Look**



MARVEL T - NAVONA WHITE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCCW Marvel Navona White Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCOW Marvel Navona White Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm*
HCLU Marvel Navona White Hammered

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL T - NAVONA WHITE LINE
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCUØ Marvel Navona White Line* Matte


atlasPLAN
160x320 cm - 63"x126" ± 6 mm*
HCWB Marvel Navona White Line* Hammered



MARVEL EPIC - ONYX IVORY
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HEAD Marvel Onyx Ivory Polished
HEIM Marvel Onyx Ivory Polished Kit Endless

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
HDZS Marvel Onyx Ivory Polished
HECD Marvel Onyx Ivory Polished Kit Endless

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL ONYX - WHITE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJBK Onyx White Polished
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJBG Onyx White Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJAH Onyx White Polished

atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL TRAVERTINE - WHITE VEIN CUT
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AFT7 White Vein Cut Matte [Sensitech](#)

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFS1 White Vein Cut Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
ALYW Travertino White Hammered

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL TRAVERTINE - WHITE CROSS CUT
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A8WU Marvel White Cross Matte [Sensitech](#)



MARVEL T - HALO SAND
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCCZ Marvel Halo Sand Matte [Sensitech](#)

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCOZ Marvel Halo Sand Matte
HDOX Marvel Halo Sand Kit Endless Matte



MARVEL TRAVERTINE - SAND VEIN CUT
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AFT8 Sand Vein Cut Matte [Sensitech](#)

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFS2 Sand Vein Cut Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AJKQ Travertino Sand Hammered

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL TRAVERTINE - SAND CROSS CUT
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A8WV Marvel Sand Cross Matte [Sensitech](#)



MARVEL T - NAVONA SAND
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCCX Marvel Navona Sand Matte [Sensitech](#)

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm*
HCO5 Marvel Navona Sand Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCOX Marvel Navona Sand Matte



MARVEL DIVA - ICE CRYSTAL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AU8X Ice Crystal Velvet Velvtech
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AXJU Marvel Ice Crystal Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8K Ice Crystal Polished
AX81 Ice Crystal Silk
AYV3 Ice Crystal Kit Endless Polished
AYWC Ice Crystal Kit Endless Silk

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AXXG Ice Crystal Endless Polished
AXXH Ice Crystal Endless Silk
AXYJ Ice Crystal Kit Endless Polished
AXYK Ice Crystal Kit Endless Silk
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL X - CALACATTA PERLA
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AFU8 Calacatta Perla Polished
AFVL Calacatta Perla Silk

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AFU4 Calacatta Perla Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFUU Calacatta Perla Polished
AFUZ Calacatta Perla Silk



MARVEL ONYX - PEARL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJBM Pearl Polished

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJBI Pearl Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJAJ Pearl Polished



MARVEL T - NAVONA SAND LINE
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCU1 Marvel Navona Sand Line* Matte



MARVEL DIVA - TAJ MAHAL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AX8Q Taj Mahal Velvet Velvtech
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AXJV Taj Mahal Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8L Taj Mahal Polished
AX82 Taj Mahal Silk
AYV4 Taj Mahal Kit Endless Polished
AYWD Taj Mahal Kit Endless Silk



atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AXXO Taj Mahal Endless Polished
AXXP Taj Mahal Endless Silk
AXYL Taj Mahal Kit Endless Polished
AXYM Taj Mahal Kit Endless Silk
162x324 cm - 63³/₄"x127¹/₂" P. 358
159x324 cm - 62³/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL TRAVERTINE - PEARL VEIN CUT
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AFT9 Pearl Vein Cut Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFS3 Pearl Vein Cut Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
ALYV Travertino Pearl Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

MARVEL TRAVERTINE - PEARL CROSS CUT
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A8WVW Pearl Cross Matte [Sensitech](#)

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

Large Sizes⁽¹⁾


Porcelain Tiles **Marble Look**



MARVEL ONYX - ALABASTER
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJBL Alabaster Polished
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJBH Alabaster Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJAI Alabaster Polished



MARVEL T - ROMANO SAND
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCOØ Marvel Romano Sand Matte
atlasPLAN
160x320 cm - 63"x126" ± 6 mm*
HCLW Marvel Romano Sand Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL EPIC - TAJ MAHAL NOISETTE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HEVH Marvel Taj Mahal Noisette Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HEAE Marvel Taj Mahal Noisette Silk
HEIP Marvel Taj Mahal Noisette Silk Kit Endless
HEU7 Marvel Taj Mahal Noisette Polished
HEVA Marvel Taj Mahal Noisette Polished Kit Endless

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
HDT2 Marvel Taj Mahal Noisette Silk Endless
HDT3 Marvel Taj Mahal Noisette Silk Kit Endless
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL DIVA - PRECIOUS BROWN
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8Y Precious Brown Silk
AYV9 Precious Brown Kit Endless Silk

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AKGB Precious Brown Silk
AKGC Precious Brown Bookmatch Silk
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



SILVER ROOT
atlasPLAN
160x320 cm - 63"x126" ± 6 mm
ARTN Silver Root Silk
ARTO Silver Root Bookmatch Silk
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL MERAVIGLIA - SILVER MAJESTIC
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJIE Silver Majestic Polished
AJIK Silver Majestic Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJH9 Silver Majestic Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJH4 Silver Majestic Polished
AKQU Silver Majestic Kit Endless Polished



LIGHT GREY STONE
atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL MERAVIGLIA - GRIGIO ELEGANTE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJIF Grigio Elegante Polished
AJIL Grigio Elegante Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJIA Grigio Elegante Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJH5 Grigio Elegante Polished
AKQV Grigio Elegante Kit Endless Polished



MARVEL T - STONE VEIL
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCO4 Marvel Stone Veil



MARVEL T - ROMANO SILVER
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HCO1 Marvel Romano Silver Matte [Sensitech](#)
atlasPLAN
160x320 cm - 63"x126" ± 6 mm*
HCLV Marvel Romano Silver Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL DIVA - WHITE EVEREST
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AX8R White Everest Velvet Velvetech
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AXJW White Everest Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8M White Everest Polished
AX83 White Everest Silk
AYV5 White Everest Kit Endless Polished
AYWE White Everest Kit Endless Silk

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
ARTK Appennino Silk
ARTM Appennino Bookmatch Silk
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL X - GREY CLOUD
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AFU9 Grey Cloud Polished
AFVM Grey Cloud Silk
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AFU5 Grey Cloud Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFUV Grey Cloud Polished
AFUØ Grey Cloud Silk



MARVEL X - FIOR DI BOSCO
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AFVA Fior di Bosco Polished
AFVN Fior di Bosco Silk
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AFU6 Fior di Bosco Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFUW Fior di Bosco Polished
AFU1 Fior di Bosco Silk

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AJRV Fior di Bosco Polished
AJRW Fior di Bosco Bookmatch Polished
AYB4 Fior di Bosco Silk
AYB5 Fior di Bosco Bookmatch Silk
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL - GREY STONE
atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AJKX Grey Stone Silk
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL GALA - CALACATTA BLACK
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AFXO Calacatta Black Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFXY Calacatta Black Polished



MARVEL STONE - NERO MARQUINA
atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AJKW Nero Marquina Polished
AJK2 Nero Marquina Silk
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Large Sizes⁽¹⁾

Porcelain Tiles **Marble Look**



MARVEL DREAM - BLACK ATLANTIS
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AOSG Black Atlantis Polished

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL MERAVIGLIA - BLACK ORIGIN
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJIG Black Origin Polished

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJIB Black Origin Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJH6 Black Origin Polished
AKQW Black Origin Kit Endless Polished



MARVEL ONYX - NOIR
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJBN Noir Polished

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AJBJ Noir Polished

120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJAK Noir Polished



MARVEL DIVA - BLACK TEMPEST
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8Ø Black Tempest Silk
AYWB Black Tempest Kit Endless Silk

atlasPLAN

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL DIVA - AMETHYST
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8P Amethyst Polished
AYV8 Amethyst Kit Endless Polished



MARVEL EPIC - NATURAL ROOTS
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HEIØ Marvel Natural Roots Polished
HEIN Marvel Natural Roots Polished Kit Endless

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
HEAØ Marvel Natural Roots Silk Endless
HEAY Marvel Natural Roots Silk Kit Endless

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL EPIC - ZEPHYR
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HEU9 Marvel Zephyr Silk
HEVC Marvel Zephyr Silk Kit Endless

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
HEAU Marvel Zephyr Silk Endless
HEAV Marvel Zephyr Silk Kit Endless

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL ONYX - SKY
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJAL Sky Polished



MARVEL EPIC - CALACATTA VIOLA
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HEAC Marvel Calacatta Viola Polished
HEIL Marvel Calacatta Viola Polished Kit Endless

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
HCLZ Marvel Calacatta Viola Polished Endless
HDV5 Marvel Calacatta Viola Polished Kit Endless

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL EPIC - ALPINUS
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm*
HEAG Marvel Alpinus Matte Endless
HEIR Marvel Alpinus Matte Kit Endless

atlasPLAN

160x320 cm - 63"x126" ± 6 mm*
HDV6 Marvel Alpinus Hammered
HEAW Marvel Alpinus Hammered Kit Endless

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL GALA - DESERT SOUL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AFXM Desert Soul Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFXV Desert Soul Polished

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AJKG Desert Soul Polished
AJKH Desert Soul Bookmatch Polished

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL ONYX - QUARTZ
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJAM Quartz Polished



EXOTIC WAVE
atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AJRN Exotic Wave Polished
AJRO Exotic Wave Bookmatch Polished
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL GALA - AMAZONZITE
120x120 cm - 47¹/₄"x47¹/₄"
ABKB Amazonzite Polished
120x278 cm - 47¹/₄"x109¹/₂"
AFXX Amazonzite Polished



MARVEL GALA - EXOTIC GREEN
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
ABKA Exotic Green Polished
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AFXU Exotic Green Polished

atlasPLAN

160x320 cm - 63"x126" ± 6 mm
AJRP Exotic Green Polished
AJRQ Exotic Green Bookmatch Polished

162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



MARVEL DIVA - AQUA
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8N Aqua Polished
AYV6 Aqua Kit Endless Polished

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

*ID-Skin

Large Sizes⁽¹⁾

Porcelain Tiles **Marble Look**



MARVEL DIVA - GALAXY
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8O Galaxy Polished
AYV7 Galaxy Kit Endless Polished



MARVEL DIVA - SKY STONE
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AX8Z Sky Stone Silk
AYWA Sky Stone Kit Endless Silk



MARVEL DIVA - BAOBAB
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
ARR3 Baobab Polished
AYV2 Baobab Kit Endless Polished

atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AXXV Baobab Endless Polished
AXYN Baobab Kit Endless Polished
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

Stone Look




BOOST ICOR - BONE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYAY Bone Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
AYCG Bone 20mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AX53 Bone Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYAN Bone Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AX6K Bone Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



LIMS - IVORY
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A3DI Ivory Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A3EI Ivory Matte



NYRA - STAR
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCQX Nyra Star Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
HCSE Nyra Star 20mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
HCQN Nyra Star Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HCQI Nyra Star Matte



NYRA - HAY
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCQY Nyra Hay Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
HCSF Nyra Hay 20mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
HCQO Nyra Hay Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HCQJ Nyra Hay Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
HCWC Nyra Hay Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST MINERAL - WHITE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AHT6 White Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
AH35 White 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AHW1 White Elegant Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AHWW White Elegant Matte



BOOST STONE - IVORY
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A6QT Ivory Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A6R8 Ivory Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
AJRX Ivory Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST MIX - IVORY
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A8XD Ivory Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A84U Ivory 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A8Y7 Ivory Matte



BOOST STONE - WHITE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A6QS White Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A67M White 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A6R7 White Matte

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK

CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS



⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

Large Sizes⁽¹⁾

Porcelain Tiles **Stone Look**



BOOST ICOR - DUST
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYAZ Dust Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
AYCH Dust 20mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AX54 Dust Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYAO Dust Matte



BOOST STONE - CREAM
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A6QU Cream Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A67N Cream 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A6R9 Cream Matte



BOOST ICOR - DUNE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYAØ Dune Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
AYCI Dune 20mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AXIY Dune Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYAP Dune Matte



NYRA - AMBROSIA
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCQ3 Nyra Ambrosia Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HCQM Nyra Ambrosia Matte

atlasPLAN


160x320 cm - 63"x126" ± 6 mm
HCLY Nyra Ambrosia Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

atlasPLAN


160x320 cm - 63"x126" ± 6 mm
AX6M Dune Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



NYRA - SUNLIGHT
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCQZ Nyra Sunlight Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
HCSG Nyra Sunlight 20mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
HCQP Nyra Sunlight Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HCQK Nyra Sunlight Matte



BOOST ICOR - CRETE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYA3 Crete Matte [Sensitech](#)



BOOST STONE - CLAY
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A6QV Clay Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A67O Clay 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A6SA Clay Matte



BOOST ICOR - OYSTER
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYA2 Oyster Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
AYCJ Oyster 20mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AX55 Oyster Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYAQ Oyster Matte



BOOST ICOR - SIDERAL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYA4 Sideral Matte [Sensitech](#)



BOOST STONE - TAUPE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A6QW Taupe Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A6SB Taupe Matte



BOOST STONE - TOBACCO
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A6QZ Tobacco Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A6SF Tobacco Matte



BOOST MIX - PEARL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A8XE Pearl Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A84V Pearl 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A8Y8 Pearl Matte

⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK

CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Large Sizes⁽¹⁾

Porcelain Tiles **Stone Look**



KONE - MIX
atlas^{PLAN}
160x320 cm - 63"x126" ± 6 mm
AJKP Kone Mix Hammerd
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST MINERAL - GREY
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AHT8 Grey Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
AH36 Grey 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AHW3 Grey Elegant Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AHWY Grey Elegant

atlas^{PLAN}
160x320 cm - 63"x126" ± 6 mm
AKGA Grey Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




BOOST MIX - SMOKE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A8XF Smoke Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A84W Smoke 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A8Y9 Smoke Matte



BOOST MINERAL - SMOKE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AHT9 Smoke Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
AH37 Smoke 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AHW4 Smoke Elegant Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AHWZ Smoke Elegant Matte



BOOST STONE - SMOKE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A6L8 Smoke Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A7II Smoke 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A6SE Smoke Matte



MARVEL STONE - BASALTINA VOLCANO
atlas^{PLAN}
160x320 cm - 63"x126" ± 6 mm
AJKO Basaltina Volcano Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



NYRA - CHARCOAL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCQ2 Nyra Charcoal Matte [Sensitech](#)



BOOST STONE - TARMAC
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A6QØ Tarmac Matte [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A67Q Tarmac 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A6SG Tarmac Matte

⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK

CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Large Sizes⁽¹⁾

Porcelain Tiles **Concrete Look**




BOOST BALANCE - PURE
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJMS Pure Matte [Sensitech](#)
AJM2 Pure Velvet Velvtech
AJNC Pure Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJMI Pure Matte



BOOST VISION - GLOW
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCJI Glow Matte [Sensitech](#)
HCJN Glow Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HCJA Glow Matte
atlasPLAN
160x320 cm - 63"x126" ± 6 mm
HCWE Glow Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




BOOST NATURAL PRO - SALT
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AQ8U Salt Matte [Sensitech](#)
AQ8K Salt Velvet Velvtech
AQ9J Salt Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AQ9E Salt Matte




PRISM - COTTON
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A4OO Cotton Silk
A4OI Cotton Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A4UR Cotton Matte




BOOST EXPRESSION - CAMEL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYT9 Camel Matte [Sensitech](#)
AYUR Camel Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYSI Camel Matte




BOOST NATURAL PRO - OAT
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AQ8V Oat Matte [Sensitech](#)
AQ8L Oat Velvet Velvtech
AQ9K Oat Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
ARB2 Oat 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AQ9F Oat Matte




BOOST NATURAL PRO - SAND
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AQ8W Sand Matte [Sensitech](#)
AQ8M Sand Velvet Velvtech
AQ9L Sand Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AQ9G Sand Matte
atlasPLAN
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




BOOST EXPRESSION - TAN
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYUA Tan Matte [Sensitech](#)
AYUS Tan Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYSJ Tan Matte



BOOST BALANCE - IVORY
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJMU Ivory Matte [Sensitech](#)
AJM4 Ivory Velvet Velvtech
AJNE Ivory Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJMK Ivory Matte



BOOST PRO - IVORY
120x120 cm - 47¹/₄"x47¹/₄" ± 6 - 9 mm
AØCQ Ivory 6 mm Matte
AØAF Ivory 9 mm Matte [Sensitech](#)
AØAO Ivory 9 mm Grip [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AØCF Ivory Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AØCK Ivory Matte




BOOST NATURAL - KAOLIN
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A65N Kaolin Matte [Sensitech](#)
A653 Kaolin Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A7Q7 Kaolin 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A67B Kaolin Matte
atlasPLAN
160x320 cm - 63"x126" ± 6 mm
ALRØ Kaolin Hammered



BOOST EXPRESSION - SHELL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AYT8 Shell Matte [Sensitech](#)
AYUP Shell Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
AYRU Shell 20mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYSH Shell Matte



PRISM - CORD
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
A4ON Cord Silk
A4OH Cord Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A4UQ Cord Matte




BOOST VISION - CAMEL
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
HCJJ Camel Matte [Sensitech](#)
HCJO Camel Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
HCJB Camel Matte

atlasPLAN
160x320 cm - 63"x126" ± 6 mm
HCWF Camel Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST BALANCE - CREAM
120x120 cm - 47¹/₄"x47¹/₄" ± 9 mm
AJMV Cream Matte [Sensitech](#)
AJM5 Cream Velvet Velvtech
AJNF Cream Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AJML Cream Matte



BOOST PRO - CREAM
120x120 cm - 47¹/₄"x47¹/₄" ± 6 - 9 mm
AØCR Cream 6 mm Matte
AØAH Cream 9 mm Matte [Sensitech](#)
AØAQ Cream 9 mm Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" ± 20 mm
A3DD Cream 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
AØCG Cream Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AØCM Cream Matte

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK

CONCRETE LOOK

WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

Large Sizes⁽¹⁾

Porcelain Tiles **Concrete Look**



BOOST NATURAL - ASH
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
A6WT Ash Matte [Sensitech](#)
A654 Ash Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
A7Q8 Ash 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
A67C Ash Matte



BOOST BALANCE - ASH
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AJMW Ash Matte [Sensitech](#)
AJM6 Ash Velvet [Velvtech](#)
AJNG Ash Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AJPF Ash 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AJMM Ash Matte

atlas^{PLAN}
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




BOOST PRO - CLAY
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 6 - 9 mm
AØCS Clay 6 mm Matte
AØAJ Clay 9 mm Matte [Sensitech](#)
AØBV Clay 9 mm Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
A3DE Clay 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
AØCJ Clay Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AØCN Clay Matte




BOOST NATURAL - ECRU
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
A6WU Ecreu Matte [Sensitech](#)
A655 Ecreu Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
A7Q9 Ecreu 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
A67D Ecreu Matte

atlas^{PLAN}
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST EXPRESSION - GLOW
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AYT7 Glow Matte [Sensitech](#)
AYUQ Glow Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AYSG Glow Matte



BOOST BALANCE - MOON
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AJMX Moon Matte [Sensitech](#)
AJM7 Moon Velvet [Velvtech](#)
AJNH Moon Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AJMN Moon Matte



BOOST - WHITE
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 6 - 9mm
A2TK White 6 mm Matte
AMGI White 9 mm Matte [Sensitech](#)
AMGN White 9 mm Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AMG3 White 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
AMGD White Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AØBD White Matte


atlas^{PLAN}
160x320 cm - 63"x126" $\pm$ 6 mm
AO5Z White Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST NATURAL - CORAL
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
A65R Coral Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
A67H Coral Matte




BOOST PRO - TAUPE
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 6 - 9 mm
AØCT Taupe 6 mm Matte
AØAL Taupe 9 mm Matte [Sensitech](#)
AØBW Taupe 9 mm Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
A3DF Taupe 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AØCO Taupe Matte




BOOST NATURAL - UMBER
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
A65O Umber Matte [Sensitech](#)
A656 Umber Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
A67E Umber Matte




BOOST PRO - TOBACCO
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 6 - 9 mm
AØCU Tobacco 6 mm Matte
AØAN Tobacco 9 mm Matte [Sensitech](#)
AØBX Tobacco 9 mm Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
A3DH Tobacco 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
AØCI Tobacco Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AØCP Tobacco Matte



BOOST EXPRESSION - ICE
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AYT2 Ice Matte [Sensitech](#)
AYUN Ice Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AYRS Ice 20mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AYSE Ice Matte



BOOST EXPRESSION - HAZE
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AYT4 Haze Matte [Sensitech](#)
AYUO Haze Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AYRT Haze 20mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AYSF Haze Matte



BOOST NATURAL PRO - CINDER
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AQ8X Cinder Matte [Sensitech](#)
AQ8N Cinder Velvet [Velvtech](#)
AQ9M Cinder Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
ARB4 Cinder 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AQ9H Cinder Matte



BOOST NATURAL PRO - DOVE
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AQ8Y Dove Matte [Sensitech](#)
AQ8O Dove Velvet [Velvtech](#)
AQ9N Dove Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AQ9I Dove Matte

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK

CONCRETE LOOK

WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

Large Sizes⁽¹⁾


Porcelain Tiles **Concrete Look**




BOOST VISION - ASH
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
HCJK Ash Matte [Sensitech](#)
HCJP Ash Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
HCKØ Ash 20mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
HCJC Ash Matte



BOOST BALANCE - PEARL
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AJMY Pearl Matte [Sensitech](#)
AJM8 Pearl Velvet [Velvtech](#)
AJNI Pearl Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AJMH Pearl 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AJMO Pearl Matte



BOOST VISION - HAZE
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
HCJL Haze Matte [Sensitech](#)
HCJQ Haze Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
HCK1 Haze 20mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
HCJD Haze Matte



PRISM - CLOUD
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
A4OP Cloud Silk
A4OJ Cloud Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
A4US Cloud Matte



BOOST - SMOKE
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 6 - 9 mm
A2TO Smoke 6 mm Matte
AMGL Smoke 9 mm Matte [Sensitech](#)
AMGQ Smoke Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AMG6 Smoke 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
AMGG Smoke Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AØBG Smoke Matte

atlas^{PLAN}
160x320 cm - 63"x126" $\pm$ 6 mm
AO5Ø Smoke Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



BOOST BALANCE - TARMAC
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AJMØ Smoke Matte [Sensitech](#)
AJNA Smoke Velvet [Velvtech](#)
AJNK Smoke Grip [Sensitech](#)

120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AJMR Tarmac Matte



BOOST BALANCE - SMOKE
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AJMØ Smoke Matte [Sensitech](#)
AJNA Smoke Velvet [Velvtech](#)
AJNK Smoke Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AJMQ Smoke Matte




BOOST NATURAL - COAL
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
A65P Coal Matte [Sensitech](#)
A657 Coal Grip [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
A67F Coal Matte




BOOST - TARMAC
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 6 - 9 mm
A2TP Tarmac 6 mm Matte
AMGM Tarmac 9 mm Matte [Sensitech](#)
AMGR Tarmac 9 mm Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AMG7 Tarmac 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
AMGH Tarmac Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AOQB Tarmac Matte


atlas^{PLAN}
160x320 cm - 63"x126" $\pm$ 6 mm
A68J Tarmac Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




BOOST VISION - GREY
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
HCJM Grey Matte [Sensitech](#)
HCJR Grey Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
HCK2 Grey 20mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
HCJD Haze Matte



BOOST - PEARL
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 6 - 9 mm
A2TM Pearl 6 mm Matte
AMGJ Pearl 9 mm Matte [Sensitech](#)
AMGO Pearl 9 mm Grip [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
AMGE Pearl Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AØBE Pearl Matte



BOOST BALANCE - GREY
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
AJMZ Grey Matte [Sensitech](#)
AJM9 Grey Velvet [Velvtech](#)
AJNJ Grey Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AJPG Grey 20 mm Outdoor [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AJMP Grey Matte



BOOST - GREY
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 6 - 9 mm
A2TN Grey 6 mm Matte
AMGK Grey 9 mm Matte [Sensitech](#)
AMGP Grey 9 mm Grip [Sensitech](#)
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 20 mm
AMG5 Grey 20 mm Outdoor [Sensitech](#)
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
AMGF Grey Matte [Sensitech](#)
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
AØBF Grey Matte

atlas^{PLAN}
160x320 cm - 63"x126" $\pm$ 6 mm
A68I Grey Hammered
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

(translations: page 357)

Sensitech P. 412

Velvtech P. 410

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK

CONCRETE LOOK

WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

Large Sizes⁽¹⁾

Porcelain Tiles **Wood Look**



LOG - BRIGHT OAK
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
AX28 Bright Oak Matte



LOG - BRIGHT OAK LINE
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
AX29 Bright Oak Line ♦ Matte



LOG - ICON OAK
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
AX26 Log Icon Oak Matte



LOG - ICON OAK LINE
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
AX27 Log Icon Oak Line ♦ Matte

Metal Look



BOOST VISION - CORTEN
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
HCJF Corten Matte



BOOST VISION - BRASS
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
HCJG Brass Matte




BOOST VISION - STEEL
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
HCJH Steel Matte




NOCE CANALETTO
atlasPLAN
160x320 cm - 63"x126"
AKFD Noce Canaletto Matte
162x324 cm - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE


Fabric Look



VEST - COTTON
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
HCH1 Vest Cotton Matte



VEST - LINEN
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
HCH2 Vest Linen Matte



VEST - ECRU
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
HCH3 Vest Ecrú Matte



VEST - BREATH
120x278 cm - 47³/₄"x109¹/₂" ± 6 mm
HDUD Vest Breath Matte

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS




Large Sizes⁽¹⁾


Porcelain Tiles **Solid, Color & Decor**




ABSOLUTE WHITE
atlasPLAN
160x320 cm – 63”x126” ± 6 mm
AJKR Absolute White Matte
162x324 cm – 63³/₄”x127¹/₂” P. 358
159x324 cm – 62⁵/₈”x127¹/₂”
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




BOOST COLOR - FROG PURE
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
AP3R Pure Frog Matte




BOOST COLOR - SALIX
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
AKNI Salix Matte




BOOST COLOR - MAUVE
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
AKNE Mauve Matte



BOOST COLOR - JADE
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
AKNK Jade Matte




BOOST COLOR - TEAL
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
AKNL Teal Matte




BOOST NATURAL - COBALT
120x120 cm – 47¹/₄”x47¹/₄” ± 9 mm
A65Q Cobalt Matte [Sensitech](#)
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
A67G Cobalt Matte


Glazed Porcelain Tiles




PRISM - BLOOM
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
A4VH Bloom ⁽⁴⁾ Matte



PRISM - CARAMEL
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
A4VI Caramel ⁽⁴⁾ Matte



PRISM - GRAPE
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
A4VJ Grape ⁽⁴⁾ Matte




PRISM - DUSK
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
A4VK Dusk ⁽⁴⁾ Matte



PRISM - MIDNIGHT
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
A4VL Midnight ⁽⁴⁾ Matte



PRISM - MOSS
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
A4VM Moss ⁽⁴⁾ Matte



PRISM - EMERALD
120x278 cm – 47¹/₄”x109¹/₂” ± 6 mm
A4VN Emerald ⁽⁴⁾ Matte

⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁽⁴⁾ The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.

The decoration can only be laid on the wall

(translations: page 357)

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Large Sizes⁽¹⁾

Porcelain Tiles **Color & Decor**



BOOST PRO - LEAVES
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A3HE Leaves A ⁽⁴⁾ ⁽⁵⁾ Matte
A3M2 Leaves B ⁽⁴⁾ ⁽⁵⁾ Matte

PATTERNS



A

B



PRISM - BRUSH
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A4VP Brush XL ⁽¹⁾ ⁽⁴⁾ Matte

PATTERNS



PRISM - GRADIENT
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
A4VO Gradient XL ⁽¹⁾ ⁽⁴⁾ Matte

PATTERNS



BOOST EXPRESSION - DUO CAMEL*
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYSN Boost Expression Duo Camel ⁽⁶⁾



BOOST EXPRESSION - DUO HAZE*
120x278 cm - 47¹/₄"x109¹/₂" ± 6 mm
AYSM Boost Expression Duo Haze ⁽⁷⁾

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

⁽¹⁾ The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

⁽⁴⁾ The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.

⁽⁵⁾ Codes A and B are sold separately.

⁽⁶⁾ It can be combined with: Camel and Glow. - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

⁽⁷⁾ It can be combined with: Haze and Ice. - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

 The decoration can only be laid on the wall



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS



Kit endless laying patterns


Marvel
Calacatta Extra
Endless ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm




Marvel X
Calacatta Apuano
Endless ⁽²⁾⁽³⁾

160x320 cm
63"x126"
± 6 mm




Marvel Meraviglia
Calacatta Meraviglia
Endless ⁽²⁾⁽³⁾

120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ " ± 6 mm	160x320 cm 63"x126" ± 6 mm
---	---




Marvel Meraviglia
Calacatta Bernini
Endless ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm




Marvel Shine
Calacatta Prestigio
Endless ⁽²⁾⁽³⁾

120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ " ± 6 mm	160x320 cm 63"x126" ± 6 mm
---	---



Marvel X
Calacatta Sublime
Endless ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm



Marvel T
Halo White
Endless ⁽²⁾⁽³⁾

120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ " ± 6 mm	160x320 cm 63"x126" ± 6 mm
---	---



Marvel Shine
Calacatta Imperiale
Endless ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm



Marvel Epic
Taj Mahal White
Endless ⁽²⁾⁽³⁾

120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ " ± 6 mm	160x320 cm 63"x126" ± 6 mm
---	---



Marvel Epic
Onyx Ivory
Endless ⁽²⁾⁽³⁾

120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ " ± 6 mm	160x320 cm 63"x126" ± 6 mm
---	---



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



⁽²⁾ The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

⁽³⁾ Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

(translations: page 357)

Kit endless laying patterns

Marvel Diva
Ice Crystal
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"

± 6 mm

160x320 cm
63"x126"

± 6 mm



Marvel Epic
Halo Sand
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"

± 6 mm



Marvel Diva
Taj Mahal
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"

± 6 mm

160x320 cm
63"x126"

± 6 mm



Marvel Epic
Taj Mahal Noisette
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"

± 6 mm

160x320 cm
63"x126"

± 6 mm



Marvel Diva
Precious Brown
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"

± 6 mm



Marvel Diva
White Everest
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"

± 6 mm



Marvel Meraviglia
Silver Majestic
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"


± 6 mm



Marvel Meraviglia
Grigio Elegante
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"


± 6 mm



Marvel Meraviglia
Black Origin
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"


± 6 mm



Marvel Diva
Black Tempest
Endless ⁽²⁾⁽³⁾

120x278 cm
47⅞"x109½"

± 6 mm



^(a) The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

^(b) Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

(translations: page 357)

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Kit endless laying patterns

**Marvel Epic
Calacatta Viola
Endless** ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm


160x320 cm
63"x126"
± 6 mm



**Marvel Epic
Alpinus
Endless** ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm

160x320 cm
63"x126"
± 6 mm



**Marvel Diva
Amethyst
Endless** ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm



**Marvel Epic
Natural Roots
Endless** ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm

160x320 cm
63"x126"
± 6 mm



**Marvel Epic
Zephyr
Endless** ⁽²⁾⁽³⁾


120x278 cm
47¹/₄"x109¹/₂"
± 6 mm

160x320 cm
63"x126"
± 6 mm



**Marvel Diva
Aqua
Endless** ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm



**Marvel Diva
Galaxy
Endless** ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm



**Marvel Diva
Sky Stone
Endless** ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm



**Marvel Diva
Baobab
Endless** ⁽²⁾⁽³⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm

160x320 cm
63"x126"
± 6 mm



⁽²⁾ The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

⁽³⁾ Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

(translations: page 357)

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Bookmatch laying patterns

**Marvel Shine
Calacatta Prestigio
Bookmatch** ⁽³⁾⁽⁵⁾

120x278 cm
47¹/₄"x109¹/₂"
± 6 mm




**Marvel
Calacatta Extra
Bookmatch** ⁽³⁾⁽⁵⁾

120x278 cm | **160x320 cm**
47¹/₄"x109¹/₂" | 63"x126"
± 6 mm | ± 6 mm




**Marvel Diva
Precious Brown
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm




**Marvel Gala
Desert Soul
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm




**Marvel Meraviglia
Calacatta Meraviglia
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm




**Marvel Shine
Calacatta Imperiale
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm




**Appennino
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm




**Exotic Wave
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm




**Marvel Gala
Crystal White
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm




**Silver Root
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm



**Marvel Gala
Exotic Green
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm




**Calacatta Gold
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm



**Marvel X
Fior Di Bosco
Bookmatch** ⁽³⁾⁽⁵⁾

160x320 cm
63"x126"
± 6 mm



⁽³⁾ Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

⁽⁵⁾ Codes A and B are sold separately.

(translations: page 357)

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



MARBLE
LOOK



Marvel Calacatta Extra Marvel Stone Bianco Dolomite Marvel Gala Crystal White Marvel Shine Calacatta Delicato Marvel X Calacatta Apuano Marvel Meraviglia Calacatta Meraviglia Marvel Meraviglia Calacatta Bernini Marvel Shine Calacatta Prestigio Marvel X Calacatta Sublime Marvel T Halo White Marvel Shine Statuario Supremo Marvel Shine Calacatta Imperiale Calacatta Gold Marvel Epic Taj Mahal White Marvel T Navona White Marvel T Navona White Line ♦ Marvel Epic Onyx Ivory Marvel Onyx White Marvel Diva Ice Crystal Marvel X Calacatta Perla Marvel Onyx Pearl Marvel Travertine White Vein Marvel Travertine White Cross Marvel T Halo Sand

- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm	Silk■ ⁽⁸⁾		Polished■		Polished	Polished■● Matte●		Polished●		Hammered●●		Silk■	Polished■	Silk●	Hammered*	Hammered*	Polished●		Polished● Silk●			Hammered		
120x278 cm 47 1/4"x109 1/2"	± 6 mm	Polished■●● ⁽⁸⁾ Matte	Polished Matte	Polished ⁽⁸⁾	Polished ⁽⁸⁾	Polished ⁽⁸⁾ Silk ⁽⁸⁾	Polished● ⁽⁸⁾	Polished● ⁽⁸⁾	Polished■●● ⁽⁸⁾ Silk● ⁽⁸⁾	Polished● ⁽⁸⁾ Silk● ⁽⁸⁾	Matte●●		Polished● ⁽⁸⁾		Polished● Silk●	Matte*	Matte*	Polished●	Polished ⁽⁸⁾	Polished● ⁽⁸⁾ Silk● ⁽⁸⁾	Polished ⁽⁸⁾ Silk ⁽⁸⁾	Polished ⁽⁸⁾	Matte		Matte●●
120x240 cm 47 1/4"x94 1/2"	± 9 mm	Polished	Polished		Polished	Polished	Polished	Polished	Polished	Polished	Matte Sensitech		Polished						Polished	Polished	Polished	Polished	Matte Sensitech		
120x120 cm 47 1/4"x47 1/4"	± 9 mm	Polished Matte Sensitech	Polished Matte Sensitech	Polished	Polished Matte Sensitech	Polished Silk	Polished Velvet [†]	Polished Velvet [†]	Polished Matte Sensitech	Polished Silk	Matte Sensitech		Polished Matte Sensitech		Matte Sensitech	Matte Sensitech			Polished	Velvet [†]	Polished Silk	Polished		Matte Sensitech	Matte Sensitech

- Slabs for countertops and furniture

162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ " Non-rectified / non rettificato	± 12 mm	Polished [■] Silk [■]	Polished	Polished [■] Silk [■]	Silk	Polished [■] Silk [■]	Polished [■] Silk [■]	Polished [■]	Silk [■]		Hammered *	Silk [■]	Polished [■] Silk [■]	Polished [■] Silk [■]	Polished [■] Silk [■]	Hammered *		Polished [■]	Polished [■] Silk [■]	Polished [■] Silk [■]			Hammered		
	± 20 mm																								
159x324 cm 62 ⁵ / ₈ "x127 ¹ / ₂ " Non-rectified / non rettificato	± 20 mm	Polished ^{■□} Matte ^{■□}	Polished	Polished [■]				Polished [□] Matte [□]				Matte [□]	Polished [□] Matte [□]	Polished [□]											

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product. - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



MARBLE
LOOK



Marvel Travertine Sand Vein Marvel Travertine Sand Cross Marvel T Navona Sand Marvel T Navona Sand Line ♦ Marvel Onyx Alabaster Marvel Diva Taj Mahal Marvel Travertine Pearl Vein Marvel Travertine Pearl Cross Marvel T Romano Sand Cream Prestige Calacatta Antique Marvel Epic Taj Mahal Noisette Marvel T Stone Veil Marvel T Romano Silver Marvel Diva White Everest Marvel X Grey Cloud White Cloud Marvel Meraviglia Silver Majestic Silver Root Marvel Meraviglia Grigio Elegante Marvel X Fior di Bosco Light Grey Stone Marvel Grey Stone

- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm	Hammered					Polished♦ Silk●	Hammered		Hammered*			Silk●		Hammered*	Silk■				Silk■		Polished■ Silk■		Silk
120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte		Matte♦♦	Matte*	Polished	Polished● ⁽⁶⁾ Silk● ⁽⁸⁾	Matte		Matte♦♦			Polished♦ Silk●	Matte*	Matte*	Polished♦● ⁽⁸⁾ Silk● ⁽⁸⁾	Polished ⁽⁸⁾ Silk ⁽⁸⁾		Polished♦ ⁽⁸⁾		Polished♦● ⁽⁸⁾	Polished ⁽²⁾ Silk ⁽⁸⁾		
120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech		Matte Sensitech		Polished	Polished	Matte Sensitech								Polished	Polished		Polished		Polished	Polished ⁽⁸⁾		
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm		Matte Sensitech	Matte Sensitech		Polished	Velvet*		Matte Sensitech				Matte Sensitech			Velvet*	Polished Silk		Polished Velvet*		Polished Velvet*	Polished Silk		

- Slabs for countertops and furniture

162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ " Non-rectified / non rettificato	✂ 12 mm	Hammered					Polished [■] Silk [■]	Hammered			Hammered*	Silk	Polished [■]	Polished [■] Silk [■]		Hammered*	Silk [■]		Silk			Silk [■]		Polished [■] Silk [■]	Silk	Silk
	✂ 20 mm						Matte																			Matte
159x324 cm 62 ⁵ / ₈ "x127 ¹ / ₂ " Non-rectified / non rettificato	✂ 20 mm						Polished																			

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



MARBLE
LOOK



- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm	Silk■		Polished Silk					Polished●	Hammered●●	Polished■			Silk●	Silk●		Polished■		Polished■				Polished●
120x278 cm 47 1/4"x109 1/2"	± 6 mm	Silk●(B)	Polished(B)		Polished	Polished●(B)	Polished(B)	Silk●(B)	Polished●	Matte●●	Polished(B)	Polished(B)	Polished●(B)	Polished●	Silk●	Polished(B)		Polished(B)	Polished(B)	Polished●(B)	Polished●(B)	Silk●(B)	Polished●(B)
120x240 cm 47 1/4"x94 1/2"	± 9 mm					Polished	Polished																
120x120 cm 47 1/4"x47 1/4"	± 9 mm		Polished			Polished	Polished				Polished							Polished	Polished				

- Slabs for countertops and furniture

162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ " Non-rectified / non rettificato	± 12 mm	Silk■		Polished■ Silk■	Polished■ Silk■			Silk■	Polished■ Satin■	Hammered■●	Polished■ Silk■			Polished■ Silk■	Silk■		Polished■		Polished■			Silk■	Polished■
	± 20 mm										Polished■												
159x324 cm 62 ⁵ / ₈ "x127 ¹ / ₂ " Non-rectified / non rettificato	± 20 mm																						

■Also available in bookmatch⁽³⁾ ●Also available in kit endless⁽²⁾⁽³⁾ *ID-Skin

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



STONE
LOOK



Boost Icor Bone Nyra Star Boost Mineral White Boost Mix Ivory Lims Ivory Nyra Hay Boost Stone Ivory Boost Stone White Boost Icor Dust Boost Stone Cream Boost Icor Dune Nyra Ambrosia Nyra Sunlight Boost Icor Crete Boost Stone Clay Boost Icor Oyster Boost Icor Sideral Boost Stone Taupe Boost Stone Tobacco

- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm	Hammered					Hammered	Hammered					Hammered	Hammered						
120x278 cm 47 1/4"x109 1/2"	± 6 mm	Matte	Matte	Matte *	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte		Matte	Matte		Matte	Matte
120x240 cm 47 1/4"x94 1/2"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte * Sensitech			Matte Sensitech			Matte Sensitech		Matte Sensitech		Matte Sensitech			Matte Sensitech			
120x120 cm 47 1/4"x47 1/4"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech

- Outdoor

120x120 cm 47 1/4"x47 1/4"	± 9 mm																			
120x120 cm 47 1/4"x47 1/4"	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech			

- Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato	± 12 mm	Hammered					Hammered	Hammered					Hammered	Hammered ^o						
	± 20 mm																			

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



STONE
LOOK



Boost Mix Pearl Boost Stone Pearl Nyra Mist Boost Mineral Pearl Boost Stone Grey Kone Mix Boost Mineral Grey Boost Mineral Smoke Boost Stone Smoke Nyra Meteor Boost Mix Smoke Boost Mineral Tarmac Marvel Stone Balsatina Volcano Nyra Charcoal Boost Stone Tarmac Soapstone Dark Negresco

- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm			Hammered			Hammered	Hammered						Hammered			
120x278 cm 47 1/4"x109 1/2"	± 6 mm	Matte	Matte	Matte	Matte *	Matte		Matte *	Matte *	Matte		Matte	Matte *			Matte	
120x240 cm 47 1/4"x94 1/2"	± 9 mm			Matte Sensitech	Matte Sensitech *			Matte Sensitech *	Matte Sensitech *				Matte Sensitech *				
120x120 cm 47 1/4"x47 1/4"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech	Matte Sensitech	

- Outdoor

120x120 cm 47 1/4"x47 1/4"	± 9 mm																
120x120 cm 47 1/4"x47 1/4"	± 20 mm	Outdoor Sensitech		Outdoor Sensitech		Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech		

- Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato	± 12 mm			Hammered [○]			Hammered [○]	Hammered [○]						Hammered			Hammered	Silk
	± 20 mm													Hammered [○]			Hammered [○]	

WOOD
LOOK



Log Bright Oak Log Bright Oak Line ⁺ Log Icon Oak Log Icon Oak Line ⁺ Noce Canaletto

				Matte
Matte	Matte	Matte	Matte	

				Matte [○]

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



CONCRETE
& RESIN LOOK



Boost Balance Pure Boost Vision Glow Boost Natural Pro Salt Prism Cotton Boost Balance Ivory Boost Pro Ivory Boost Natural Kaolin Boost Expression Shell Boost Vision Camel Boost Natural Pro Oat Boost Natural Pro Sand Boost Expression Tan Prism Cord Boost Expression Camel Boost Balance Cream Boost Pro Cream Boost Natural Ash Boost Balance Ash Boost Pro Clay Boost Natural Ecu Boost Natural Coral Boost Pro Taupe Boost Natural Umber Boost Pro Tobacco

- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm		Hammered					Hammered		Hammered																
120x278 cm 47 1/4"x109 1/2"	± 6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x240 cm 47 1/4"x94 1/2"	± 9 mm						Matte Sensitech										Matte Sensitech			Matte Sensitech				Matte Sensitech		
120x120 cm 47 1/4"x47 1/4"	± 6 mm						Matte										Matte			Matte			Matte		Matte	
	± 9 mm	Matte Sensitech Velvet*	Matte Sensitech	Matte Sensitech Velvet*	Matte Sensitech Silk	Matte Sensitech Velvet*	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet*	Matte Sensitech Velvet*	Matte Sensitech	Matte Sensitech Silk	Matte Sensitech	Matte Sensitech Velvet*	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet*	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	

- Outdoor

120x120 cm 47 1/4"x47 1/4"	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech
120x120 cm 47 1/4"x47 1/4"	± 20 mm							Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech						Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech		Outdoor Sensitech

- Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	± 12 mm		Hammered							Hammered		Hammered						Matte		Hammered				
Non-rectified / non rettificato	± 20 mm																							

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



CONCRETE
& RESIN LOOK



METAL
LOOK



Large Sizes

- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm			Hammered													Hammered	Hammered			Hammered	
120x278 cm 47 1/4"x109 1/2"	± 6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	
120x240 cm 47 1/4"x94 1/2"	± 9 mm			Matte Sensitech											Matte Sensitech		Matte Sensitech	Matte Sensitech			Matte Sensitech	
120x120 cm 47 1/4"x47 1/4"	± 6 mm			Matte											Matte		Matte	Matte			Matte	
	± 9 mm	Matte Sensitech	Matte Sensitech Velvet [†]	Matte Sensitech	Matte Sensitech Velvet [†]	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet [†]	Matte Sensitech Velvet [†]	Matte Sensitech	Matte Sensitech Velvet [†]	Matte Sensitech	Matte Sensitech Silk	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet [†]	Matte Sensitech	Matte Sensitech	Matte Sensitech Velvet [†]	Matte Sensitech	Matte Sensitech Velvet [†]	Matte Sensitech

- Outdoor

120x120 cm 47 1/4"x47 1/4"	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	
120x120 cm 47 1/4"x47 1/4"	± 20 mm			Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech			Outdoor Sensitech	

- Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	± 12 mm			Hammered													Hammered	Hammered			Hammered	
Non-rectified / non rettificato	± 20 mm																					

			Matte

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



FABRIC
LOOK




Vest Cotton Vest Linen Vest Ecu Vest Breath

SOLID
LOOK



Absolute White Absolute Black Black Lava

COLOR
LOOK



Boost Color Frog Pure Boost Color Salix Boost Color Mauve Boost Color Jade Boost Color Teal Boost Natural Cobalt Prism Bloom Prism Caramel Prism Grape Prism Dusk Prism Midnight Prism Moss Prism Emerald

- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm				
120x278 cm 47 1/4"x109 1/2"	± 6 mm	Matte	Matte	Matte	Matte

Matte			

- Floor
- Wall
- Slabs for furniture

160x320 cm 63"x126"	± 6 mm													
120x278 cm 47 1/4"x109 1/2"	± 6 mm	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte
120x120 cm 47 1/4"x47 1/4"	± 9 mm						Matte Sensitech							

- Slabs for countertops and furniture

162x324 cm 63 3/4"x127 1/2"	± 12 mm				
Non-rectified / non rettificato	± 20 mm				
159x324 cm 62 5/8"x127 1/2"	± 20 mm				
Non-rectified / non rettificato					

Polished Matte	Matte	Leathered
Matte		

⁽¹⁾ **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. - Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

⁽²⁾ **The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic - G1, G2, G3, etc - is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.** - Il Kit Endless contiene tutte le grafiche del prodotto con continuità di vena; garantisce in un'unica cassa tutte le facce numerate che creano la composizione. Il numero della grafica, indicato come G1, G2, G3, ecc. viene stampato sulla costa del lato 278 e indicato con un adesivo posto sulla lastra. Per ricostruire la superficie con continuità di vena è sufficiente posare le lastre in progressione numerica: G1, G2, G3, ecc. - Le Kit Endless contient tous les graphismes du produit avec la continuité des veinures; il garantit, dans une seule caisse, toutes les faces numérotées qui créent la composition. Le numéro du graphisme, indiqué comme G1, G2, G3, etc. est imprimé sur le bord du côté 278 et indiqué avec un adhésif apposé sur la dalle. Pour reconstruire la surface avec les veinures en continuité, il suffit de poser les dalles en progression numérique: G1, G2, G3, etc. - Kit Endless umfasst alle Grafiken des Produkts mit durchlaufender Aderung und damit alle nummerierten Oberflächen, aus denen sich die Komposition zusammensetzt, garantiert in einer einzigen Kiste. Die Nummer der Grafik, d.h. G1, G2, G3 etc., ist auf der Kante der 278 cm langen Seite aufgedruckt und auch mit einem Klebeetikett auf der Platte angegeben. Um das Gesamtbild mit durchlaufender Aderung zusammensetzen, werden die Platten einfach in numerischer Reihenfolge verlegt: G1, G2, G3 usw. - El Kit Endless contiene todas las caras del producto con continuidad de vetas, garantiza contar en una sola caja con todas las caras numeradas que forman la composición. El número del gráfico, indicado como G1, G2, G3, etc., está impreso en el borde del lado 278 y se indica mediante un adhesivo en la losa. Para reconstruir la superficie con continuidad de vetas, basta con colocar las losas en progresión numérica: G1, G2, G3, etc. - Kit Endless – это комплект, который содержит все плиты, необходимые для составления композиции с непрерывным рисунком прожилок. Все плиты пронумерованы и находятся в одном ящике. Номер плиты, обозначенный как G1, G2, G3 и т.д., напечатан на торце грани 278 и указан также на наклейке в углу плиты. Чтобы при облицовке создать рисунок с непрерывающимися прожилками, необходимо просто уложить плиты в последовательности: G1, G2, G3 и т.д.

⁽³⁾ **Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.** - Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité des veinures entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Eventuelle kleine Versätze im Verlauf der Aderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

⁽⁴⁾ **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

⁽⁵⁾ **Codes A and B are sold separately.** - I codici A e B sono venduti singolarmente. - Les codes A et B sont vendus individuellement - Die Codes A und B sind einzeln erhältlich. - Los códigos A y B se venden individualmente. - Коды A и B продаются по отдельности.

⁽⁶⁾ **It can be combined with: Camel and Glow.** - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

⁽⁷⁾ **It can be combined with: Haze and Ice.** - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

⁽⁸⁾ **The product is composed of graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - Il prodotto è composto da grafiche con continuità di vena, ma all'interno delle casse queste sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - Le produit consiste en des graphismes avec une continuité de la veine, mais dans les boîtes, ceux-ci sont distribués de manière aléatoire, sans choix de motifs. - Die verschiedenen Grafiken des Produkts sind durchlaufend geädert, jedoch nach dem Zufallsprinzip in den Kisten enthalten. Daher ist es nicht möglich, zwischen den einzelnen Mustern zu wählen. - El producto consiste en gráficos con continuidad de vetas, pero dentro de las cajas está distribuido de forma aleatoria y no se pueden elegir los patrones. - Это изделие состоит из рисунков с непрерывными прожилками, но они распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

⁽⁹⁾ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несоответствие геометрии рисунка на стыке плит является характеристикой данного вида изделий.

⁽¹⁰⁾ **The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS





Slabs for countertops & furniture

- ↔ MARBLE LOOK
- ↔ STONE LOOK
- ↔ CONCRETE LOOK
- ↔ SOLID LOOK
- ↔ WOOD LOOK
- ↔ METAL LOOK

↔ NOTES

atlasPLAN



162x324 ± 12-20 mm
NON-RECTIFIED SINGLE SLAB

159x324 ± 20 mm
NON-RECTIFIED SINGLE SLAB



atlasplan.com >
ATLAS PLAN

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK

FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS




Slabs for Countertops & Furniture


Marble Look - Non-Rectified




CALACATTA EXTRA Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AAVD Calacatta Extra Polished
AA2X Calacatta Extra Bookmatch Polished
AA2T Calacatta Extra Silk
AMJV Calacatta Extra Bookmatch Silk
159x324 cm - 62⁵/₈"x127¹/₂"
✂ 20 mm
AIRN Calacatta Extra Polished
AIRP Calacatta Extra Bookmatch Polished
AIRQ Calacatta Extra Matte
AIRR Calacatta Extra Bookmatch Matte
AIRM Calacatta Extra Polished ⁽¹⁾
AILO Calacatta Extra Matte ⁽¹⁾
⁽¹⁾ 




BIANCO DOLOMITE
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AAVG Bianco Dolomite Polished
159x324 cm - 62⁵/₈"x127¹/₂"
✂ 20 mm
AILN Bianco Dolomite Polished



CRYSTAL WHITE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A9C2 Crystal White Polished
AF2W Crystal White Bookmatch Polished
A9C4 Crystal White Silk
AF2X Crystal White Bookmatch Silk
159x324 cm - 62⁵/₈"x127¹/₂"
✂ 20 mm
AIRJ Crystal White Polished
AIRH Crystal White Bookmatch Polished



CALACATTA DELICATO
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A4T3 Calacatta Delicato Silk



CALACATTA APUANO Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AGRP Calacatta Apuano Polished
AGRQ Calacatta Apuano Bookmatch Polished
AGRJ Calacatta Apuano Silk
AGRL Calacatta Apuano Bookmatch Silk



CALACATTA MERAVIGLIA Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AJHB Calacatta Meraviglia Silk
AJHC Calacatta Meraviglia Bookmatch Silk



STATUARIO SUPREMO Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A4TX Statuario Supremo Silk
A4TY Statuario Supremo Bookmatch Silk
159x324 cm - 62⁵/₈"x127¹/₂"
✂ 20 mm
AIRT Statuario Supremo Matte ⁽¹⁾
⁽¹⁾ 

162x324 cm - 63³/₄"x127¹/₂" Non-Rectified ✂ 12-20 mm
159x324 cm - 62⁵/₈"x127¹/₂" Non-Rectified ✂ 20 mm


Marble Look - Non-Rectified



CALACATTA BERNINI Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AF5E Calacatta Bernini Polished
AF5K Calacatta Bernini Bookmatch Polished
159x324 cm - 62⁵/₈"x127¹/₂"
✂ 20 mm
AIRL Calacatta Bernini Matte ⁽¹⁾
AIRK Calacatta Bernini Polished ⁽¹⁾
⁽¹⁾ 



CALACATTA PRESTIGIO Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A4TØ Calacatta Prestigio Silk
A4T1 Calacatta Prestigio Bookmatch Silk



HALO WHITE
162x324 cm - 63³/₄"x127¹/₂" - ID Skin
✂ 12 mm ST ♦
HCL4 Marvel Halo White Hammered



CALACATTA IMPERIALE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AØXI Calacatta Imperiale Polished
AØXT Calacatta Imperiale Bookmatch Polished
AØXV Calacatta Imperiale Silk
AØXX Calacatta Imperiale Bookmatch Silk
159x324 cm - 62⁵/₈"x127¹/₂"
✂ 20 mm
AIRS Calacatta Imperiale Polished ⁽¹⁾
AILP Calacatta Imperiale Matte ⁽¹⁾
⁽¹⁾ 



CALACATTA GOLD Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AKE8 Calacatta Gold Silk
AKE9 Calacatta Gold Bookmatch Silk
AKFA Calacatta Gold Polished
AKFB Calacatta Gold Bookmatch Polished
159x324 cm - 62⁵/₈"x127¹/₂"
✂ 20 mm
AKFC Calacatta Gold Polished ⁽¹⁾
⁽¹⁾ 



TAJ MAHAL WHITE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
HEUR Marvel Taj Mahal White Polished
HEUS Marvel Taj Mahal White Bookmatch Polished
HD7E Marvel Taj Mahal White Silk
HD7F Marvel Taj Mahal White Bookmatch Silk

♦ With fiberglass mesh

ID Skin
This surface enhances the details and the fine texture of the product. - La superficie esalta i dettagli e la matericità del prodotto

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
MARBLE LOOK STONE LOOK CONCRETE LOOK SOLID LOOK WOOD LOOK METAL LOOK	
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

Slabs for Countertops & Furniture

Marble Look - Non-Rectified



NAVONA WHITE
162x324 cm - 63³/₄"x127¹/₂" - ID Skin
± 12 mm ST ♦
HCLØ Marvel Navona White Hammered



ONYX IVORY Bookmatch
162x324 cm - 63³/₄"x127¹/₂" - ID Skin
± 12 mm ST ♦
HD6U Marvel Onyx Ivory Polished
HD7J Marvel Onyx Ivory Bookmatch Polished



ONYX WHITE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AJHD Onyx White Silk
AJHE Onyx White Bookmatch Silk
AJHJ Onyx White Polished
AJHK Onyx White Bookmatch Polished



162x324 cm - 63³/₄"x127¹/₂" Non-Rectified ± 12-20 mm
159x324 cm - 62⁵/₈"x127¹/₂" Non-Rectified ± 20 mm

Marble Look - Non-Rectified



ROMANO SAND Bookmatch
162x324 cm - 63³/₄"x127¹/₂" - ID Skin
± 12 mm ST ♦
HCL3 Marvel Romano Sand Hammered



CREAM PRESTIGE
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AAV6 Cream Prestige Silk



TAJ MAHAL Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AXXQ Taj Mahal Silk
AXXR Taj Mahal Bookmatch Silk
AXXS Taj Mahal Polished
AXXT Taj Mahal Bookmatch Polished
± 20 mm
HDV4 Taj Mahal Matte
159x324 cm - 62⁵/₈"x127¹/₂"
± 20 mm
AXXU Taj Mahal Polished



ICE CRYSTAL Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AXXJ Ice Crystal Bookmatch Silk
AXXJ Ice Crystal Bookmatch Silk
AXXK Ice Crystal Polished
AXXL Ice Crystal Bookmatch Polished



TRAVERTINO WHITE
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
ALYX T. White Hammered



TRAVERTINO SAND
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
A647 T. Sand Hammered




TRAVERTINO PEARL
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AF4Z T. Pearl Hammered



CALACATTA ANTIQUE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AØXZ Calacatta Antique Polished
A8T7 Calacatta Antique Bookmatch Polished



TAJ MAHAL NOISETTE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
HEUT Marvel Taj Mahal Noisette Polished
HEUU Marvel Taj Mahal Noisette Bookmatch Polished
HDT4 Marvel Taj Mahal Noisette Silk
HDT5 Marvel Taj Mahal Noisette Bookmatch Silk



PRECIOUS BROWN Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AJHF Precious Brown Silk
AJHG Precious Brown Bookmatch Silk



♦ With fiberglass mesh

ID Skin
This surface enhances the details and the fine texture of the product. - La superficie esalta i dettagli e la matericità del prodotto

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK

FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




Slabs for Countertops & Furniture

Marble Look - Non-Rectified




ROMANO SILVER
162x324 cm - 63³/₄"x127¹/₂" - ID Skin
± 12 mm ST ♦
HCL2 Marvel Romano Silver Hammered




WHITE CLOUD
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
A4UO White Cloud Silk



APPENNINO Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AXØN Appennino Silk
AXØO Appennino Bookmatch Silk



GREY STONE
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AAWA Grey Stone Silk
± 20 mm
AHH2 Grey Stone Matte



BLACK TEMPEST Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AXXX Black Tempest Silk
AXXY Black Tempest Bookmatch Silk



BLACK ATLANTIS Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
A9CK Black Atlantis Polished
A9CL Black Atlantis Bookmatch Polished
A8XV Black Atlantis Silk
A8XW Black Atlantis Bookmatch Silk



SILVER ROOT Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AXØR Silver Root Silk
AXØS Silver Root Bookmatch Silk



FIOR DI BOSCO Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AIBE Fior Di Bosco Silk
AIBF Fior Di Bosco Bookmatch Silk
AIRZ Fior Di Bosco Polished
AIR3 Fior Di Bosco Bookmatch Polished



LIGHT GREY STONE
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
AMJ9 Light Grey Stone Silk



NERO MARQUINA Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
± 12 mm ST ♦
ANWA Nero Marquina Polished
A6T5 Nero Marquina Bookmatch Polished
ANVK Nero Marquina Silk
A6T4 Nero Marquina Bookmatch Silk

♦ With fiberglass mesh



ID Skin
This surface enhances the details and the fine texture of the product. - La superficie esalta i dettagli e la matericità del prodotto

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
MARBLE LOOK	
STONE LOOK	
CONCRETE LOOK	
SOLID LOOK	
WOOD LOOK	
METAL LOOK	
FURNITURE	>
FACADES	>
TECHNICAL SPECIFICATIONS	>

Slabs for Countertops & Furniture

Marble Look - Non-Rectified



CALACATTA VIOLA Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✚ 12 mm ST ♦
HCL7 Marvel Calacatta Viola Polished
HCL8 Marvel Calacatta Viola Bookmatch Polished
HDLW Marvel Calacatta Viola Satin
HDLX Marvel Calacatta Viola Bookmatch Satin



ALPINUS Bookmatch
162x324 cm - 63³/₄"x127¹/₂" - ID Skin
✚ 12 mm ST ♦
HDV7 Marvel Alpinus Hammered
HDV8 Marvel Alpinus Bookmatch Hammered



DESERT SOUL Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✚ 12 mm ST ♦
A9CW Desert Soul Polished
A9CX Desert Soul Bookmatch Polished
A9CZ Desert Soul Silk
A9CØ Desert Soul Bookmatch Silk
✚ 20 mm
A9C7 Desert Soul Polished
A9C8 Desert Soul Bookmatch Polished



NATURAL ROOTS Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✚ 12 mm ST ♦
HEA4 Marvel Natural Roots Polished
HEA5 Marvel Natural Roots Bookmatch Polished
HEA6 Marvel Natural Roots Silk
HEA7 Marvel Natural Roots Bookmatch Silk



ZEPHYR Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✚ 12 mm ST ♦
HEA1 Marvel Zephyr Silk
HEA2 Marvel Zephyr Bookmatch Silk



EXOTIC WAVE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✚ 12 mm ST ♦
A9CT Exotic Wave Polished
A9CU Exotic Wave Bookmatch Polished

162x324 cm - 63³/₄"x127¹/₂" Non-Rectified ✚ 12-20 mm
159x324 cm - 62⁵/₈"x127¹/₂" Non-Rectified ✚ 20 mm


Marble Look - Non-Rectified



EXOTIC GREEN Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✚ 12 mm ST ♦
A9CN Exotic Green Polished
A9CO Exotic Green Bookmatch Polished



SKY STONE Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✚ 12 mm ST ♦
AXXM Sky Stone Silk
AXXN Sky Stone Bookmatch Silk



BAOBAB Bookmatch
162x324 cm - 63³/₄"x127¹/₂"
✚ 12 mm ST ♦
AXXW Baobab Polished
AXX1 Baobab Bookmatch Polished

♦ With fiberglass mesh



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK

FURNITURE



FACADES




TECHNICAL
SPECIFICATIONS



ID Skin
This surface enhances the details and the fine texture of the product. - La superficie esalta i dettagli e la matericità del prodotto

Slabs for Countertops & Furniture


Stone Look - Non-Rectified



BOOST ICOR BONE
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AX6L Boost Icor Bone Hammered



NYRA HAY - ID Skin
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
HCWG Nyra Hay Hammered



BOOST STONE IVORY
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A648 Boost Stone Ivory Hammered



BOOST ICOR DUNE
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AX6N Boost Icor Dune Hammered



NYRA AMBROSIA - ID Skin
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
HCL5 Nyra Ambrosia Hammered ⁽²⁾




NYRA MIST - ID Skin
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
HCWH Nyra Mist Hammered ⁽²⁾




BOOST MINERAL GREY
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AHV6 B. M. Grey Hammered ⁽²⁾




KONE MIX
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AMSX Kone Mix Hammered ⁽²⁾


162x324 cm - 63³/₄"x127¹/₂" Non-Rectified ✂ 12-20 mm
159x324 cm - 62⁵/₈"x127¹/₂" Non-Rectified ✂ 20 mm

Stone Look - Non-Rectified



BALSATINA VOLCANO
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
ANVI Basaltina Volcano Hammered
✂ 20 mm
A2XS Basaltina Volcano Hammered ⁽²⁾




SOAPSTONE DARK
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A4UN Soapstone Dark Hammered
✂ 20 mm
A5I3 Soapstone Dark Hammered ⁽²⁾





NEGRESCO
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
ARCR Negresco Silk

♦ With fiberglass mesh



Slabs for Countertops & Furniture

Concrete Look - Non-Rectified



BOOST VISION GLOW - ID Skin
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
HCWI Boost Vision Glow Hammered



BOOST WHITE
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
ANVX Boost White Hammered



BOOST VISION CAMEL - ID Skin
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
HCWJ Boost Vision Camel Hammered



BOOST BALANCE ASH
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AJKC Boost Balance Ash Matte



BOOST NATURAL PRO SAND
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
ARCQ Boost N. Pro Sand Hammered



BOOST NATURAL ECRU
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A649 Boost Natural Ecrú Hammered



BOOST GREY
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A65C Boost Grey Hammered




BOOST SMOKE
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
ANVØ Boost Smoke Hammered




BOOST TARMAC
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A65D Boost Tarmac Hammered

162x324 cm - 63³/₄"x127¹/₂" Non-Rectified ✂ 12-20 mm
159x324 cm - 62⁵/₈"x127¹/₂" Non-Rectified ✂ 20 mm

Solid Look - Non-Rectified



ABSOLUTE WHITE
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AG1N Absolute White Matte
A4T4 Absolute White Polished
159x324 cm - 62⁵/₈"x127¹/₂"
✂ 20 mm
AIRU Absolute White Matte



ABSOLUTE BLACK
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AG1G Absolute Black Matte



BLACK LAVA
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AF5A Black Lava Leathered

Wood Look



NOCE CANALETTO
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
AKFE Noce Canaletto Matte ⁽²⁾
⁽¹⁾ NATURA-BODY™
TECH

Metal Look



BLAZE IRON
162x324 cm - 63³/₄"x127¹/₂"
✂ 12 mm ST ♦
A3ND Blaze Iron Matte

♦ With fiberglass mesh

Slabs for Countertops & Furniture



Natura-Vein™ Tech is the technology from the Concorde Group that makes it possible to recreate the typical veining of a natural material such as marble in porcelain stoneware slabs at an industrial level. This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm.

Natura-Vein™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre nello spessore delle lastre in gres porcellanato la venatura tipica di un materiale naturale come il marmo. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm.



Natura-Body™ Tech is the is the technology from the Concorde Group that allows the aesthetics of natural stone to be reproduced across both the surface and body of the slab. This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm and 12 mm.

Natura-Body™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre l'estetica della pietra naturale sia in superficie che nel corpo della lastra. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm e 12 mm.

Notes

CAUTION

Atlas Plan is in no way liable for "improper" use of the material, which is why it recommends to:

- Prevent shocks at the most exposed points such as corners and edges, both with and without ledge;
 - Avoid the use of metal or abrasive straws;
 - Refrain from using knives with ceramic blades as the hardness of the two materials is very similar;
 - Provide protection systems, such as wooden and/or plastic cutting boards, when cutting foodstuffs on surfaces having a dark colour and/or a Polished or Satin finish;
 - Precautiously protect the surface from direct contact with hot objects (e.g. frying pans, pots, coffee pots, etc. ...) using trivets.
- Note:** for the repair of shallow surface scratches in the various finishes, please refer to your Atlas Plan contact person directly. Atlas Plan slabs must be cut in accordance with the instructions in the technical manual; any breakage due to a cut made other than specified will not be the responsibility of Atlas Plan. The Technical Manual illustrates how to properly clean any type of stain that can be detected on an Atlas Plan surface; use the indicated products in case extraordinary cleaning is required. It is understood that Atlas Plan cannot be held liable for events, damage or defects due to careless cleaning and maintenance.

EXCLUSIONS FROM THE 25-YEAR LIMITED WARRANTY FOR SLABS USED TO MANUFACTURE THE PRODUCT PURCHASED (KITCHEN TOPS AND BACKSPLASHES; WASHBASINS AND VANITY TOPS; TABLES) FOR DOMESTIC OR RESIDENTIAL USE

1. Damage caused by abuse or misuse of the products purchased, including but not limited to damage caused by improper use or accidents, following exposure of the product to abnormal physical conditions (such as strong impacts), aggressive chemicals, staining substances (such as ink and markers), corrosion, structural movements or natural disasters. Remember that contact with hydrofluoric acid results in immediate and irreversible damage.
2. Any type of damage directly or indirectly caused by actions, operations or works carried out by third parties. By way of non-limiting example: problems caused by incorrect processing of the product, improper installation or handling methods of the original product, cracks on the surface of the product purchased after its installation, etc..
3. Products that have been moved from their original place of installation.
4. The reactions and appearance of joints or seams, adhesives, sealants and all other accessories.
5. Damage caused by appliances installed, used or subject to improper maintenance.
6. Imperfections caused by natural wear and tear due to everyday use, such as stains, scratches, water marks and burns.
7. When choosing a colour or finish, consider that the samples only give an approximate indication of the design, pattern, aspect, colour and finish. There is no guarantee that the samples are an exact reproduction of the Atlas Plan slab. They may differ slightly from the actual installed product.
8. Opinions based on the customer's personal preferences, leading them to change their mind about the colour or general appearance, or other aesthetic opinions following manufacture or installation of the product.
9. Use of 162x324 cm slabs for commercial applications including, but not limited to, installation in shops, offices and other commercial establishments.
10. Purchased products in which the factory-applied surface finish has been altered in some way.
11. Defects already visible at the time of processing or installation of products made from 162x324 cm Atlas Plan slabs.
12. Transport, processing, assembly and/or disassembly costs for the repair or re-installation of the product purchased.
13. Additional repairs or modifications required for the new installation (plumbing, electricity, renovation work, etc.).
14. Repairs carried out without prior verification by Atlas Plan.
15. Stains caused by direct contact with aggressive chemical solutions or scratches caused by the use of rough or steel wire sponges to clean the product purchased, or resulting from any other improper use of abrasive products in violation of the Precautions for Use and the cleaning and maintenance instructions indicated in the Atlas Plan Technical Manual (available at www.atlasplan.com/en/).
16. Anything not expressly mentioned in this guarantee.

The 25-year Limited Warranty will not be transferable and will be applied only to the slabs used in the manufacture of the product purchased, for domestic or residential use, such as kitchen tops and backsplashes, washbasins, wall units and tables. This warranty will not be valid if the full payment of the product purchased has not been made. The processing workshop and the installer are responsible for testing Atlas Plan slabs prior to the production and installation of the products made from the slabs. No other express or implicit warranty included merchantability or suitability for a particular purpose is issued. Except as set out herein, Atlas Plan disclaims all contractual and non-contractual liability for any direct, incidental or consequential loss or damage resulting from the use or inability to use the product purchased made from Atlas Plan slabs. No one except Atlas Plan shall have the right or authorisation to make any promises, representations or warranties of any kind in relation to their products.

ATTENZIONE

Atlas Plan non si ritiene in alcun modo responsabile per utilizzo "improprio" del materiale, ragione per la quale raccomanda di:

- Prevenire dagli urti nei punti più esposti tipo angoli e bordi, sia con che senza veletta;
 - Evitare l'utilizzo di pagliette metalliche o abrasive;
 - Non utilizzare dei coltelli con lama in ceramica in quanto la durezza dei due materiali è molto simile;
 - Predisporre sistemi di protezione, tipo taglieri in legno e/o plastica, quando si tagliano alimenti su piani caratterizzati da un colore scuro e/o da una finitura Polished o Satin;
 - Proteggere precauzionalmente la superficie dal contatto diretto con oggetti caldi (tipo padelle, pentole, caffettiere, ...) predisponendo l'utilizzo di sottopentole.
- Nota:** per la riparazione di graffi superficiali non profondi nelle varie finiture, rivolgersi direttamente al funzionario Atlas Plan. Le lastre Atlas Plan vanno tagliate seguendo le istruzioni del manuale tecnico, qualunque rottura dovuta a un taglio eseguito in modo non indicato non sarà ritenuta di responsabilità di Atlas Plan. Il Manuale tecnico illustra come pulire correttamente qualunque tipo di macchia che si può rilevare su una superficie Atlas Plan, utilizzare i prodotti indicati in caso sia necessario un intervento di pulizia straordinaria. Resta inteso che Atlas Plan non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti a negligente pulizia e manutenzione.

ESCLUSIONI DELLA GARANZIA LIMITATA DI 25 ANNI PER LE LASTRE UTILIZZATE PER LA FABBRICAZIONE DEL PRODOTTO ACQUISTATO (TOP CUCINA E BACKSPLASH; LAVABI E VANITIES; TAVOLI) PER USO DOMESTICO O RESIDENZIALE

1. Danni causati da abuso o uso improprio dei prodotti acquistati, inclusi ma non limitati a danni causati da uso improprio o incidenti, a seguito dell'esposizione del prodotto a condizioni fisiche anomale (come forti urti), sostanze chimiche aggressive, sostanze macchianti (come inchiostro e pennarelli), corrosione, movimenti strutturali o disastri naturali. Si ricorda che il contatto con l'acido fluoridrico provoca danni immediati e irreversibili.
2. Qualsiasi tipo di danno causato direttamente o indirettamente da azioni, operazioni o lavori eseguiti da terzi. A titolo esemplificativo e non esaustivo: problemi causati da errata lavorazione del prodotto, metodi di installazione o manipolazione impropri del prodotto originale, crepe sulla superficie del prodotto acquistato dopo la sua installazione, ecc.
3. Prodotti che sono stati spostati dal luogo di installazione originale.
4. Le reazioni e l'aspetto di giunti o cuciture, adesivi, sigillanti e tutti gli altri accessori.
5. Danni causati da apparecchi installati, utilizzati o soggetti a cattiva manutenzione.
6. Imperfezioni causate dall'usura naturale dovuta all'uso quotidiano, come macchie, graffi, segni d'acqua e ustioni.
7. Nella scelta di un colore o di una finitura, va tenuto presente che i campioni forniscono solo un'indicazione generale del design, del motivo, dell'estetica, del colore e della finitura. Non vi è alcuna garanzia che i campioni siano una replica esatta della lastra Atlas Plan. Potrebbero differire leggermente dal prodotto effettivamente installato.
8. Opinioni basate sulle preferenze personali del cliente, che lo portano a cambiare idea sul colore o sull'aspetto generale, o altre opinioni estetiche successive alla fabbricazione o all'installazione del prodotto.
9. Utilizzo di lastre 162x324 cm per applicazioni commerciali inclusa, a titolo esemplificativo ma non esaustivo, installazione in negozi, uffici e altri esercizi commerciali.
10. Prodotti acquistati in cui la finitura superficiale applicata in fabbrica è stata in qualche modo alterata.
11. Difetti già visibili al momento della lavorazione o posa in opera di prodotti realizzati con lastre 162x324 cm. Piano Atlante.
12. Costi di trasporto, lavorazione, montaggio e/o smontaggio per la riparazione o reinstallazione del prodotto acquistato.
13. Ulteriori riparazioni o modifiche necessarie per la nuova installazione (idraulica, elettrica, lavori di ristrutturazione, ecc.).
14. Riparazioni eseguite senza previa verifica da parte di Atlas Plan.
15. Macchie causate dal contatto diretto con soluzioni chimiche aggressive o graffi causati dall'uso di spugne ruvide o di filo d'acciaio per pulire il prodotto acquistato, o derivanti da qualsiasi altro uso improprio di prodotti abrasivi in violazione delle Precauzioni d'uso e della pulizia e istruzioni di manutenzione indicate nel Manuale Tecnico Atlas Plan (disponibile su www.atlasplan.com/).
16. Quanto non espressamente menzionato nella presente garanzia.

La Garanzia Limitata di 25 anni non sarà trasferibile e si applicherà solo alle lastre utilizzate nella fabbricazione del prodotto acquistato, per uso domestico o residenziale, come piani cucina e alzatine, lavabi, mobili e tavoli. Tale garanzia non sarà valida se non sarà stato effettuato il pagamento integrale del prodotto acquistato. Il laboratorio di lavorazione e l'installatore sono responsabili del collaudo delle lastre Atlas Plan prima della realizzazione e posa in opera dei manufatti realizzati con le lastre. Non viene rilasciata alcuna altra garanzia esplicita o implicita, inclusa la commerciabilità o l'idoneità per uno scopo particolare. Ad eccezione di quanto stabilito nel presente documento, Atlas Plan declina ogni responsabilità contrattuale ed extracontrattuale per qualsiasi perdita o danno diretto, incidentale o consequenziale derivante dall'uso o dall'impossibilità di utilizzare il prodotto acquistato realizzato con lastre Atlas Plan. Nessuno, ad eccezione di Atlas Plan, avrà il diritto o l'autorizzazione a fare promesse, dichiarazioni o garanzie di qualsiasi tipo in relazione ai propri prodotti.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK

FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS





Furniture

BATHROOM FURNITURE

- ↔ ESSENZA - Design Collection by Studio Ferriani
- ↔ EVOLUZIONE - Design Collection by Mario Ferrarini
- ↔ DIALOGO
- ↔ ARMONIA

TABLES

- ↔ DINING TABLES
- ↔ COFFEE TABLES
- ↔ HOSPITALITY TABLES
- ↔ SIDE TABLES

SIGNATURE OBJECTS

- ↔ TRATTO - Design Collection by Piero Lissoni

STORAGE UNIT

- LIBRA
- ELLE
- TORRE

SHELVES

- OMEGA
- LINEA

BENCHES

- ARCO

TRAYS

- QUADRO
- DISCO
- TRAMA
- FILO

VASES

- HASHTAG

TABLES

- GIOTTO



atlasconcorde.com >
ATLAS CONCORDE HABITAT

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES



TECHNICAL
SPECIFICATIONS




Essenza




MONO
Single Sink / Lavabo Singolo


Enveloped Bottom Basin
Vasca 4 Falde



H 12 mm




H 30 mm




H 150 mm


Flat Basin
Vasca Piatta



H 12 mm




H 30 mm




H 150 mm


Sloped Basin
Vasca Inclinata



H 12 mm



H 30 mm



H 150 mm

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 50 cm (19 3/8") / Profondità 50 cm (19 3/8")
Height 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8")
STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 15 cm (5 7/8")
Staffe: incluse solo su lavabo con altezza 15 cm (5 7/8")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin Dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 3/4" x 13 3/8" x 3 7/8")
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")
L 75x34x10 cm (29 1/2" x 13 3/8" x 3 7/8")
XL 95x34x10 cm (37 3/8" x 13 3/8" x 3 7/8")
Flat basin and Sloped basin Dimensions / Dimensione vasca Piatta e vasca Inclinata
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/8")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/8")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA			
Single Wall-mounted Sink Lavabo da parete singolo	12 mm	30 mm	150 mm	S	M	L	XL
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•		
Sloped Basin Vasca Inclinata	•	•	•		•		

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES




TECHNICAL
SPECIFICATIONS



Essenza

DUO

Twin Sink / Lavabo Doppio



DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 50 cm (19 3/8") / Profondità 50 cm (19 3/8")
Height 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8")
STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included only for sink with a height of 15 cm (5 7/8")
Staffe: incluse solo su lavabo con altezza 15 cm (5 7/8")
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 3/4" x 13 3/8" x 3 7/8")
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")
L 75x34x10 cm (29 1/2" x 13 3/8" x 3 7/8")
XL 95x34x10 cm (37 3/8" x 13 3/8" x 3 7/8")
Flat basin and Sloped basin dimensions / Dimensione vasca Inclinata e vasca Piatta
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")


FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA			
	12 mm	30 mm	150 mm	S	M	L	XL
Twin Wall-mounted Sink Lavabo da parete doppio							
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•		
Sloped Basin Vasca Inclinata	•	•	•		•		

UP

Sit-on basin / Catino da appoggio



DIMENSIONS / Dimensioni
Enveloped bottom sink available lenghts / Lunghezze disponibili per lavabo a 4 Falde
Length 55 cm (21 3/4") / Lunghezza 55 cm (21 3/4")
Length 65 cm (25 3/8") / Lunghezza 65 cm (25 3/8")
Length 85 cm (33 1/2") / Lunghezza 85 cm (33 1/2")
Length 105 cm (41 3/8") / Lunghezza 105 cm (41 3/8")
Flat basin sink and Sloped basin sink available lenght / Lunghezza disponibile per lavabo con vasca Inclinata e vasca Piatta
Length 65 cm (25 3/8") / Lunghezza 65 cm (25 3/8")
Depth 45 cm (17 3/4") without Faucet hole / Profondità 45 cm (17 3/4") senza foro miscelatore
Depth 50 cm (19 3/8") with Faucet hole / Profondità 50 cm (19 3/8") con foro miscelatore
Height 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
No Brackets / No staffe
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde
S 45x34x10 cm (17 3/4" x 13 3/8" x 3 7/8")
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")
L 75x34x10 cm (29 1/2" x 13 3/8" x 3 7/8")
XL 95x34x10 cm (37 3/8" x 13 3/8" x 3 7/8")
Flat basin and Sloped basin dimensions / Dimensione vasca Piatta e vasca Inclinata
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Faucet hole always centred with the basin / Foro rubinetto sempre centrato rispetto alla vasca
Overflow hole not present / Foro troppo pieno non presente
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
Sinks with height 12 mm are made only with 12 mm slabs
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

	HEIGHT ALTEZZA			BASIN DIMENSION TAGLIA DELLA VASCA				DEPTH PROFONDITÀ	
	12 mm	30 mm	150 mm	S	M	L	XL	450 mm	500 mm
Sit-on basin Catino da appoggio									
Enveloped Bottom Basin Vasca 4 Falde	•	•	•	•	•	•	•	•	•
Flat Basin Vasca Piatta	•	•	•		•			•	•
Sloped Basin Vasca Inclinata	•	•	•		•			•	•

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES




TECHNICAL
SPECIFICATIONS



Essenza

BLOCK Free-Standing



Evoluzione

Design Collection by **Studio Ferriani**



COLORS AND FINISHES

Rectangular Basin
Vasca Rettangolare



White



Toupe



Grey


COLORS



WHITE MATTE



TAUPE MATTE



GREY MATTE

Biscuit Basin
Vasca Biscotto



Circular Basin
Vasca Circolare



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES




TECHNICAL
SPECIFICATIONS



Evoluzione

MONO

Single Sink / Lavabo Singolo



DIMENSIONS / Dimensioni

Customisable length L / Lunghezza personalizzabile L

Depth 45 cm (17 3/4") / Profondità 45 cm (17 3/4")

Height 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")

STRUCTURE / Struttura

Reinforcement: continuous panel / Rinforzo: pannello continuo

Brackets: included only for sink with a height of 12 cm (4 3/4")

Staffe: incluse solo su lavabo con altezza 12 cm (4 3/4")

Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca

Solid 100% acrylic-based surface / Solid surface a base acrilica pura

BASIN MODELS

Rectangular basin Dimensions / Dimensioni vasca Rettangolare

50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")

Biscuit basin Dimensions / Dimensione vasca Biscotto

50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")

Circular basin Dimensions / Dimensione vasca Circolare

Ø35 cm (13 3/4")

BASIN COLORS

All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey

Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici

Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")

Overflow system included / kit troppopieno incluso

Drain hole diameter: 1 1/4" (drain on demand) / Diametro piletta: 1 1/4" (piletta su richiesta)

STARTING SLABS / Fondi di partenza

Thickness 6 mm (1/4") or 9 mm (2/8") or 12 mm (4 3/4")

Spessore 6 mm (1/4") o 9 mm (2/8") o 12 mm (4 3/4")

Sinks with height 12 mm are made only with 12 mm slabs


I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

	BASIN FINISHING COLORE VASCA		
Single Sink Lavabo Singolo	Matte White Bianco opaco	Taupe Tortora	Grey Grigio
Rectangular Rettangolare	•	•	•
Biscuit Biscotto	•	•	•
Circular Circolare	•	•	•

Design Collection by **Studio Ferriani**

DUO

Twin Sink / Lavabo Doppio



DIMENSIONS / Dimensioni

Customisable length L / Lunghezza personalizzabile L

Depth 45 cm (17 3/4") / Profondità 45 cm (17 3/4")

Height 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")

STRUCTURE / Struttura

Reinforcement: continuous panel / Rinforzo: pannello continuo

Brackets: included only for sink with a height of 12 cm (4 3/4")

Staffe: incluse solo su lavabo con altezza 12 cm (4 3/4")

Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca

Solid 100% acrylic-based surface / Solid surface a base acrilica pura

BASIN MODELS

Rectangular basin Dimensions / Dimensioni vasca Rettangolare

50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")

Biscuit basin Dimensions / Dimensione vasca Biscotto

50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")

Circular basin Dimensions / Dimensione vasca Circolare

Ø35 cm (13 3/4")

BASIN COLORS

All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey

Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici

Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")

Overflow system included / kit troppopieno incluso

Drain hole diameter: 1 1/4" (drain on demand) / Diametro piletta: 1 1/4" (piletta su richiesta)

STARTING SLABS / Fondi di partenza

Thickness 6 mm (1/4") or 9 mm (2/8") or 12 mm (4 3/4")

Spessore 6 mm (1/4") o 9 mm (2/8") o 12 mm (4 3/4")

Sinks with height 12 mm are made only with 12 mm slabs

I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

	Matte White Bianco opaco	Taupe Tortora	Grey Grigio
Twin Sink Lavabo Doppio			
Rectangular Rettangolare	•	•	•
Biscuit Biscotto	•	•	•
Circular Circolare	•	•	•

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE

DIALOGO
ARMONIA

TABLES

TRATTO

FACADES




TECHNICAL
SPECIFICATIONS




Evoluzione

BLOCK Free-standing


Rectangular Basin
Vasca Rettangolare



Biscuit Basin
Vasca Biscotto



Circular Basin
Vasca Circolare



	BASIN FINISHING COLORE VASCA		
Free-Standing	Matte White Bianco opaco	Taupe Tortora	Grey Grigio
Rectangular Rettangolare	•	•	•
Biscuit Biscotto	•	•	•
Circular Circolare	•	•	•

DIMENSIONS / Dimensioni
Length 65 cm (25 3/8") / Lunghezza 65 cm (25 3/8")
Depth 45 cm (17 3/4") with Faucet hole / Profondità 45 cm (17 3/4") con foro miscelatore
Height 85 cm (33 1/2") / Altezza 85 cm (33 1/2")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
No Brackets / No staffe
Bottom tiling is not provided / Non è previsto il rivestimento inferiore
Enclosed sink back accessible through a hatch with a magnetic door
Retro lavabo chiuso ed accessibile tramite botola con sportello magnetico

BASIN / Vasca
Solid 100% acrylic-based surfaces / Solid surface a base acrilica pura

BASIN MODELS
Rectangular basin Dimensions / Dimensioni vasca Rettangolare
50x30x10 cm (19 1/8" x 11 3/4" x 3 7/8")
Biscuit basin Dimensions / Dimensione vasca Biscotto
50x30x10 cm (19 1/8" x 11 3/4" x 3 7/8")
Circular basin Dimensions / Dimensione vasca Circolare
Ø35 cm (13 3/4")

BASIN COLORS
All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey
Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter: Ø 35 mm (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
Overflow system included / kit troppopieno incluso
Drain hole diameter: 1 1/4" (drain not included) / Diametro piletta: 1 1/4" (piletta non inclusa)

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")

Basin Features



Essenza - Sloped Basin



Essenza - Flat Basin



Essenza - Enveloped Bottom Basin



Dialogo



Easy access to the drain
to remove dirt.

Facile accesso allo scarico
per rimuovere lo sporco.



The one-piece stainless steel basin
prevents water infiltration.

La vasca monoblocco in acciaio evita
le infiltrazioni di acqua.



High impact resistance thanks to the
advanced composite structure.

Alta resistenza agli urti grazie
all'avanzata struttura composita.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES



TECHNICAL
SPECIFICATIONS



Dialogo

Design Collection by **Mario Ferrarini**




reddot winner 2022



Designer Sinks Single

WITH OR WITHOUT FAUCET HOLE
Con e senza foro rubinetteria




Top / Piano h 125 mm | 4 7/8"
Edge / Bordo h 175 mm | 6 7/8"

Available in monocolour and bicolor version
Disponibile in versione monocolore e bicolore

Designer Sinks Twin

WITH OR WITHOUT FAUCET HOLE
Con e senza foro rubinetteria



Top / Piano h 125 mm | 4 7/8"
Edge / Bordo h 175 mm | 6 7/8"

INFORMATIONS FOR ALL DIALOGO SINKS INFORMAZIONI PER TUTTI I LAVABI DIALOGO

DIMENSIONS / Dimensioni
Customisable length L / Lunghezza personalizzabile L
Depth 45 cm (17 3/4") / Profondità 45 cm (17 3/4")
Height Top 12,5 cm (4 7/8") / Altezza Top 12,5 cm (4 7/8")
Height Edge 17,5 cm (6 7/8") / Altezza Binario 17,5 cm (6 7/8")

STRUCTURE / Struttura
Reinforcement: continuous panel / Rinforzo: pannello continuo
Brackets: included / Staffe: include
Bottom tiling is not provided / Non è previsto il rivestimento inferiore

BASIN / Vasca
Stainless steel, coated with porcelain tiling / Acciaio inossidabile, rivestita in gres porcellanato
Dimensions 55x34x10 cm (21 3/4"x13 3/8"x3 7/8") / Dimensioni 55x34x10 cm (21 3/4"x13 3/8"x3 7/8")

FURTHER TECHNICAL DETAILS / Altri dettagli tecnici
Faucet hole diameter Ø 35 mm (1 3/8") / Diametro del foro rubinetto Ø 35 mm (1 3/8")
Drain hole diameter: 1 1/4" / Diametro piletta: 1 1/4"

STARTING SLABS / Fondi di partenza
Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES




TECHNICAL
SPECIFICATIONS




Armonia




Single drawer




L 300 mm
H 320 mm
D 450 mm - 500 mm



L 600 mm
H 320 mm
D 450 mm - 500 mm




L 900 mm
H 320 mm
D 450 mm - 500 mm




L 1200 mm
H 320 mm
D 450 mm - 500 mm


Twin drawer




L 300 mm
H 500 mm
D 450 mm - 500 mm



L 600 mm
H 500 mm
D 450 mm - 500 mm



L 900 mm
H 500 mm
D 450 mm - 500 mm



L 1200 mm
H 500 mm
D 450 mm - 500 mm

INFORMATIONS DRAWER UNIT

INFORMAZIONI CASSETTIERA

DIMENSIONS / Dimensioni

Lenght* / Lunghezza*

30 cm (11 3/4") | 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 3/8")

Depth / Profondità


45 cm (17 3/4") | 50 (19 5/8")

Heigh / Altezza


32 cm (12 5/8") | 50 (19 5/8")

All the lenght are modular. The modules with lenght 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 3/8") are available with a siphon cut-out, always centered along the module's length. Tutti i moduli sono componibili. I moduli da 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 3/8") sono disponibili con scasso per sifone, sempre centrato sulla lunghezza del modulo.

DRAWER CUSTOMIZATION



Option to cover the drawer with ceramic fronts: more than 400 colors and finishing. Possibilità di rivestire i cassetti frontali della cassetiera con gres: più di 400 colori e finiture.



Drawers can be paired with washbasins from the Essenza, Evoluzione, and Dialogo collections. Le cassettiere nascono per essere abbinate a tutti i lavabi delle gamme Essenza, Evoluzione e Dialogo.

AVAILABLE LAMINATE COLORS



WHITE MATTE



TAUPE MATTE



GREY MATTE



WHITE TEXTURED



BROWN TEXTURED



LIGHT GREY TEXTURED

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES



TECHNICAL
SPECIFICATIONS




Tables


Brooklyn 75 Dining Tables



BASES available in textured black and textured anthracite




TOPS 12 mm



Incontro 75 Dining Tables



BASES available in textured black and textured anthracite




TOPS 12 mm




Brooklyn 25 CoffeeTables



BASES available in textured black and textured anthracite




TOPS 12 mm




Incontro 25 CoffeeTables



BASES available in textured black and textured anthracite




TOPS 12 mm




Manhattan Hospitality Tables



BASES available in textured black and customized




TOPS 12 mm




Cosmopolitan Hospitality Tables



BASES available in textured black and customized




TOPS 12 mm




Contatto Side Tables



BASES available in textured black and chromed



TOPS 12 mm



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES













TECHNICAL
SPECIFICATIONS





Top Colors

Porcelain tile colors and finishes

 Onyx White Polished	 Ice Crystal Polished	 Calacatta Gold Polished	 Calacatta Imperiale Silk	 Appennino Silk
 Taj Mahal Silk	 Travertino Sand Hammered	 Desert Soul Polished	 Silver Root Silk	 Fior di Bosco Silk
 Precious Brown Silk	 Calacatta Viola Polished	 Exotic Green Polished	 Nero Marquina Polished	 Boost Icor Dune Hammered
 Nyra Ambrosia Hammered	 Boost White Hammered	 Boost Balance Ash Matte	 Boost Mineral Grey Matte	 Boost Smoke Hammered

Base Colors

 Black Textured Dining, Coffee & Hospitality, Side Tables	 Anthracite Textured Dining & Coffee Tables	 Crome Side Tables	 Ral customed Hospitality Tables
---	---	--	---

Sinks & Tables cleaning and maintenance

SINKS SANITIZING

Porcelain tiles surfaces are extremely easy to sanitize, owing to the physical and mechanical features of this material. Indeed, since they are produced at extremely high temperatures, they prove entirely poreless, which prevents mold, mildew and bacteria from spreading. This means sanitizing products or products with a specific concentration of chemicals capable of eradicating germs and bacteria from surfaces can easily be used, for optimum efficiency and without worrying about damaging the material itself.

ROUTINE CLEANING

For routine cleaning, simply use a damp sponge or a microfibre cloth with hot water and ordinary neutral detergent* then wipe dry with a soft cloth. To remove dirt built up in the corners, we recommend you rub with a nonabrasive soft bristle brush.

Avoid using:

1. Products with waxing, restoring, polishing, brightening properties;
2. Products containing hydrofluoric acid and its derivatives;
3. Metal wire pads (iron and steel pads) or excessively abrasive pads.

CAUTION: Porcelain tiles do not require the application of waxes or detergents with polishing additives, even when the surface is glossy/lapped.

*such as Clean Universal made by Faber Chimica or Fila Clean&Shine for the Italian market - Fila Cleanall for the US market - Fila Brio for all other markets.

EXTRAORDINARY CLEANING

In the event of tough stains, which cannot be removed during routine cleaning operations, we suggest the use of alkaline detergents* for coffee, fruit juice, wine, ink stains and the like, acidic detergents** in the event of limescale residue (or rust), use specific detergents to remove silicone sealant residue***

*such as Clean Degreaser - Deep Degreaser made by Faber Chimica or Fila Powerclean for the Italian market - Fila Hobby for other markets.

**such as Clean Limescale - Tile Cleaner made by Faber Chimica or Fila Deepclean for the Italian market - Fila Via Bagno for other markets.

***such as Epoxy Cleaner made by Faber Chimica or Fila Zerolis.

STEEL SURFACES

Stainless steel is an extremely strong material and is not subject to the corrosive action of oxidation. However, specific products should be used for cleaning it.

In addition, to avoid damaging the surface, do not use:

1. sponges or scourers that could cause irreversible scratches and abrasions;
2. aggressive chemicals;
3. cleaning products based on ammonia, bleach or chlorine.

LACQUERED SURFACES

Daily cleaning and maintenance of the lacquered surfaces of the drawer unit.

To maintain lacquered surfaces for as long as possible and in the best possible condition, proceed as follows:

1. Treat the stain promptly, allowing it to remain in contact with the surface for as little time as possible.
2. Only use a moistened microfibre cloth, white if possible. Do not use sponges or rags that could scratch the surface.
3. Use a NON-abrasive, neutral liquid soap solution, Marseille soap is particularly suitable. Simply dilute a few flakes in a bowl with lukewarm water, lightly dampen the cloth and wipe the surface.
4. After wiping, it is best to rinse and dry quickly, taking care to use a dry cloth different from the one used for cleaning. Air drying is not recommended because halos or traces of water may remain.
5. Do not use organic solvents such as acetone and alcohol, do not use detergents containing strong acids, kitchen detergents and substances containing ammonia, trichloroethylene and bleach.

TABLES

Iron and steel table structures are designed to ensure durability and strength over time. To keep them in excellent condition and prevent premature wear, it is essential to follow a few simple maintenance and cleaning guidelines

ROUTINE CLEANING

For daily cleaning, simply:

Use a soft microfibre cloth or a damp sponge with lukewarm water and a neutral detergent. Always dry with a soft, dry cloth to prevent streaks or limescale buildup. Avoid using:
Abrasive sponges or metal scouring pads, as they can scratch the surface.

Products containing ammonia, bleach, chlorine, or aggressive solvents, which may damage the finish. Only or wax-based cleaners that leave residues and alter the metal's appearance.

DEEP CLEANING

For stubborn dirt, grease stains, or difficult marks:

Grease or oil residues: Use a neutral degreasing cleaner, apply with a soft cloth, and rinse with clean water.

Limescale stains: For limescale deposits, a mild solution of water and white vinegar can be applied with a cloth and rinsed off immediately. Rust spots on painted iron: If small rust spots appear, gently treat them with a non-abrasive sponge and a specific anti-rust product, being careful not to damage the protective paint.

PREVENTION AND MAINTENANCE

Avoid prolonged exposure to moisture. In outdoor environments, always dry the surfaces after rain and ensure the support area does not retain water. For painted iron structures: Regularly check the surface for any scratches and restore the protective paint if needed. For stainless steel structures: Avoid prolonged contact with non-stainless steel objects to prevent galvanic corrosion.

Notes

CAUTION

Avoid accidental shocks that could result in chipping or irreversible damage. In the event of breakage, check that the structural parts are not damaged and, if necessary, discard the item.
Avoid any improper use of the items and their components. Some removable parts could be used as blunt objects.
Be careful: sharp edges and possible razor-sharp surfaces.

LAVABI IGIENIZZAZIONE

Le superfici in gres porcellanato sono estremamente facili da igienizzare, grazie alle caratteristiche fisico-meccaniche di questo materiale. Infatti, essendo prodotta ad altissime temperature, risulta totalmente priva di pori, fatto che impedisce a muffe e batteri di proliferare. È possibile utilizzare pertanto senza problemi prodotti igienizzanti ossia con una determinata concentrazione di sostanze in grado di eliminare germi e batteri dalle superfici, con la massima efficacia e senza temere di rovinare il materiale stesso.

PULIZIA ORDINARIA

Per la pulizia quotidiana è sufficiente utilizzare una spugna inumidita o un panno in microfibra con acqua calda e un comune detergente neutro* asciugando con un panno morbido. Per la rimozione di sporco accumulatosi negli angoli si suggerisce di strofinare con uno spazzolino con setole morbide non abrasive.

Evitare l'utilizzo di:

1. Prodotti con caratteristiche ceranti, ravvivanti, lucidanti, brillantanti;
2. Prodotti che contengono acido fluoridrico e suoi derivati;
3. Pagliette di metallo (spugnette di ferro e acciaio) o eccessivamente abrasive.

ATTENZIONE: Il gres porcellanato non richiede l'applicazione di cere o di detergenti con additivi lucidanti anche quando ha una superficie lucida/lappata.

*tipo Clean Universal della Faber Chimica oppure Fila Clean&Shine per mercato IT - Fila Cleanall per mercato USA - Fila Brio per tutti gli altri mercati.

PULIZIA STRAORDINARIA

Nel caso di macchie ostinate, non rimovibili con la pulizia ordinaria, si suggerisce di utilizzare detergenti a base alcalina* per caffè, succhi di frutta, vino, inchiostro, ed ecc...
detergenti a base acida** nel caso di residui di calcare (o ruggine) utilizzare detergenti specifici per la rimozione di residui di sigillanti siliconici***

*tipo Clean Degreaser - Deep Degreaser della Faber Chimica oppure Fila Powerclean per mercato IT - Fila Hobby per gli altri mercati.

**tipo Clean Limescale - Tile Cleaner della Faber Chimica oppure Fila Deepclean per il mercato IT - Fila Via Bagno per gli altri mercati.

***tipo Epoxy Cleaner della Faber Chimica oppure Fila Zerolis.

SUPERFICI IN ACCIAIO

L'acciaio inox è un materiale estremamente resistente e non è soggetto all'azione corrosiva dell'ossidazione.

Tuttavia per la pulizia è opportuno adoperare prodotti specifici.

Inoltre per evitare il danneggiamento della superficie non utilizzare:

1. spugne o pagliette metalliche che potrebbero generare graffi ed abrasioni irreversibili;
2. sostanze chimiche aggressive;
3. prodotti per la pulizia a base di ammoniaca, candeggina o cloro.

SUPERFICI LACCATE

Pulizia e manutenzione quotidiana delle superfici laccate della cassetteria. Per conservare le superfici laccate per il maggior tempo e nella migliore condizione possibile, è necessario rispettare e seguire i seguenti punti:

1. Agire tempestivamente sulla macchia, lasciando che questa rimanga il minor tempo possibile a contatto con la superficie;
2. Utilizzare esclusivamente un panno in microfibra inumidito, possibilmente bianco. Non utilizzare spugne o stracci che potrebbero graffiare la superficie;
3. Utilizzare una soluzione di sapone liquido neutro NON abrasivo. Particolarmente indicato è il Sapone di Marsiglia, sarà sufficiente diluire alcune scaglie in una bacinella d'acqua tiepida, bagnare leggermente il panno e passarlo sulla superficie;
4. Dopo aver passato il panno, è bene procedere con le operazioni di risciacquo e asciugatura in maniera rapida, avendo cura di usare un panno asciutto diverso da quello utilizzato per la pulizia. L'asciugatura all'aria è sconsigliata perché potrebbero rimanere aloni o tracce di acqua; Non usare solventi organici come acetone ed alcool, non usare detergenti contenenti acidi forti, detergenti per cucina e sostanze contenenti ammoniaca, trielina e candeggina.

TAVOLI

Le strutture dei tavoli in ferro e acciaio sono progettate per garantire durata e resistenza nel tempo. Per mantenerle in condizioni eccellenti e prevenire un'usura prematura, è essenziale seguire alcune semplici linee guida per la manutenzione e la pulizia.

PULIZIA DI ROUTINE

Per la pulizia quotidiana, è sufficiente:

Utilizzare un panno morbido in microfibra o una spugna umida con acqua tiepida e un detergente neutro. Asciugare sempre con un panno morbido e asciutto per evitare aloni o accumuli di calcare. Evitare l'uso di:
Spugne abrasive o pagliette metalliche, che possono graffiare la superficie. Prodotti contenenti ammoniaca, candeggina, cloro o solventi aggressivi, che possono danneggiare la finitura. Detergenti oleosi o a base di cera, che lasciano residui e alterano l'aspetto del metallo.

PULIZIA PROFONDA

Per sporco ostinato, macchie di grasso o segni difficili:

Residui di grasso o olio: Usare un detergente sgrassante neutro, applicare con un panno morbido e risciacquare con acqua pulita.
Macchie di calcare: Per depositi di calcare, si può applicare una soluzione delicata di acqua e aceto bianco con un panno e risciacquare immediatamente. Macchie di ruggine su ferro verniciato: Se compaiono piccole macchie di ruggine, trattarle delicatamente con una spugna non abrasiva e un prodotto specifico antiruggine, facendo attenzione a non danneggiare la vernice protettiva.

PREVENZIONE E MANUTENZIONE

Evitare l'esposizione prolungata all'umidità. In ambienti esterni, asciugare sempre le superfici dopo la pioggia e assicurarsi che l'area di appoggio non trattienga acqua. Per strutture in ferro verniciato: Controllare periodicamente la superficie per eventuali graffi e ripristinare la vernice protettiva se necessario. Per strutture in acciaio inossidabile: Evitare il contatto prolungato con oggetti non in acciaio inox per prevenire la corrosione galvanica.

ATTENZIONE

Evitare urti accidentali che potrebbero provocare sbecature o lesioni non ripristinabili. In presenza di rotture verificare che le parti strutturali non siano compromesse e nel caso mettere fuori utilizzo l'oggetto.
Evitare qualsiasi uso improprio degli articoli e dei loro componenti. Alcune parti removibili potrebbero essere utilizzate come oggetti contundenti.
Prestare attenzione: spigoli acuminati e possibile presenza di superfici taglienti.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES



TECHNICAL
SPECIFICATIONS




Tratto

Signature Objects by **Piero Lissoni**




LIBRA **


T-Frame /
Mobile a T




L 900 mm | 35³/₈"
H 1100 mm | 43¹/₄"
D 300 mm | 11³/₄"




L 900 mm | 35³/₈"
H 1100 mm | 43¹/₄"
D 300 mm | 11³/₄"



L 900 mm | 35³/₈"
H 800 mm | 31¹/₂"
D 300 mm | 11³/₄"




L 900 mm | 35³/₈"
H 475 mm | 18³/₄"
D 300 mm | 11³/₄"




L 900 mm | 35³/₈"
H 775 mm | 30¹/₂"
D 300 mm | 11³/₄"

TORRE *


Wall I-Frame /
Scaffale da parete




L 300 mm | 11³/₄"
H 900 mm | 35³/₈"
D 300 mm | 11³/₄"



L 300 mm | 11³/₄"
H 600 mm | 23⁵/₈"
D 300 mm | 11³/₄"




L 300 mm | 11³/₄"
H 300 mm | 11³/₄"
D 300 mm | 11³/₄"



L 150 mm | 5⁷/₈"
H 900 mm | 35³/₈"
D 300 mm | 11³/₄"

Slim Wall I-Frame /
Scaffale sottile da parete

Ground I-Frame /
Scaffale da terra



L 300 mm | 11³/₄"
H 1200 mm | 47¹/₄"
D 300 mm | 11³/₄"

* **Items available from stock, subject to warehouse availability check. Customization not available.** / Articoli disponibili a stock, previa verifica della disponibilità in magazzino. Personalizzazione non disponibile.

** **Items available upon quotation. Customization of color and finish available on $\nless 6$ mm ceramic products.** / Articoli disponibili su quotazione. Possibilità di personalizzazione di colore e finitura su prodotti ceramici da $\nless 6$ mm.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES




TECHNICAL
SPECIFICATIONS



Tratto

OMEGA *** U-Shelf / Mensole a U




L 300 mm | 11³/₄"
H 120 mm | 4³/₄"
D 100 mm | 3⁷/₈"

L 600 mm | 23⁵/₈"
H 120 mm | 4³/₄"
D 100 mm | 3⁷/₈"

L 900 mm | 35³/₈"
H 120 mm | 4³/₄"
D 100 mm | 3⁷/₈"

LINEA ** T-Shelf / Scaffalatura a T



L 300 mm | 11³/₄"
H 50 mm | 2"
D 200 mm | 7⁷/₈"


L 600 mm | 23⁵/₈"
H 50 mm | 2"
D 200 mm | 7⁷/₈"

L 900 mm | 35³/₈"
H 50 mm | 2"
D 200 mm | 7⁷/₈"

L 1200 mm | 47¹/₄"
H 50 mm | 2"
D 200 mm | 7⁷/₈"

Depth: 20 cm / Profondità: 20 cm

ARCO * Bench / Panca



L 1200 mm | 47¹/₄"
H 420 mm | 16¹/₂"
D 420 mm | 16¹/₂"

Structure in RAL 7024 / Struttura in RAL 7024

L 1500 mm | 59"
H 420 mm | 16¹/₂"
D 420 mm | 16¹/₂"

Structure in RAL 7024 / Struttura in RAL 7024


L 1800 mm | 70⁷/₈"
H 420 mm | 16¹/₂"
D 420 mm | 16¹/₂"

* Items available from stock, subject to warehouse availability check. Customization not available. / Articoli disponibili a stock, previa verifica della disponibilità in magazzino. Personalizzazione non disponibile.

** Items available upon quotation. Customization of color and finish available on ± 6 mm ceramic products. / Articoli disponibili su quotazione. Possibilità di personalizzazione di colore e finitura su prodotti ceramici da ± 6 mm.

*** Made-to-order items. Customization of color and finish available on ± 6 mm ceramic products. / Articoli disponibili su ordinazione. Possibilità di personalizzazione di colore e finitura su prodotti ceramici da ± 6 mm.


QUADRO - 3D QUADRO * Tray / Vassoio



L 360 mm | 14¹/₈"
H 40 mm | 1⁵/₈"
D 360 mm | 14¹/₈"


L 250 mm | 9⁷/₈"
H 40 mm | 1⁵/₈"
D 250 mm | 9⁷/₈"

TRAMA ** Centerpiece / Centrotavola



L 740 mm | 29¹/₈"
H 30 mm | 1¹/₈"
D 480 mm | 18⁷/₈"

HASHTAG ** Flower Pot / Vaso da fiori




L 800 mm | 31¹/₂"
H 480 mm | 18⁷/₈"
D 240 mm | 9¹/₂"

L 400 mm | 15³/₄"
H 480 mm | 18⁷/₈"
D 400 mm | 15³/₄"

L 600 mm | 23⁵/₈"
H 420 mm | 16¹/₂"
D 600 mm | 23⁵/₈"

GIOTTO * Side Table / Tavolino




Ø 1200 mm | 47¹/₄"
H 160 mm | 6¹/₄"
Structure in RAL 7024 /
Struttura in RAL 7024

Ø 650 mm | 25⁵/₈"
H 250 mm | 9⁷/₈"
Structure in RAL 7024 /
Struttura in RAL 7024

Ø 450 mm | 17³/₄"
H 350 mm | 13³/₄"
Structure in RAL 7024 /
Struttura in RAL 7024


DISCO - 3D DISCO * Tray / Vassoio



Ø 360 mm | 14¹/₈"
H 40 mm | 1⁵/₈"

Ø 250 mm | 9⁷/₈"
H 40 mm | 1⁵/₈"

FILO ** Serving Board / Tagliere



Ø 300 mm | 11³/₄"
H 120 mm | 4³/₄"

Ø 220 mm | 8⁵/₈"
H 240 mm | 9¹/₂"

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES





TECHNICAL
SPECIFICATIONS





Tratto

CERAMIC AVAILABLE COLORS


For some products of **TORRE** and **ARCO** /
Per alcuni prodotti di **TORRE** e **ARCO**



IN COMBINATION WITH
Wood finish / Finitura in legno





IN COMBINATION WITH
Wood finish / Finitura in legno




▪ **ITEMS AVAILABLE FROM STOCK, SUBJECT TO WAREHOUSE AVAILABILITY CHECK. Customization not available.**
ARTICOLI DISPONIBILI A STOCK, PREVIA VERIFICA DELLA DISPONIBILITÀ IN MAGAZZINO. Personalizzazione non disponibile.

CERAMIC AVAILABLE COLORS


For **QUADRO**, **DISCO** and **GIOTTO** /
Per **QUADRO**, **DISCO** e **GIOTTO**



IN COMBINATION WITH
Wood finish / Finitura in legno



IN COMBINATION WITH
Wood finish / Finitura in legno



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA

TABLES

TRATTO

FACADES



TECHNICAL
SPECIFICATIONS





Facades

- ↔ BONDED FACADES
- ↔ VENTILATED FACADES

INDEX	≡
PRODUCT FINDER	>
SURFACE RANGE	>
COMPANY	>
COLLECTIONS	>
LARGE SIZES	>
SLABS FOR COUNTERTOPS & FURNITURE	>
FURNITURE	>
FACADES	>
BONDED FACADES VENTILATED FACADES	
TECHNICAL SPECIFICATIONS	>



Bonded facades

On plaster



Suitable thicknesses
± 6 mm
± 9 mm
± 12 mm


- 1 Stoneware cladding
- 2 Safety hook
- 3 Highly deformable adhesive
- 4 Masonry

On thermal coat



Suitable thicknesses
± 6 mm ⁽¹⁾

- 1 Stoneware cladding
- 2 Highly deformable adhesive
- 3 Structural plaster
- 4 Fiber glass mesh
- 5 Structural render
- 6 Insulating panel
- 7 Adhesive
- 8 Masonry




BONDED FACADES ON PLASTER

Porcelain panels are bonded directly to the outer plaster layer of the wall face using the double spreading method with the proper adhesive depending on the nature of the substrate, environmental conditions, and panel size. It is advisable to place metal hooks as an additional safety restraint, which will remain hidden behind the slab. These hooks are then mechanically attached to the wall.

FACCIAE INCOLLATE SU INTONACO

I pannelli in gres vengono incollati direttamente allo strato di intonaco esterno del paramento murario, adottando il metodo della doppia spalmatura con idoneo adesivo in funzione alla natura del sottofondo, delle condizioni ambientali e del formato del pannello. È consigliabile disporre ganci metallici, come ulteriore ritegno di sicurezza, che rimarranno nascosti dietro la lastra preventivamente lavorata. Tali ganci sono poi fissati meccanicamente alla parete.



BONDED FACADES ON THERMAL COAT

External vertical cladding system made by bonding the ceramic slabs to the insulating layer using the double spreading method with the proper adhesive depending on the nature of the substrate, environmental conditions, and panel size. Light colors with a solar reflectance index (SR) greater than 20% are recommended.

FACCIAE INCOLLATE SU CAPPOTTO TERMICO

Sistema di rivestimento verticale esterno realizzato incollando le lastre ceramiche allo strato di isolante, adottando il metodo della doppia spalmatura con idoneo adesivo in funzione alla natura del sottofondo, delle condizioni ambientali e del formato del pannello. Sono da privilegiare colori chiari con indice di riflettanza solare (SR) maggiore del 20%.

⁽¹⁾ However, we do not exclude the possibility of using thicker, larger slabs on insulating layers after further evaluation at the design stage or on-site surveys in the case of work on existing surfaces. – Non si esclude comunque la possibilità di incollare su isolante in facciata lastre di spessore e formato maggiori previa ulteriori valutazioni in fase di progetto o rilievi in sito in caso di interventi su esistente.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



BONDED FACADES
VENTILATED FACADES

TECHNICAL
SPECIFICATIONS



Ventilated facades*

With visible mechanical hooks



Suitable thicknesses
± 6 mm
± 9 mm
± 12 mm

- 1 Stoneware cladding
- 2 Clip hook
- 3 Insulating panel
- 4 Mullion
- 5 Brackets
- 6 Masonry



VENTILATED FACADES WITH VISIBLE MECHANICAL HOOKS

The attachment of the slabs is visible and done with steel clips, possibly painted in a color similar to the facing. The metal structure of the system consists of vertical mullions and brackets anchored to the wall of the building by appropriately sized dowels. The coupling system between bracket and upright ensures compliance with the designed geometric constraints while also allowing for minor adjustment during installation.

FACCIAE VENTILATE CON AGGANCI A VISTA MECCANICI

L'aggancio delle lastre è visibile e realizzato con clips di acciaio, eventualmente verniciate con un colore simile al paramento. La struttura metallica del sistema è composta da montanti verticali e staffe, ancorate alla parete portante dell'edificio mediante tasselli opportunamente dimensionati. Il sistema di aggancio tra staffa e montante permette di rispettare i vincoli geometrici progettati garantendo piccoli aggiustamenti in fase di posa.


With invisible mechanical hooks



Suitable thicknesses
± 9 mm
± 12 mm
± 20 mm



- 1 Stoneware cladding
- 2 Fasteners
- 3 Horizontal profile
- 4 Insulating panel
- 5 Mullion
- 6 Brackets
- 7 Masonry



VENTILATED FACADES WITH INVISIBLE MECHANICAL HOOKS

The attachment is concealed on the back of the slab by means of special steel inserts that fit into previously-made holes. The metal structure of the system consists of vertical mullions, horizontal beams, and brackets anchored to the wall of the building by appropriately sized dowels. The coupling system between bracket and upright ensures compliance with the designed geometric constraints while also allowing for minor adjustments during installation.

FACCIAE VENTILATE CON AGGANCI A SCOMPARSA MECCANICI


L'aggancio è occulto sul retro della lastra mediante speciali inserti di acciaio che si inseriscono in fori sottosquadro, precedentemente realizzati meccanicamente. La struttura metallica del sistema è composta da montanti verticali, correnti orizzontali e staffe, ancorate alla parete portante dell'edificio mediante tasselli opportunamente dimensionati. Il sistema di aggancio tra staffa e montante permette di rispettare i vincoli geometrici progettati garantendo piccoli aggiustamenti in fase di posa.

With invisible chemical-mechanical hooks



Suitable thicknesses
± 6 mm
± 9 mm
± 12 mm

- 1 Stoneware cladding
- 2 Horizontal profile
- 3 Insulating panel
- 4 Mullion
- 5 Brackets
- 6 Masonry



VENTILATED FACADES WITH INVISIBLE CHEMICAL-MECHANICAL HOOKS

For slabs less than 9 mm thick, the attachment system is not only mechanical but also chemical. Depending on the case, the bonding can be continuous and applied to a backing layer or directly to the metal profiles of the structure. The hybrid nature of the attachment thus provides greater safety than single-attachment techniques.

FACCIAE VENTILATE CON AGGANCI A SCOMPARSA CHIMICO-MECCANICI


Per lastre di spessore inferiore a 9 mm, il sistema di aggancio non sarà esclusivamente meccanico ma anche chimico. A seconda dei casi l'incollaggio può essere continuo e applicato ad uno strato di supporto oppure direttamente ai profili metallici della struttura. La natura ibrida dell'aggancio garantisce così maggior sicurezza rispetto ad agganci con tecnica di fissaggio singola.

With invisible hooks for slabs with incisions (kerf)



Suitable thicknesses
± 20 mm

- 1 Stoneware cladding
- 2 Clip hook
- 3 Insulating panel
- 4 Mullion
- 5 Brackets
- 6 Masonry



VENTILATED FACADES WITH INVISIBLE HOOKS FOR SLABS WITH INCISIONS (KERF)

For 20-mm-thick slabs, the concealed attachment system consists of clips inserted into an incision on the edge of the slabs, previously cut into the thickness along the parallel horizontal sides with respect to the orientation of the installation. The structure can be the same as the systems with visible fasteners.

FACCIAE VENTILATE CON AGGANCI A SCOMPARSA PER LASTRE INTAGLIATE (KERF)

Per lastre di spessore 20 mm il sistema di aggancio occulto è costituito da clips inserite in una incisione sulla costa delle lastre, preventivamente incise nello spessore lungo i lati paralleli orizzontali rispetto all'orientamento dell'installazione. La struttura può essere la stessa dei sistemi con aggancio a vista.



مختبر الإمارات للسلامة
EMIRATES SAFETY LABORATORY



* Technological exterior cladding systems consisting of a series of layers anchored to the building walls by a metal structure. A layer of thermal and acoustic insulation is usually applied directly on the wall, and then porcelain tile cladding is added externally. A hollow space is created between the two layers to ensure the breathability of the facade through continuous ventilation. - Sistemi tecnologici di rivestimento esterno costituiti da una serie di strati ancorati alle pareti dell'edificio mediante una struttura metallica. A contatto con la parete in genere è applicato uno strato di isolante termico ed acustico e più esternamente il rivestimento in gres porcellanato. Tra i due strati si crea un'intercapedine vuota che garantisce traspirazione della facciata mediante ventilazione continua.

Safety Requirements

Processing operations such as cutting, grinding and polishing may generate respirable crystalline silica dust.

- Do not handle until all safety precautions have been read, understood and implemented.
- Always use wet methods (apply water) during all fabrication and processing.
- Avoid generating airborne dust, especially without appropriate respiratory protective equipment and adequate air filtration and ventilation systems, which depend on the specific workplace conditions. Air monitoring should be conducted to ensure that respirable crystalline silica levels remain below applicable exposure limits.
- Consult local authorities and a qualified industrial hygienist to implement the required occupational safety measures in compliance with local legislation.
- Refer to the Safety Data Sheet of the product available at <https://www.atlasconcorde.com/en/download-area> for detailed precautions.

Le operazioni di lavorazione come il taglio, la levigatura e la lucidatura possono generare polvere di silice cristallina respirabile.

- Non maneggiare il materiale fino a quando tutte le precauzioni di sicurezza non sono state lette, comprese e implementate.
- Utilizzare sempre metodi a umido (applicare acqua) durante tutte le fasi di lavorazione e fabbricazione.
- Evitare di generare polvere aerea, specialmente senza un adeguato equipaggiamento di protezione respiratoria e sistemi adeguati di filtrazione e ventilazione dell'aria, che dipendono dalle condizioni specifiche del luogo di lavoro. È necessario effettuare monitoraggi dell'aria per garantire che i livelli di silice cristallina respirabile rimangano al di sotto dei limiti di esposizione applicabili.
- Consultare le autorità locali e un igienista industriale qualificato per implementare le misure di sicurezza sul lavoro richieste in conformità con la legislazione locale.
- Fare riferimento alla Scheda di Sicurezza del prodotto disponibile su <https://www.atlasconcorde.com/it/download-area> per le precauzioni dettagliate.

Les opérations de traitement telles que la découpe, le meulage et le polissage peuvent générer de la poussière de silice cristalline alvéolaire.

- Ne pas manipuler avant d'avoir lu, compris et appliqué toutes les précautions de sécurité.
- Utiliser toujours des méthodes humides (application d'eau) lors de toutes les étapes de fabrication et de traitement.
- Éviter de générer des poussières en suspension dans l'air, en particulier en l'absence d'un équipement de protection respiratoire approprié et de systèmes adéquats de filtration et de ventilation de l'air, dont l'efficacité dépend des conditions spécifiques du lieu de travail. Une surveillance de l'air doit être effectuée afin de s'assurer que les niveaux de silice cristalline alvéolaire restent inférieurs aux limites d'exposition applicables.
- Consulter les autorités locales ainsi qu'un hygiéniste industriel qualifié pour mettre en oeuvre les mesures de sécurité au travail requises conformément à la législation locale.
- Se référer à la fiche de données de sécurité du produit disponible sur <https://www.atlasconcorde.com/fr/download-area> pour connaître les précautions détaillées.

Bearbeitungen wie das Schneiden, Schleifen und Polieren können lungengängigen Staub aus kristallinem Siliciumdioxid entstehen lassen.

- Das Material darf erst dann verarbeitet werden, wenn alle Vorsichtsmaßnahmen gelesen, verstanden und umgesetzt wurden.
- In allen Bearbeitungs- und Fertigungsphasen stets Nassverfahren (mit Wasser) anwenden.
- Die Entstehung von Staub in der Luft vermeiden, insbesondere dann, wenn keine geeignete Atemschutzausrüstung und keine angemessenen Luftfilter- und Belüftungssysteme zum Einsatz kommen, die von den spezifischen, am Arbeitsplatz herrschenden Bedingungen abhängen. Die Luft muss kontrolliert werden, um sicherzustellen, dass die Konzentration an lungengängigem kristallinem Siliciumdioxid unter den zulässigen Expositionsgrenzen bleibt.
- Wenden Sie sich an die örtlichen Behörden und einen qualifizierten Arbeitshygieniker, um die gemäß den örtlichen Vorschriften erforderlichen Arbeitsschutzmaßnahmen umzusetzen.
- Genauere Vorsichtsmaßnahmen finden Sie im Sicherheitsdatenblatt des Produkts unter <https://www.atlasconcorde.com/de/download-area>

Las operaciones como el corte, esmerilado y pulido pueden generar polvo de sílice cristalina respirable.

- No manipule el producto hasta haber leído, comprendido y aplicado todas las precauciones de seguridad correspondientes.
- Utilice siempre métodos húmedos (aplicación de agua) durante todas las fases de trabajo.
- Evite generar polvo en suspensión, especialmente si no se dispone de equipos de protección respiratoria y sistemas de ventilación/filtración adecuados, cuya idoneidad debe evaluarse según las condiciones específicas del entorno laboral. Se debe realizar un control de calidad del aire para asegurar que los niveles de exposición a la sílice cristalina respirable se mantengan por debajo de los límites permitidos.
- Consulte con las autoridades locales y con un higienista industrial cualificado para implementar las medidas de seguridad necesarias conforme a la normativa local.
- Consulte la Ficha de Datos de Seguridad del producto en: <https://www.atlasconcorde.com/es/download-area> para obtener detalles adicionales sobre medidas de seguridad.

Такие операции обработки материала, как резка, шлифовка и полировка могут приводить к появлению вдыхаемой пыли кристаллического кремния.

- Не работайте с материалом до тех пор, пока все меры безопасности не будут прочитаны, усвоены и внедрены.
- На всех этапах обработки и производства всегда используйте влажные методы (применяйте воду).
- Избегайте образования воздушной пыли, в особенности при отсутствии надлежащих средств защиты дыхательных путей, а также подходящих систем фильтрации и вентиляции воздуха, которые зависят от специальных условий на рабочем месте. Для того чтобы уровни содержания кристаллического кремния во вдыхаемом воздухе находились ниже применимых предельных значений, необходимо осуществлять мониторинг воздуха.
- Обращайтесь в местные органы власти и к квалифицированному специалисту по промышленной гигиене касаямо вопроса внедрения мер безопасности на рабочем месте, требуемых местным законодательством.
- Подробно о мерах предосторожности изложено в паспорте безопасности изделия, с которым можно ознакомиться, перейдя по ссылке <https://www.atlasconcorde.com/ru/download-area>.

Technical Specifications

- ↔ VELVETECH
- ↔ SENSITECH
- ↔ CERTIFICATIONS
- ↔ TECHNICAL SPECIFICATION
- ↔ DESTINATIONS OF USE
- ↔ COLOR-SHADING
- ↔ LAYING SUGGESTIONS - CLEANING AND MAINTENANCE
- ↔ PACKING
- ↔ GENERAL CONDITIONS OF SALE

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS




Velvetech

The advanced technology patented in Italy,
inspired by the art of polishing surfaces for an impeccable smooth touch



PRECAUTIONS VELVETECH



SURFACE FEATURES

- Velvet is a delicate surface that requires proper care.
- Velvet is a surface that features irregularities, streaks, and superficial halos, particularly visible under oblique or reflected light.
- The Velvet finish may show noticeable marks, caused primarily by contact with metal objects (e.g. metal legs of chairs and furniture) and other abrasive materials. To best protect and preserve it, it is essential to follow the cleaning and maintenance guidelines

CARATTERISTICHE DELLA SUPERFICIE

- Velvet è una superficie delicata che merita attenzione.
- Velvet è una superficie che presenta irregolarità, screziature e alonature superficiali, visibili soprattutto alla luce radente.
- La finitura Velvet può mostrare segni particolarmente evidenti sulla superficie, causati soprattutto dal contatto con oggetti metallici (es. piedini in metallo di sedie e mobili) e altri materiali abrasivi. Per preservarla al meglio, è fondamentale seguire le indicazioni di pulizia e manutenzione.




DAILY CLEANING & CARE

- Do not use detergents with waxing, polishing, or shining properties.
- Do not use steel wood pads or excessively abrasive materials.
- Clean with a damp cloth and diluted neutral detergent, or use a scrubber dryer with soft nylon brushes for large areas, following the manufacturer's instructions.
- Periodic cleaning with a melamine brush and diluted alkaline detergent is recommended, following the manufacturer's instructions.
- In humid environments or those with organic residues (e.g., limescale or staining agents), use an acid-based detergent and rinse thoroughly, following the manufacturer's instructions.
- In spaces with outdoor exposure, use mats or dirt-trapping devices to retain moisture and dust.
- Apply protective pads to movable elements in contact with the surface (e.g., furniture and chair legs, etc.).
- During installation, use leveling spacers with anti-scratch pads.

PULIZIA E CURA QUOTIDIANA

- Non utilizzare detergenti con proprietà ceranti, brillantanti e lucidanti.
- Non utilizzare pagliette in metallo o eccessivamente abrasive.
- Pulire con panno umido e detergente neutro in soluzione diluita o lavasciuga con spazzole in nylon morbide per grandi superfici, seguendo le istruzioni del produttore.
- È consigliato effettuare periodicamente una pulizia con spazzola melaminica con detergente alcalino diluito, seguendo le istruzioni del produttore.
- In ambienti umidi o con residui organici (esempio: calcare o agenti macchianti) utilizzare un detergente a base acida, seguendo le istruzioni del produttore, ed eseguire un abbondante risciacquo.
- In ambienti a contatto con l'esterno, utilizzare tappeti o dispositivi assorbenti sporco per trattenere umidità e polvere.
- Applicare protezioni agli elementi mobili a contatto con la superficie (Esempio: piedini di arredi di mobili, sedie etc.).
- Utilizzare distanziatori livellanti con pedane anti-graffio durante la posa.



INDICATIONS OF USE

- Recommended for low-traffic flooring, preferably for residential use (e.g., bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.).
- Not recommended for flooring where anti-slip performance is required.
- Recommended for flooring with a coefficient of friction (DCOF) >0.42 Wet (ANSI A326.3).
- Please note that the indication for use is purely indicative, and it is always the designer's responsibility to assess the suitability of the product for specific use conditions and local regulations, taking into account the variables of the intended environment.

INDICAZIONI D'USO

- Consigliata per pavimenti a basso traffico, preferibilmente ad utilizzo residenziale (Esempio: Camere da letto, soggiorni, studi, cucine private, bagni privati, etc.).
- Non consigliata per pavimenti dove è richiesta resistenza antiscivolo.
- Consigliata per pavimenti con grado di coefficiente di attrito di DCOF (ANSI A326.3) >0,42Wet.
- Si rammenta che l'indicazione d'uso è da ritenersi puramente indicativa e che è sempre compito del progettista valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo e alle norme locali in funzione delle variabili che si possono verificare nell'ambiente di destinazione.



CLEANING & MAINTENANCE AFTER LAYING

- Always perform a preliminary cleaning test, regardless of the grout used (cementitious grout, class CG-EN 13888 in contrast or epoxy grout, class RG-EN 13888).
- For cementitious grout, use a buffered acid cleaner and rinse thoroughly, following the manufacturer's instructions.
- For epoxy grouts, remove residues before they harden and use specific cleaners, following the manufacturer's instructions.

PULIZIA E MANUTENZIONE DI FINE CANTIERE

- Eseguire sempre una prova di pulizia preliminare, qualsiasi sia lo stucco utilizzato (stucco cementizio classe CG-EN 13888 a contrasto o stucco epossidico classe RG-EN 13888).
- In caso di stucchi cementizi, utilizzare un detergente acido tamponato poi risciacquare abbondantemente, seguendo le istruzioni del produttore.
- In caso di stucchi epossidici, rimuovere i residui prima che si induriscano e utilizzare pulitori specifici, seguendo le istruzioni del produttore.

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE




FACADES




TECHNICAL
SPECIFICATIONS



Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa, in Russia e negli Stati Uniti. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.



Certifications

Ratings and memberships



Product certifications / Certificazioni di prodotto



Certifications for export to international markets*




Company certifications / Certificazioni aziendali



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

* Valid certification for porcelain tile and wall tiles. - Certificazione valida per prodotti in gres porcellanato e rivestimenti.

• Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilità d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране. (1)

(1) Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/fr-FR/holderdetails?UId=ETB-2094&AppRef=QB32>

(2) Per ulteriori informazioni sulle collezioni "in via di certificazione" scrivere a france@atlasconcorde.it - Pour toute information complémentaire concernant les collections « en cours de certification », merci d'écrire à france@atlasconcorde.it

(3) All Atlas Concorde porcelain tiles and wall tiles products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings. - Tutti i prodotti Atlas Concorde in gres porcellanato e in monoporosa possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.

Porcelain Tiles

Technical Specification

Complies with	EN 14411 (ISO 13006)	Appendix	G	Group	Bla
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	G	Gruppo	Bla
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	G	Groupe	Bla
Entsprechend	EN 14411 (ISO 13006)	Anhang	G	Gruppe	Bla
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	G	Grupo	Bla
Соответствует норме	EN 14411 (ISO 13006)	Приложение	G	Группа	Bla

- (*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
- (**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
- (***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.
- (****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.
- c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
- e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
- w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
- (1) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
- (2) **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
- (3) **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations."**
- (4) **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
- (5) **Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.**

Technical feature symbols

Regularity characteristics Caratteristiche di regolarità Caractéristiques de régularité Regelmäßigkeit Características de regularidad Свойства правильности	ISO 10545-2		Length and width / Lunghezza e larghezza / Longuer et largeur / Länge und Breite / Longitud y anchura / Размеры сторон (*) Thickness / Spessore / Epaisseur / Stärke / Grosor / Толщина (**) Straightness of sides / Rettilineità degli spigoli Rectitude des arêtes / Kantengeradheit / Rectilíneidad de las aristas / Кривизна сторон (***) Rectangularity / Ortogonalità / Orthogonalité / Rechtwinkligkeit / Ortogonalidad / Косоугольность (****) (Measurement only on short edges when L/l ≥ 3) (Misurazione da condurre solo sui lati corti quando L/l ≥ 3) (Ne mesurez que les côtés courts lorsque L/l ≥ 3) (Messung nur an den kurzen Seiten, wenn L/l ≥ 3) (Medir solo en los lados cortos cuando L/l ≥ 3) (Измерение проводится только на короткой грани, когда L/l ≥ 3)
			Surface flatness / Planarità Planimetrie / Ebenflächigkeit / Planaridad / Кривизна лицевой поверхности c.c. e.c. ws.
			Water absorption (in % by mass) / Massa d'acqua assorbita (come % della massa) Masse d'eau absorbée (en % de la masse) / Aufgenommene Wassermasse (in % der Masse) / Peso de agua absorbida (como % de la masa) / Водопоглощение (% от массы)
			Breaking strength / Sforzo di rottura Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом Modulus of rupture / Resistenza alla flessione Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу
Structural characteristics Caratteristiche strutturali Caractéristiques structurales Strukturelle Eigenschaften Características estructurales Конструктивные свойства	ISO 10545-3		Water absorption (in % by mass) / Massa d'acqua assorbita (come % della massa) Masse d'eau absorbée (en % de la masse) / Aufgenommene Wassermasse (in % der Masse) / Peso de agua absorbida (como % de la masa) / Водопоглощение (% от массы)
	ASTM C373-18		
Bulk mechanical characteristics Caratt. meccaniche massive Caractéristiques mécaniques massiques Mechanische Eigenschaften des Scherben Características mecánicas Механические свойства массы	ISO 10545-4		Breaking strength / Sforzo di rottura Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом Modulus of rupture / Resistenza alla flessione Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу
	EN 1339 Annex F		Bending strength and breaking load / Resistenza a flessione e al carico di rottura Résistance à la flexion et à la charge de rupture / Biege- und Bruchfestigkeit Extraordinaria resistencia a la flexión y a la carga de rotura / Предел прочности при изгибе и разрушающая нагрузка (4)(5)
	ISO 10545-5		Impact resistance, as coefficient of restitution / Resistenza all'impatto, espresso come coefficiente di restituzione Résistance au choc, par mesurage du coefficient de restitution / Schlagzähigkeit, ausgedrückt als Restitutionskoeffizient Resistencia al impacto, expresada como coeficiente de restitución / Ударопрочность, выраженная коэффициентом восстановления
Surface mechanical characteristics Caratt. meccaniche superficiali Caractéristiques mécaniques superficielles Mechanische Eigenschaften der Oberfläche Características mecánicas superficiales Поверхностные механические свойства	ISO 10545-6		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) Résistance à l'abrasion profonde des carreaux non émaillés (volume du matériau retiré) Widerstand gegen Tiefenverschleiß von unglasierten Fliesen (Materialabtrag bzw. Volumenverlust) Resistencia a la abrasión profunda de las baldosas no esmaltadas (volumen material extraído) Стойкость к глубокому истиранию неглазурованных плиток (объем удаленного материала)
	ISO 10545-8		Coefficient of thermal linear expansion / Coefficiente di dilatazione termica lineare Coefficient de dilatation thermique linéique / Lineare thermische Dehnung Coeficiente de dilatación térmica lineal / Коэффициент линейного расширения
	ISO 10545-9		Thermal shock resistance / Resistenza agli sbalzi termici Résistance aux écarts de température / Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura / Устойчивость к перепаду температур
Thermal and hygrometric characteristics Caratt. termo-igrometriche C. thermiques et hygrométriques Thermo-hygrometrische Eigenschaften Características termohigrométricas Тепловые и гигрометрические свойства	ISO 10545-10		Moisture expansion (in mm/m) / Dilatazione all'umidità (in mm/m) Dilatation à l'humidité (en mm/m) / Feuchtheitigkeitsausdehnung (in mm/m) Dilatación por la humedad (en mm/m) / Расширение под воздействием влаги (в мм/м)
	ISO 10545-12		Frost resistance / Resistenza al gelo Résistance aux gel / Frostbeständigkeit / Resistencia a las heladas / Морозоустойчивость
	ISO 10545-13		Bond strength/adhesion for improved cementitious adhesives / Adesione a trazione con adesivi cementizi migliorati Adhérence par traction avec des ciments-colle améliorés / Scherfestigkeit mit verbesserten zementhaltigen Klebern Adherencia a tracción con adhesivos cementosos mejorados Прочность на растяжение при приклеивании улучшенными цементными клеями
Physical properties Proprietà fisiche Propriétés physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики	EN 12004-2		Reaction to fire / Reazione al fuoco Réaction au feu / Brandverhalten / Reacción al fuego / Огнестойкость
	-		
	-		
Chemical characteristics Caratteristiche chimiche Caractéristiques chimiques Chemische Eigenschaften Características químicas Химические свойства	ISO 10545-13		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscine Beständigkeit gegen Haushaltschemikalien und Badewasserzusätze Resistencia a los productos químicos de uso doméstico / Стойкость к химикатам, используемым в быту и для бассейнов
	ISO 10545-13		Resistance to low concentrations of acids and alkalis / Resistenza a basse concentrazioni di ACIDI e ALCALI Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de baja concentración / Сопротивление кислотам и щелочам низкой концентрации
	ISO 10545-13		Resistance to high concentrations of acids and alkalis / Resistenza ad alte concentrazioni di ACIDI e ALCALI Résistance aux acides et aux alcalis à haute concentration / Beständigkeit gegen hochkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de alta concentración / Сопротивление кислотам и щелочам низкой концентрации
Safety characteristics Caratteristiche di sicurezza Caractéristiques de sécurité Sicherheitsmerkmale Características de seguridad Характеристики безопасности	ISO 10545-14		Resistance to staining, for unglazed tiles / Resistenza alle macchie per piastrelle non smaltate Résistance aux taches pour carreaux non émaillés / Widerstand gegen Fleckenbildung für unglasierte Fliesen / Resistencia a las manchas para azulejos no esmaltados / Устойчивость к загрязнению, для неглазурованных плиток
	DIN EN 16165 ANNEX B (EX DIN 51130)		Shod Ramp Test / Metodo della rampa "calzato" / Test de la rampe « chaussé » / Rampenmethode mit Schuhen Método de la rampa "calzado" / Метод наклонной плоскости (в обуви)
	DIN EN 16165 ANNEX A (EX DIN 51097)		Barefoot Ramp Test Metodo della rampa a piedi nudi / Test de la rampe à pieds nus / Rampenmethode barfuß Método de la rampa a pies descalzos / Метод наклонной плоскости (босыми ногами) (1)(2)
Safety characteristics Caratteristiche di sicurezza Caractéristiques de sécurité Sicherheitsmerkmale Características de seguridad Характеристики безопасности	BS EN 16165 ANNEX C (EX BS 7976)		Pendulum Friction Test / Metodo del Pendolo Méthode du Pendule / Pendelmethode / Método del péndulo / Метод маятника (1)(2)
	AS 4586		
	UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)		Coefficient of friction (COF) / Coefficiente di attrito Coefficient de frottement / Reibungskoeffizient / Coeficiente de roce / Коэффициент трения (1)(2)
Safety characteristics Caratteristiche di sicurezza Caractéristiques de sécurité Sicherheitsmerkmale Características de seguridad Характеристики безопасности	B.C.R.A. Rep. CEC/81		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico Coefficient de frottement dynamique / Dynamischer Reibungskoeffizient / Coeficiente de roce dinámico (1)(2)(3)
	ANSI A 326,3		

Technical features - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Porcelain tiles technical features

Porcelain tiles technical features			Requirements for nominal size: N Requisiti per dimensione nominale N			BOOST						
			7 cm ≤ N < 15 cm		N ≥ 15 cm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm			
			(mm)	(%)	(mm)							
Regularity characteristics		Length and width Lunghezza e larghezza	ISO 10545-2	± 0.9 (*) Non-rect. ± 0.4 (*) Rect.	± 0.6 (*) Non-rect. ± 0.3 (*) Rect.	± 2.0 (*) Non-rect. ± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
		Thickness Spessore		± 0.5 (**)	± 5 (**)	± 0.5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
		Straightness of sides Rettilineità degli spigoli		± 0.8 (***) Non-rect. ± 0.4 (***) Rect.	± 0.5 (***) Non-rect. ± 0.3 (***) Rect.	± 1.5 (***) Non-rect. ± 0.8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0.8 (****) Non-rect. ± 0.4 (****) Rect.	± 0.5 (****) Non-rect. ± 0.3 (****) Rect.	± 2.0 (****) Non-rect. ± 1.5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
		Surface flatness Planarità		c.c. ± 0.8 Non-rect. c.c. ± 0.6 Rect.	c.c. ± 0.5 Non-rect. c.c. ± 0.4 Rect.	c.c. ± 2.0 Non-rect. c.c. ± 1.8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme		
				e.c. ± 0.8 Non-rect. e.c. ± 0.6 Rect.	e.c. ± 0.5 Non-rect. e.c. ± 0.4 Rect.	e.c. ± 2.0 Non-rect. e.c. ± 1.8 Rect.						
Structural characteristics		Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _s ≤ 0.5% Individual max 0.6% E _s ≤ 0.5% Valore max singolo 0.6%			≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %		
			ASTM C373-18	Requirement ANSI A137.1 Water Absorption Max ≤ 0.5%			≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	≤ 0.5 %		
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N		
		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²				
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)/(5)	EN 1339 Annex F	-			-	-	-	≥ T11 120x120 60x60	≥ U11 80x80	≥ U4 60x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55		
Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³		
Thermal and hygrometric characteristics		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹		
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste		
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)		
		Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste		
Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)		
		Reaction to fire Reazione al fuoco	-	Class A1 or A1 _{fl} Classe A1 oppure A1 _{fl}			A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}		
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A		
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA		
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA		
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5		
Safety characteristics (1)/(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	R11	R11		
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	B	C	C		
			BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet		
		Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(●●)	Class P3	Class P4	Class P4		
			UNE EN 16165 ANNEX C (EX UNE 41901 EX.2017)	Declared value Valore dichiarato			(●●●)	Class C2	Class C3	Class C3		
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato		
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			wet DCOF ≥ 0.42	wet DCOF ≥ 0.50	wet DCOF ≥ 0.55	wet DCOF ≥ 0.55		

[illegible]

Porcelain tiles technical features

Porcelain tiles technical features				Requirements for nominal size N Requisiti per dimensione nominale N			BOOST MINERAL				BOOST MIX			
				7 cm ≤ N < 15 cm		N ≥ 15 cm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	
				(mm)	(%)	(mm)								
Regularity characteristics		Length and width Lunghezza e larghezza	ISO 10545-2	± 0.9 (*) Non-rect. ± 0.4 (*) Rect.	± 0.6 (*) Non-rect. ± 0.3 (*) Rect.	± 2.0 (*) Non-rect. ± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Thickness Spessore		± 0.5 (**)	± 5 (**)	± 0.5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Straightness of sides Rettilineità degli spigoli		± 0.8 (***) Non-rect. ± 0.4 (***) Rect.	± 0.5 (***) Non-rect. ± 0.3 (***) Rect.	± 1.5 (***) Non-rect. ± 0.8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0.8 (****) Non-rect. ± 0.4 (****) Rect.	± 0.5 (****) Non-rect. ± 0.3 (****) Rect.	± 2.0 (****) Non-rect. ± 1.5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Surface flatness Planarità		c.c. ± 0.8 Non-rect. c.c. ± 0.6 Rect.	c.c. ± 0.5 Non-rect. c.c. ± 0.4 Rect.	c.c. ± 2.0 Non-rect. c.c. ± 1.8 Rect.	Suitable for Conforme	Not applicable to "strong" structures Non applicabile a strutture forti			Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		e.c. ± 0.8 Non-rect. e.c. ± 0.6 Rect.	e.c. ± 0.5 Non-rect. e.c. ± 0.4 Rect.	e.c. ± 2.0 Non-rect. e.c. ± 1.8 Rect.										
Structural characteristics		Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0.5% Individual max 0.6% E _v ≤ 0.5% Valore max singolo 0.6%			≤ 0.1%	≤ 0.1%	≤ 0.1%	≤ 0.1%	≤ 0.1%	≤ 0.1%	≤ 0.1%	
			ASTM C373-18	Requirement ANSI A137.1 Water Absorption Max ≤ 0.5%			≤ 0.5%	≤ 0.5%	≤ 0.5%	≤ 0.5%	≤ 0.5%	≤ 0.5%	≤ 0.5%	
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	≥ T11 120x120 60x60	≥ U4 60x120 60x90	-	-	-
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	
Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	
		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	
Thermal and hygrometric characteristics		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	
		Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	
Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	
		Reaction to fire Reazione al fuoco	-	Class A1 or A1 _{fl} Classe A1 oppure A1 _{fl}			A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}	
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	A	A	A	
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA	LA	LA	LA	
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA	HA	HA	HA	
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5	5	5	5	
Safety characteristics (1)(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	R11		R9	R10	R11	
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	B	C	C	A	B	C	
			BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			●	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	●	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	
		Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			●●	Class P3	Class P4	Class P4	●●	Class P3	Class P4	
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	Declared value Valore dichiarato			●●●	Class C2	Class C3	Class C3	●●●	Class C2	Class C3	
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ>0.40 per elemento scivolante cuolo su pavimentazione asciutta μ>0.40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato	
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			wet DCOF ≥ 0.42	wet DCOF ≥ 0.50	wet DCOF ≥ 0.55	wet DCOF ≥ 0.55	wet DCOF ≥ 0.42	wet DCOF ≥ 0.50	wet DCOF ≥ 0.55	

BOOST MIX	BOOST NATURAL				BOOST NATURAL PRO				BOOST PRO				BOOST STONE				
Outdoor Sensitech ± 20 mm	Matte ± 6 mm (1)	Matte Sensitech ± 9 mm (1)	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Velvet Velvetch ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	S				

Porcelain tiles technical features

			Requirements for nominal size N Requisiti per dimensione nominale N			BOOST VISION				BRAVE				
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm			
			(mm)	(%)	(mm)									
Regularity characteristics		Length and width Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme			
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme			
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme			
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme			
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Not applicable to 'strong' structures Non applicabile a strutturati forti			
				e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.								
Structural characteristics		Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0,5% Individual max 0,6% E _v ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %			
		ASTM C373-18	Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %			
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N		
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²		
			Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	EN 1339 Annex F	-			-	-	-	≥ T11 120x120 80x80	≥ U4 60x120	-	-
			Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³		
Thermal and hygrometric characteristics		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹		
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste		
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)		
		Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste		
		Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)
Reaction to fire Reazione al fuoco	-			Class A1 or A ₁ Classe A1 oppure A ₁			A1 - A ₁	A1 - A ₁	A1 - A ₁	A1 - A ₁	A1 - A ₁	A1 - A ₁		
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	A	A		
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA	LA	LA		
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA	HA	HA		
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5	5	5		
Safety characteristics (1)(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	R11	R11	R10	R11		
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	B	C	C	B	C		
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			●	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet		
			AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			●●	Class P3	Class P4	Class P4	Class P3	Class P4		
			UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			●●●	Class C2	Class C3	Class C3	Class C2	Class C3		
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato		
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55		

BRAVE		ENTICE				ETIC	ETIC PRO		EXENCE			HEARTWOOD	LIMS		
Outdoor <i>Sensitech</i> ± 20 mm	Matte (Natural) <i>Sensitech</i> ± 9 mm	Matte (Elegant) ± 9 mm	Grip <i>Sensitech</i> ± 9 mm	Outdoor <i>Sensitech</i> ± 20 mm	Matte ± 9 mm	Matte (Elegant) ± 9 mm	Outdoor <i>Sensitech</i> ± 20 mm	Matte <i>Sensitech</i> ± 9 mm	Grip <i>Sensitech</i> ± 9 mm	Outdoor <i>Sensitech</i> ± 20 mm	Matte <i>Sensitech</i> ± 9 mm	Matte ± 6 mm	Matte <i>Sensitech</i> ± 9 mm	Outdoor <i>Sensitech</i> ± 20 mm	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Not applicable to ‘strong’ structures Non applicabile a strutturati forti	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Not applicable to ‘strong’ structures Non applicabile a strutturati forti	Suitable for Conforme	Suitable for Conforme	Not applicable to ‘strong’ structures Non applicabile a strutturati forti	Suitable for Conforme	Suitable for Conforme	Not applicable to ‘strong’ structures Non applicabile a strutturati forti	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Not applicable to ‘strong’ structures Non applicabile a strutturati forti	
≤ 0,1 %	≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	
≤ 0,5 %	≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	
S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	
R ≥ 45 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	
≥ T11 60x60 ≥ U4 60x120	-	-	-	≥ U3 30x120	-	-	≥ U3 30x120	-	-	≥ U3 30x120	-	-	-	≥ T11 60x60 ≥ U4 60x120	
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	
≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	
≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	
Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	
Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	
≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	
A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	A1 - A _{1s}	
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
R11	R10	R9	R11	R11	R9	R9	R11	R10	R11	R11	R10	R9	R10	R11	
C	B	A	C	C	A	A	C	B	C	C	B	A	B	C	
≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	●	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	●	●	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	●	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	
Class P4	Class P3	●●	Class P4	Class P4	●●	●●	Class P4	Class P3	Class P4	Class P4	Class P3	●●	Class P3	Class P4	
Class C3	Class C2	●●●	Class C3	Class C3	●●●	●●●	Class C3	Class C2	Class C3	Class C3	Class C2	●●●	Class C2	Class C3	
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	

Porcelain tiles technical features

Porcelain tiles technical features			Requirements for nominal size N Requisiti per dimensione nominale N			LOG				LOG CANSEI		LOG SELECT	
			7 cm ≤ N < 15 cm		N ≥ 15 cm	Matte ≠ 6 mm	Matte Senstech ≠ 9-9,5 mm	Grip Senstech ≠ 9 mm	Outdoor Senstech ≠ 20 mm	Matte Senstech ≠ 9 mm	Grip Senstech ≠ 9 mm	Matte Senstech ≠ 9-9,5 mm	
			(mm)	(%)	(mm)								
Regularity characteristics		Length and width Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Straightness of sides Rettilinearità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.	Suitable for Conforme										
Structural characteristics		Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _s ≤ 0,5% Individual max 0,6% E _s ≤ 0,5% Valore max singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	
		ASTM C373-18	Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1500 N	S ≥ 1500 N	
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4l/5)	EN 1339 Annex F	-			-	-	-	≥ U3 30x120 ≥ U4 60x120	-	-	-
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
		Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8			Declared value Valore dichiarato			≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9			Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10			Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Frost resistance Resistenza al gelo	ISO 10545-12			Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	
		Reaction to fire Reazione al fuoco	-	Class A1 or A _{1g} Classe A1 oppure A _{1g}			A1 - A _{1g}	A1 - A _{1g}	A1 - A _{1g}	A1 - A _{1g}	A1 - A _{1g}	A1 - A _{1g}	A1 - A _{1g}
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	A	A	
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA	HA	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5	5	5	
Safety characteristics (1)(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	R11	R11	R10	R11	R10
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	B	C	C	B	C	B
			BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(●●)	Class P3	Class P4	Class P4	Class P3	Class P4	Class P3
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	Declared value Valore dichiarato			(●●●)	Class C2	Class C3	Class C3	Class C2	Class C3	Class C2
			Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep CEC/81	D. M. 236/89 del 14/06/89 μ > 0,40 per elemento sciolante cuoio su pavimentazione asciutta μ > 0,40 per elemento sciolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,50		

[illegible]

Porcelain tiles technical features

Porcelain tiles technical features			Requirements for nominal size N Requisiti per dimensione nominale N			MARVEL GALA		MARVEL GEMS	MARVEL MERA/VIGLIA				
			7 cm ≤ N < 15 cm		N ≥ 15 cm	Polished ± 6 mm	Polished ± 9 mm	Matte Sensitech ± 9 mm	Polished ± 6 mm	Polished Velvet Velvetech ± 9 mm	Matte Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	
			(mm)	(%)	(mm)								
Regularity characteristics		Length and width Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	
		Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	
		Straightness of sides Rettilineità degli spigoli		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance
		Surface flatness Planarità		c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance	Suitable for Conformance
e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.											
Structural characteristics		Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _s ≤ 0,5% Individual max 0,6% E _i ≤ 0,5% Valore max singolo 0,6%			≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1%	
			ASTM C373-18	Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%			≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5%	
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N	
		Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)/(5)	EN 1339 Annex F	-			-	-	-	-	-	-	≥ U4 60x120
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
		Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹		
Thermal and hygrometric characteristics		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
		Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	Class A1 or A1 _g Classe A1 oppure A1 _g			A1 - A1 _g	A1 - A1 _g	A1 - A1 _g	A1 - A1 _g	A1 - A1 _g	A1 - A1 _g	A1 - A1 _g
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	A	A	A
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			-	-	HA	-	-	HA	HA
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5	5 Polished ≥ 3 Velvet	5	5
Safety characteristics (1)/(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			N.C.	N.C.	R10	N.C.	N.C.	R10	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			0	0	B	0	0	B	C
			BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
		Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-	Class P3	-	-	Class P3	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	Declared value Valore dichiarato			-	-	Class C2	-	-	Class C2	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep CEC/81	D. M. 236/89 del 14/06/89 μ>0,40 per elemento scivolante cuoio su pavimentazione asciutta μ>0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55

[illegible]

Porcelain tiles technical features

Porcelain tiles technical features			Requirements for nominal size N Requisiti per dimensione nominale N			MARVEL X						
			7 cm ≤ N < 15 cm		N ≥ 15 cm	Silk ✦ 6 mm	Silk ✦ 9 mm	Polished ✦ 6 mm	Polished ✦ 9 mm	Matte Sensitech ✦ 9 mm	Outdoor Sensitech ✦ 20 mm	
			(mm)	(%)	(mm)							
Regularity characteristics		Length and width Lunghezza e larghezza	± 0.9 (*) Non-rect. ± 0.4 (*) Rect.	± 0.6 (*) Non-rect. ± 0.3 (*) Rect.	± 2.0 (*) Non-rect. ± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Thickness Spessore	± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Straightness of sides Rettilineità degli spigoli	± 0.8 (***) Non-rect. ± 0.4 (***) Rect.	± 0.5 (***) Non-rect. ± 0.3 (***) Rect.	± 1.5 (***) Non-rect. ± 0.8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	± 0.8 (****) Non-rect. ± 0.4 (****) Rect.	± 0.5 (****) Non-rect. ± 0.3 (****) Rect.	± 2.0 (****) Non-rect. ± 1.5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
		Surface flatness Planarità	c.c. ± 0.8 Non-rect. c.c. ± 0.6 Rect. e.c. ± 0.8 Non-rect. e.c. ± 0.6 Rect. w. ± 0.8 Non-rect. w. ± 0.6 Rect.	c.c. ± 0.5 Non-rect. c.c. ± 0.4 Rect. e.c. ± 0.5 Non-rect. e.c. ± 0.4 Rect. w. ± 0.5 Non-rect. w. ± 0.4 Rect.	c.c. ± 2.0 Non-rect. c.c. ± 1.8 Rect. e.c. ± 2.0 Non-rect. e.c. ± 1.8 Rect. w. ± 2.0 Non-rect. w. ± 1.8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
Structural characteristics		Water absorption (in % by mass) Massa d'acqua assorbita (come % della massa)	E _s ≤ 0.5% Individual max 0.6% E _s ≤ 0.5% Valore max singolo 0.6%			≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	
			Requirement ANSI A137.1 Water Absorption Max ≤ 0.5%			≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥10000 N	
		Modulus of rupture Resistenza alla flessione	R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	
		Bending strenght and breaking load Resistenza a flessione e al carico di rottura (4)(5)	-			-	-	-	-	-	≥ U4 60x120	
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	Declared value Valore dichiarato			≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	
		Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹			
Thermal shock resistance Resistenza agli sbalzi termici	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste			
Moisture expansion (mm/m) Dilatazione all'umidità (mm/m)	Declared value Valore dichiarato			≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)			
Frost resistance Resistenza al gelo	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste			
Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	Declared value Valore dichiarato			≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	
		Reaction to fire Reazione al fuoco	Class A1 or A1 _l Classe A1 oppure A1 _l			A1 - A1 _l	A1 - A1 _l	A1 - A1 _l	A1 - A1 _l	A1 - A1 _l	A1 - A1 _l	
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	Minimum Class B Classe minima B			A	A	A	A	A	A	
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali	Declared Class Classe dichiarata			LA	LA	LA	LA	LA	LA	
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	Declared Class Classe dichiarata			HA	HA	-	-	HA	HA	
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	Declared Class Classe dichiarata			5	5	5	5	5	5	
Safety characteristics (1)(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			N.C.	N.C.	N.C.	N.C.	R10	R11
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			0	0	0	0	B	C
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-	-	-	Class P3	Class P4
			UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017)	Declared value Valore dichiarato			-	-	-	-	Class C2	Class C3
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ>0.40 per elemento scivolante cuoio su pavimentazione asciutta μ>0.40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			dry DCOF ≥ 0.42	dry DCOF ≥ 0.42	dry DCOF ≥ 0.42	dry DCOF ≥ 0.42	wet DCOF ≥ 0.50	wet DCOF ≥ 0.55

NORDE			NYRA			PRISM			VEST	
Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	Matte ± 6 mm	Matte Sensitech ± 9 mm	Silk ± 9 mm	Matte ± 6 mm
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Not applicable to 'strong' structures Non applicabile a strutturati forti Not applicable to 'strong' structures Non applicabile a strutturati forti			Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1000 N
R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²
-	-	≥ T11 60x60	-	-	-	≥ T11 120x120 80x80 60x60	-	-	-	-
≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹
Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)
A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}	A1 - A _{fl}
A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	5
R10	R11	R11	R9	R10	R11	R11	R9	R10	N.C.	R9
B	C	C	A	B	C	C	A	B	0	A
≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	●	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	●	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 24 Wet	●
Class P3	Class P4	Class P4	●●	Class P3	Class P4	Class P4	●●	Class P3	-	●●
Class C2	Class C3	Class C3	●●●	Class C2	Class C3	Class C3	●●●	Class C2	-	●●●
> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42

Wall Tiles

Technical Specification

Complies with	EN 14411 (ISO 13006)	Appendix	L	Group	BIII
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	L	Gruppo	BIII
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	L	Groupe	BIII
Entsprechend	EN 14411 (ISO 13006)	Anhang	L	Gruppe	BIII
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	L	Grupo	BIII
Соответствует норме	EN 14411 (ISO 13006)	Приложение	L	Группа	BIII

- (*)

The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
- (**)

The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
- (***)

The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i
- (****)

The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.
- c.c.

The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
- e.c.

The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
- w.

The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

Technical feature symbols

Dimensions Dimensioni Dimensions Maße Tamaño Размер	ISO 10545-2		Length and width / Lunghezza e larghezza Longuer et largeur / Länge und Breite / Longitud y anchura / Размеры сторон	(*)
			Thickness / Spessore Épaisseur / Stärke / Grosor / Толщина	(**)
			Straightness of sides / Rettilineità degli spigoli Rectitude des aretes / Kantengeradheit / Rectilineidad de las aristas / Кривизна сторон	(***)
			Rectangularity / Ortogonalità Orthogonalite / Rechtwinkligkeit / Ortogonalidad / Косоугольность	(****)
Physical properties Proprietà fisiche Proprietes physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики	ISO 10545-3		Water absorption / Massa d'acqua assorbita Masse d'eau absorbée / Aufgenommene Wassermasse / Peso de agua absorbida / Водопоглощение	c.c. e.c. WS.
	ISO 10545-4		BREAKING STRENGTH / Sforzo di rottura Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом Modulus of rupture / Resistenza alla flessione Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу	
	ISO 10545-8		Coefficient of thermal linear expansion / Coefficiente di dilatazione termica lineare Coefficient de dilatation thermique linéique / Lineare thermische Dehnung Coeficiente de dilatación térmica lineal / Коэффициент линейного расширения	
	ISO 10545-9		Thermal shock resistance / Resistenza agli sbalzi termici Résistance aux écarts de température / Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura / Устойчивость к перепаду температур	
	ISO 10545-10		Moisture expansion (in mm/m) / Dilatazione all'umidità (in mm/m) Dilatation à l'humidité (en mm/m) / Feuchtigkeitsausdehnung (in mm/m) Dilatación por la humedad (en mm/m) / Расширение под воздействием влаги (в мм/м)	
	ISO 10545-11		Crazing resistance / Resistenza al cavillo Résistance aux craquelurés / Haarriss-Beständigkeit / Resistencia a grietas / Устойчивость эмали к кракелюру (старению)	
	EN 1348		Bond strength/adhesion for improved cementitious adhesives / Adesione a trazione con adesivi cementizi migliorati Adhérence par traction avec des ciments-colle améliorés / Scherfestigkeit mit verbesserten zementhaltigen Klebern Adherencia a tracción con adhesivos cementosos mejorados Прочность на растяжение при приклеивании улучшенными цементными клеями	
	-		Reaction to fire / Reazione al fuoco Réaction au feu / Brandverhalten / Reacción al fuego / Огнестойкость	
	ISO 10545-13		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscine Beständigkeit gegen Haushaltschemikalien und Badewasserzusätze Resistencia a los productos químicos de uso doméstico Стойкость к химикатам, используемым в быту и для бассейнов Resistance to low concentrations of acids and alkalis / Resistenza a basse concentrazioni di acidi e alcali Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen Resistencia a los ácidos y bases de baja concentración / Сопротивление кислотам и щелочам низкой концентрации	
	ISO 10545-14		Resistance to STAINING / Resistenza alle macchie Résistance aux taches / Widerstand gegen Fleckenbildung / Resistencia a las manchas / Устойчивость эмали к загрязнению	
Chemical properties Proprietà chimiche Proprietes chimiques Chemische eigenschaften Propiedades quimicas Химические характеристики	ISO 10545-15		Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²) Emission de substances dangereuses: Cadmium (mg/dm²) et Plomb (mg/dm²) Emission von gefährlichen Stoffen: Cadmium (mg/dm²) und Blei (mg/dm²) Emisión de sustancias peligrosas: Cadmio (mg/dm²) y Plomo (mg/dm²) Выделение вредных веществ: кадмия (в мг/дм²) и свинца (в мг/дм²)	

Technical features - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Wall tiles technical features

				Requirements for nominal size N Requisiti per dimensione nominale N			3D WALL CARVE	3D WALL DESIGN SOLID	3D WALL PLASTER	BOOST
				7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte	Matte Shiny	Matte	Matte
				(mm)	(%)	(mm)				
Dimensions Dimensioni Dimensions Māße Tamaño Размер		Length and width Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Thickness Spessore		± 0,5 (**)	± 1,0 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Straightness of sides Rettilineità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Rectangularity Ortogonalità		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Surface flatness Planarità		c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
				e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.				
				w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile
				Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %
				S ≥ 600 N			S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N
				R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²
				Declared value Valore dichiarato			≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹
				Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
				Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)
				Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Physical properties Proprietà fisiche Propriétés physiques Physikalische Eigenschaften Propiedades físicas Физические характеристики		Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %
		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N
		Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²
		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare		Declared value Valore dichiarato			≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹
		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)
		Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 1348	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)
		Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	A1	A1	A1
		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
Chemical properties Proprietà chimiche Propriétés chimiques Chemische eigen- schaften Propiedades químicas Химические характеристики		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA
		Resistance to staining Resistenza alle macchie	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	5	5	5
		Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

Technical features - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

BOOST COLOR	BOOST EXPRESSION	BOOST ICOR	BOOST NATURAL	BOOST NATURAL PRO	BOOST PRO	BOOST VISION	BRAVE	LOG	MARVEL	MARVEL 3D	MARVEL DIVA	MARVEL T	NYRA	PRISM	VEST
Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Matte	Shiny	Matte	Matte	Matte	Matte	Matte	Matte
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	3D WALL Not applicable Non applicabile	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
3D WALL Not applicable Non applicabile	Suitable for Conforme	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile	3D WALL Not applicable Non applicabile
10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %	10% < E _v ≤ 20 %
S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N	S ≥ 600 N
R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²	R ≥ 15 N/mm ²
≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹
Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)	≤ 0,06% (0,6mm/m)
Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)
A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1	A1
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA	LA
HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA	HA
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb


c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.


w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

atlasPLAN


Technical Specification



162x324 cm - 63³/₄"x127¹/₂"
SINGLE SLAB NOT RECTIFIED



159x324 cm - 62³/₄"x127¹/₂"
SINGLE SLAB NOT RECTIFIED



160x320 cm - 63"x126"
RECTIFIED MONOCALIBER

Complies with	EN 14411 (ISO 13006)	Appendix	G	Group	Bla
Conforme alla norma	EN 14411 (ISO 13006)	Appendice	G	Gruppo	Bla
Conforme à la norme	EN 14411 (ISO 13006)	Appendice	G	Groupe	Bla
Entsprechend	EN 14411 (ISO 13006)	Anhang	G	Gruppe	Bla
Conforme a la norma	EN 14411 (ISO 13006)	Apéndice	G	Grupo	Bla
Соответствует норме	EN 14411 (ISO 13006)	Приложение	G	Группа	Bla

- (*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
- (**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
- (***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.
- (****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.
- c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
- e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
- w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
- (1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
- (2) Anti-slip performance is guaranteed at the time of delivery of the product.
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
- (3) However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations.*
- (4) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
- (5) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.

Technical features

Technical features				Requirements for nominal size N Requisiti per dimensione nominale N		162x324 cm - 63 ³ / ₄ "x127 ¹ / ₂ " 159x324 cm - 62 ³ / ₄ "x127 ¹ / ₂ " Not Rectified			160x320 cm - 63"x127" Rectified		
				N ≥ 15 cm		Silk	Matte Hammered Leathered	Polished Satin	Silk	Matte Hammered	Polished
				(%)	(mm)						
Regularity characteristics		Length and width Lunghezza e larghezza	ISO 10545-2	± 0,3 (*)	± 1 (*)	N.A.			Suitable for Conforme		
		Thickness Spessore		± 5 (**)	± 0,5 (**)	Suitable for Conforme			Suitable for Conforme		
		Straightness of sides Rettilineità degli spigoli		± 0,3 (***)	± 0,8 (***)	N.A.			Suitable for Conforme		
		Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,3 (****)	± 1,5 (****)	N.A.			Suitable for Conforme		
		Surface flatness Planarità		c.c. ± 0,4	c.c. ± 1,8	Suitable for Conforme	Suitable for Conforme				
				e.c. ± 0,4	e.c. ± 1,8						
w. ± 0,4	w. ± 1,8										
Structural characteristics		Water absorption Massa d'acqua assorbita	ISO 10545-3 ASTM C373-18	E _a ≤ 0,5% Individual max 0,6% E _a ≤ 0,5% Valore max singolo 0,6%		≤ 0,1 %			≤ 0,1 %		
		Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%		≤ 0,5 %			≤ 0,5 %				
Bulk mechanical characteristics		Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700 N for thickness < 7,5mm per spessore < 7,5mm	S ≥ 1300 N for thickness ≥ 7,5mm per spessore ≥ 7,5mm	12 mm -> S ≥ 3500N 20 mm -> S ≥ 10000N			S ≥ 1000N		
		R ≥ 35 N/mm ²		R ≥ 40 N/mm ²			R ≥ 40 N/mm ²				
		Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione		ISO 10545-5	Declared value Valore dichiarato		≥ 0,55			≥ 0,55	
Surface mechanical characteristics		Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³		Suitable for Conforme			Suitable for Conforme		
		Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato		≤ 7 MK ⁻¹			≤ 7 MK ⁻¹		
Thermal and hygrometric characteristics		Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resiste			Resistant Resiste		
		Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato		≤ 0,01% (0,1mm/m)			≤ 0,01% (0,1mm/m)		
		Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1		Resistant Resiste			Resistant Resiste		
Physical properties		Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 1348	Declared value Valore dichiarato		≥ 1,0 N/mm ² (Class C2 - EN 12004)			≥ 1,0 N/mm ² (Class C2 - EN 12004)		
		Reaction to fire Reazione al fuoco	-	A1 or Afl		A1 without fiberglass - A2 with fiberglass			A1 - A1fl		
Chemical characteristics		Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B (B for unglazed tiles) Classe minima B (B per piastrelle non smaltate)		A			A		
		Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata		LA			LA		
		Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata		HA	HA	-	HA	HA	-
		Resistance to staining Resistenza alle macchie	ISO 10545-14	Declared Class Classe dichiarata		5			5		
		Release of dangerous substances: Cadmium (in mg/dm ²) and Lead (in mg/dm ²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato		≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb		
Safety characteristics (1)(2)		Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared Class Classe dichiarata		-	-	-	-	R9	-
		Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared Class Classe dichiarata		-	-	-	-	A	-
		Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata		-	-	-	-	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
		Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-		-	-	-	-	wet DCOF > 0,42	dry DCOF > 0,42
		Resistance to scratching Resistenza alla graffiatura	UNI EN 15186:2012 met.B	-		CEN/TS 16209 Class A CEN/TS 16209 Classe A			CEN/TS 16209 Class A CEN/TS 16209 Classe A		
		Tendency to retain dirt Tendenza a ritenere lo sporco	UNI 9300:2015	-		No visible change (5) Nessun cambiamento visibile (5)			No visible change (5) Nessun cambiamento visibile (5)		
		Surface resistance to cold liquids Resistenza delle superfici ai liquidi freddi	UNI EN 12720:2013	-		CEN/TS 16209 Class A CEN/TS 16209 Classe A			CEN/TS 16209 Class A CEN/TS 16209 Classe A		
		Surface resistance to wet heat Resistenza delle superfici al calore umido	UNI EN 12721:2013	-		CEN/TS 16209 Class A CEN/TS 16209 Classe A			CEN/TS 16209 Class A CEN/TS 16209 Classe A		
		Surface resistance to dry heat Resistenza delle superfici al calore secco	UNI EN 12722:2013	-		CEN/TS 16209 Class A CEN/TS 16209 Classe A			CEN/TS 16209 Class A CEN/TS 16209 Classe A		
		Assessment of resistance to impact Resistenza all'urto	ISO 4211-4:1988	-		Maximum drop height according to thickness. Altezza massima di caduta variabile in funzione dello spessore.			Maximum drop height according to thickness. Altezza massima di caduta variabile in funzione dello spessore.		

Destinations of use

Recommended products by intended use *

H HEAVY TRAFFIC HEAVY COMMERCIAL Malls, airports, places of worship, schools, museums, squares, hospitals, hotels - foyers, undergrounds, train stations, etc. COMMERCIALI PESANTI Mall, aeroporti, luoghi di culto, scuole, musei, piazze, ospedali, hotel - hall di ingresso, metropolitane, stazioni ferroviarie, ecc...	M MEDIUM TRAFFIC MEDIUM COMMERCIAL ⁽¹⁾ Restaurants, offices, shops, public restrooms, public offices, hotels except for foyers, business lounges, mandatory passageways and areas subject to the transit of trolleys with hard wheels or highly concentrated loads. COMMERCIALI MEDI ⁽¹⁾ Ristoranti, uffici, negozi, bagni pubblici, uffici pubblici, hotel - ad esclusione delle hall di ingresso, business lounge, di passaggi obbligati e zone soggetto a transito di carrelli con ruote dure ovvero elevati carichi concentrati.	L LIGHT TRAFFIC RESIDENTIAL Bedrooms, living rooms, studies, private kitchens, private bathrooms, etc. RESIDENZIALI Camere da letto, soggiorni, studi, cucine private, bagni privati...
--	---	--

Outdoor Sensitech 20 mm H M L HEAVY TRAFFIC MEDIUM TRAFFIC LIGHT TRAFFIC	Matte 9 mm H M L HEAVY TRAFFIC MEDIUM TRAFFIC LIGHT TRAFFIC	Polished 6 - 9 mm M L MEDIUM TRAFFIC LIGHT TRAFFIC
Grip / Grip Sensitech 9 mm H M L HEAVY TRAFFIC MEDIUM TRAFFIC LIGHT TRAFFIC	Matte 6 mm M L MEDIUM TRAFFIC LIGHT TRAFFIC	Velvet Velvtech 9 mm ⁽²⁾ L LIGHT TRAFFIC
Matte Sensitech 9 mm H M L HEAVY TRAFFIC MEDIUM TRAFFIC LIGHT TRAFFIC	Silk 6 - 9 mm M L MEDIUM TRAFFIC LIGHT TRAFFIC	

INTENDED USES FOR OUTDOORS			
INDUSTRIAL AND/OR COMMERCIAL AREAS FOR VEHICLES Squares, public car parks, filling stations, paving for forklift trucks, pallet jacks, trailer trucks, buses, industrial platforms, etc. INSTALLATION METHOD 1. LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish ⁽³⁾ .	RESIDENTIAL AREAS FOR VEHICLES Outdoor courtyards, private homes, apartment complex parking lots (garages), etc. Pavements used only by cars. INSTALLATION METHOD LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish ⁽³⁾ .	AREAS FOR PEDESTRIANS ONLY Patios, gardens and walkways, terraces, balconies, urban pedestrian areas, etc. INSTALLATION METHOD 1. RAISED INSTALLATION AND "DRY" LAYING (on grass, sand and gravel). Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish ⁽³⁾ . 2. LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish ⁽³⁾ .	POOL EDGES INSTALLATION METHOD LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish ⁽³⁾ .
AREE INDUSTRIALI E/O COMMERCIALI CARRABILI Piazze, parcheggi pubblici, stazioni di rifornimento, pavimentazioni con transito di carrelli elevatori, transpallet, autoarticolati, autobus, piattaforme industriali, ecc... TIPO DI POSA 1. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato a spessore superiore o uguale a 20mm con finitura anti-scivolo ⁽³⁾ .	AREE RESIDENZIALI CARRABILI Cortili esterni abitazioni private, parcheggi condominiali (garage interni), ecc... Pavimentazioni a transito esclusivo di autovetture. TIPO DI POSA POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo ⁽³⁾ .	AREE SOLO PEDONABILI Patii, giardini e camminamenti, terrazze, balconi, aree urbane pedonali, ecc... TIPO DI POSA 1. POSA SOPRAELEVATA E A "SECCO" (su erba, sabbia e ghiaia). Utilizzare gres porcellanato a spessore superiore o uguale a 20mm con finitura anti-scivolo ⁽³⁾ . 2. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo ⁽³⁾ .	BORDI PISCINA TIPO DI POSA POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo ⁽³⁾ .

* These indications are purely indicative. The designer must assess the product suitability for specific use conditions based on the technical characteristics detailed in the technical data sheets available in the Download section of the Atlas Concorde website. Factors such as traffic intensity, traffic quality (foot traffic in the presence of sand, debris, etc.), expected distributed or concentrated, static or dynamic loads (pedestrians, wheels, means of transport, etc.) and any other specific situation to which the material may be exposed. - L'indicazione d'uso proposta è comunque da ritenersi indicativa. Sulla base delle caratteristiche tecniche riportate nelle schede tecniche disponibili nell'area Download del sito Atlas Concorde è sempre compito del progettista valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo in funzione delle sollecitazioni e delle variabili che si possono verificare nell'ambiente di destinazione alterandone le sue caratteristiche, a titolo d'esempio, all'intensità del traffico, alla qualità del traffico (calpestio in presenza di sabbia, di detriti...), ai carichi, distribuiti o concentrati, statici o dinamici attesi (pedonale, ruote, mezzi di trasporto...) e a qualsiasi altra situazione concreta a cui può essere esposto il materiale.

⁽¹⁾ Polished and silk finishes are recommended for low-stress residential or commercial floors where anti-slip performance is not required. The surface's shine and superior ease of cleaning are the result of in-depth studies and extensive technical research aimed at ensuring its durability over time. If the product is in direct contact with the outside, use moisture and dirt absorption devices to prevent scratches. Under no circumstances does Atlas Concorde accept responsibility for any use of the product other than as recommended above. - Le finiture lappata e silk sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. Atlas Concorde non si assume in nessun caso la responsabilità per un uso del prodotto diverso da quanto consigliato sopra.

⁽²⁾  **PRECAUTIONS - VELVET IS A DELICATE SURFACE**
The Velvet finish is a delicate surface that requires care. To preserve its beauty and ensure proper use, please refer to our instructions on page 411.
La finitura Velvet è una superficie delicata che merita attenzione. Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

⁽³⁾ For the properties of slip resistance required in the aforementioned uses it is always necessary to comply with the local laws, regulations and uses, referring to the technical sheets of the selected products. - Per le proprietà di resistenza allo scivolamento richieste nelle destinazioni d'uso sopra itate occorre sempre attenersi alle normative, leggi ed usi locali facendo riferimento alle schede tecniche dei prodotti selezionati.

Color-Shading

The V-Shade classification indicates the chromatic and/or surface variation among tiles of the same collection.
La classificazione VShade indica variazione cromatica e/o superficiale tra le piastrelle di una stessa collezione.
La classification VShade indique le variation chromatique et/ou superficielle entre des dalles d'une même collection.
Die Klassifizierung V-Shade gibt das Niveau des Farbverlaufs des Produktes oder die Abweichung des Farbtöns und/oder Oberfläche unter den Fliesen der gleichen Kollektion an.
La clasificación V-Shade indica el variación cromática y/o superficial que existe entre las baldosas de una misma colección.
Классификация V-Shade указывает на уровень цветовой или фактурной неоднородности плиток, т.е. на отличия по цвету или по фактуре между плитками одной коллекции.

V1 Uniform appearance Aspetto uniforme Aspect uniforme Gleichmäßiges Erscheinungsbild Aspecto uniforme Однородный вид	V2 Slight variation Variazione minima Variation minimale Leichte Abweichung Variación mínima Минимальная Неоднородность	V3 Moderate variation Variazione moderata Variation Modérée Mäßige Abweichung Variación moderada Умеренная Неоднородность	V4 Substantial variation Variazione sostanziale Variation substantielle Mäßige Abweichung Variación sustancial Значительная Неоднородность
---	---	---	--

Collection	Colour	Colour-shading
3D WALL CARVE	Wall tiles	V1
3D WALL DESIGN	Wall tiles	V1
3D WALL PLASTER	Wall tiles	V1
BOOST	Porcelain & Wall tiles	V3 Porcelain tiles V2 Wall tiles
BOOST BALANCE	Porcelain tiles	V2
BOOST COLOR	Porcelain & Wall tiles	V1
BOOST EXPRESSION	Porcelain & Wall tiles	V2
BOOST ICOR	Porcelain & Wall tiles	V3
BOOST MINERAL	Porcelain tiles	V3
BOOST MIX	Porcelain tiles	V3
BOOST NATURAL	Porcelain & Wall tiles	V2
BOOST NATURAL PRO	Porcelain & Wall tiles	V2
BOOST PRO	Porcelain & Wall tiles	V3 Porcelain tiles V2 Wall tiles
BOOST STONE	Porcelain tiles	V2
BOOST VISION	Porcelain & Wall tiles	V2
BRAVE	Porcelain & Wall tiles	V2
ENTICE	Porcelain tiles	V2
ETIC	Porcelain tiles	Rovere V3
ETIC PRO	Porcelain tiles	V3
EXENCE	Porcelain tiles	V2
HEARTWOOD	Porcelain tiles	V3
LIMS	Porcelain tiles	V3 Porcelain tiles V2 Natural selection V3 Forest selection
LOG	Porcelain & Wall tiles	V2
LOG CANSEI	Porcelain tiles	V3
LOG SELECT	Porcelain tiles	V2

Collection	Colour	Colour-shading
MARVEL	Porcelain & Wall tiles	V2
MARVEL 3D	Wall tiles	V2
MARVEL DIVA	Porcelain & Wall tiles	V3
MARVEL DREAM	Porcelain tiles	V2
MARVEL EPIC	Porcelain tiles	V3
MARVEL GALA	Porcelain tiles	V3
MARVEL GEMS	Porcelain tiles	V2
MARVEL MERAVIGLIA	Porcelain tiles	V3
MARVEL ONYX	Porcelain tiles	V3
MARVEL SHINE	Porcelain tiles	Calacatta Delicato V2
		Calacatta Prestigio V2
		Calacatta Imperiale V3
MARVEL STONE	Porcelain tiles	V2
MARVEL T	Porcelain & Wall tiles	V2
MARVEL TRAVERTINE	Porcelain tiles	V3
MARVEL X	Porcelain tiles	Calacatta Apuano V2
		Calacatta Sublime V3
		Calacatta Perla V3
		Grey Cloud V3
		Fior di Bosco V3
NYRA	Porcelain & Wall tiles	V2
NORDE	Porcelain tiles	V3
PRISM	Porcelain & Wall tiles	V2
VEST	Porcelain & Wall tiles	V2

INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS



Laying suggestions - cleaning and maintenance

1. LAYING

Before starting the installation process, make sure the laying surface is well cured, flat and completely clean and that the material available is sufficient in quantity and has the right tone and size.

2 CHOICE OF ADHESIVE

The use of an appropriate adhesive is essential for a successful installation. For the installation of ceramic tiles, you should follow the laying instructions provided by leading adhesives manufacturers. You should choose the most suitable adhesive on the basis of the following factors:

- laying surface
- type and size of tile
- use of tiled surface (floor/wall; indoor/outdoor)
- weather conditions at the time of laying
- waiting time before the ceramic surface can be used

USE	TYPE OF TILE	SIZE	RECOMMENDED ADHESIVES - European Standards EN 12004	
Laying surface	Type	(cm)	Normal Set	Rapid set
INDOOR FLOORS				
Cementitious screeds	porcelain tiles	< 30x30 cm	Improved cementitious adhesives with long open time (Class C2E).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
Existing cement floors (cement concrete, bush-hammered)		≥ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
Anhydrite screeds (following application of a suitable primer)				
Heating floors				
Existing ceramic, terrazzo and natural stone floors		≥ 60x60 cm	Improved cementitious adhesives with long open time and deformable (Class C2E - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
Waterproofing in bathrooms				
INDOOR WALL TILES				
Cementitious plaster or mortar	wall tiles	any size	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
Plaster (plaster or panels, following application of a suitable primer)	porcelain tiles	< 30x30 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
Painted walls				
Cast concrete (Following application of primer on gypsum-based joints)		≥ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
Plasterboard				
Waterproofing in bathrooms and showers		≥ 60x60 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
Existing ceramic tiles				
OUTDOOR FLOORS				
Cementitious screeds Concrete floor Layers of waterproofing	porcelain tiles	< 30x30 cm	A Improved cementitious adhesives resistant to slip and with long open time (Class C2TE).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≤ 30x30 cm < 60x60 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm	Improved cementitious adhesives with long open time and highly deformable (Class C2E - S2).	Improved cementitious adhesives with long open time and highly deformable (Class C2FE - S2). ●
OUTDOOR WALLS				
Cementitious plaster Concrete cast in situ or prefabricated	porcelain tiles	< 30x30 cm	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 30x30 cm < 60x60 cm ●●	Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1).	Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). ●
		≥ 60x60 cm ●●	Improved cementitious adhesives with long open time and highly deformable (Class C2E - S2).	Improved and highly deformable cementitious adhesives (Class C2F - S2). ●


• For large size tiles laid at a height of more than three meters, certain international regulations specify that tiles should be laid using a mixed system of adhesive and mechanical fixtures chosen in relation to the weight of the tile, height of the tiling and site conditions.
•• For tiles with a side measuring more than 30 cm laid at heights of more than three meters, certain international regulations specify the use of an additional mechanical anchor that ensures the retention of the tile in case of accidental detachment, to be chosen in relation to the weight of the tile, the height of the tiling and the site conditions.

3. LAYING THE TILES

Installation should be performed by qualified personnel using the proper tools. The laying of the material should be checked before the adhesive is dry so that any corrections can be made. In any case, Atlas Concorde does not recommend installation without joints or joints smaller than 2 mm. When laying tiles with a side longer than 60 cm and in any case for commercial indoor environments or outdoors it is essential to spread the adhesive using double buttering, applying the adhesive in a linear method parallel to the short side both on the substrate and on the back of the tile, thus ensuring perfect adhesion between the tile and substrate. To minimize the unevenness of the tiles both on the floor and on the wall it is recommended to use "easy installation systems" with spacers and levelers which should include anti-scratch rubber rings when installing glazed white body wall tiles and/or porcelain tiles with polished surfaces. Spread the adhesive using a suitably toothed spatula.

3A. LAYING RECTANGULAR FORMATS

For straight courses of rectangular formats, the maximum offset between tiles must not exceed 1/3 of the length of the adjacent side.



4. SQUARE OR PERPENDICULAR CUTS

Processing operations such as cutting, grinding and polishing may generate respirable crystalline silica dust.
• Do not handle until all safety precautions have been read, understood and implemented.
• Always use wet methods (apply water) during all fabrication and processing.
• Avoid generating airborne dust, especially without appropriate respiratory protective equipment and adequate air filtration and ventilation systems, which depend on the specific workplace conditions. Air monitoring should be conducted to ensure that respirable crystalline silica levels remain below applicable exposure limits.
• Consult local authorities and a qualified industrial hygienist to implement the required occupational safety measures in compliance with local legislation.
• Refer to the Safety Data Sheet of the product available at <https://www.atlasconcorde.com/en/download-area> for detailed precautions.

5. JOINTS AND GROUTING

Before filling the joints, it is recommended to wait until the adhesive is completely dry and to ensure that the joints are free of all traces of adhesive and/or dust. In any case, Atlas Concorde does not recommend installation without joints or joints smaller than 2 mm. For joints in a color that contrasts with the tiles, it is recommended to test the grout in a small, hidden area. You should follow the instructions provided by leading grout manufacturers.

USE	RECOMMENDED GROUTS - EUROPEAN STANDARDS EN 13888
Residential interiors	Improved cementitious mortars for joints (Class CG2)
Damp interiors (bathrooms, showers) and outdoors	Improved cementitious mortars for joints with low water absorption (CG2 WA)
Commercial premises	Improved cementitious mortars for joints with high resistance to abrasion (Class CG2 A)
Premises requiring total hygiene and resistance to chemical agents (swimming pools, kitchen work surfaces, food industry, hospitals, supermarkets, etc).	Epoxy mortars (Class RG).

5A. ELIMINATION OF EXCESS GROUT

To correctly and easily eliminate excess grout, follow the instructions given by the grout manufacturer. In general, proceed as follows:

Cementitious grouts

When the grout becomes opaque (normally after 10-20 minutes), clean with a hard cellulose sponge using movements on a diagonal to the joints. It is important to respect the drying time to avoid removing the grout from the joints.

Epoxy grouts

When the mixture is still fresh, wet the surface with plenty of water, emulsifying with a pad like Scotch-Brite®, paying attention not to empty the joints. The residual grout liquid can be removed with a hard cellulose sponge (to be replaced when excessively soaked with resin). It is vital to remove epoxy grout rapidly before it starts hardening as it is extremely difficult to remove subsequently. If the epoxy grout has started to harden, try adding 10% alcohol to the washing water.

6. CLEANING AND MAINTENANCE

6A. FINAL SITE CLEANING

The work site is considered finished when it is cleared of any tools/materials used for the job. To reduce the risk of damage to the tiled surface, it is necessary to protect it and avoid the presence of abrasive materials. After a few days, eliminate residues with a commercial Scotch-Brite® pad, brush or single brush floor cleaner (for large surfaces). For walls, use a neutral detergent in hot water. For floors, use a mild acid wash diluted according to the type of surface (smooth or textured). It is important to protect marble or metal inserts previously with adhesive tape. Rinse with abundant clean water to eliminate all marks or residues from the joints. If necessary, repeat the acid wash at a higher concentration, unless there are marble or metal inserts. Do not use diluted commercially-available acids.

6B. ROUTINE MAINTENANCE

You are recommended to use ordinary neutral detergent diluted in water. Avoid using acid or alkaline products, waxes and/or impregnants and metal pads (iron or steel sponges). In the event of heavy dirt or particularly textured surfaces, use an alkaline detergent and rinse after washing. For large surfaces, the use of a floor washing machine is recommended.

6C. UNSCHEDULED MAINTENANCE

In the event of dirt resistant to the ordinary cleaning, use a suitable detergent for the particular kind of dirt.

TYPE OF DIRT (resistant to ordinary maintenance)	DETERGENT/SOLVENT
Coal, lime efflorescence, chalk, metal marks, rust, graphite, emulsion paint	Acid detergents*
Coca cola, coffee, wine, beer, ice cream	Alkaline detergents
Resin, silicon or mechanical oils, candle wax, paint	Solvents
Tire marks, sole marks, suction cup marks	Alkaline detergent in an abrasive paste

* Important: Acid products may corrode marble, granite, natural stone and metal. Avoid using in the presence of decoration or inserts in these materials.

The cleaning characteristics of the materials may vary significantly depending on the laying method, conditions of use, type of surface and environment. Generally speaking, the higher the non-slip characteristics of the tiles, the more difficult they are to clean. The maintenance and cleaning operative should always test each cleaning method empirically in advance (if possible on a piece of the material not laid) In the case of particularly heavy use (for example, mechanical workshops or environments with a heavy presence of oily residues and tire marks), incorrect laying or inappropriate cleaning, Atlas Concorde declines all responsibility for the effectiveness of cleaning and maintenance operations.

Atlas Concorde cannot, under any circumstances, be held responsible for events, damage or defects caused by incorrect laying, negligent cleaning and maintenance or the use of materials and adhesives inappropriate for the use.



Suggerimenti per la posa, pulizia e manutenzione

1. POSA IN OPERA

Prima di iniziare la posa, si raccomanda di assicurarsi che la superficie di appoggio sia sufficientemente stagionata, planare e ben pulita e che la fornitura di materiale sia adeguata e sufficiente per quantità, tono e calibro.

2. SCELTA DELL'ADESIVO

L'utilizzo di un adesivo appropriato è di fondamentale importanza per la posa. Si raccomanda di seguire le indicazioni dei migliori produttori di adesivi per la posa di piastrelle ceramiche. In generale, l'adesivo più adeguato si individua considerando i seguenti fattori:

- tipo di supporto
- tipologia e formato delle piastrelle
- destinazione d'uso del rivestimento ceramico (pavimento/rivestimento; interno/esterno)
- condizioni climatiche all'atto della posa
- tempi a disposizione per la messa in esercizio del rivestimento ceramico

DESTINAZIONE D'USO Tipo di supporto	TIPO DI PIASTRELLE Tipologia	FORMATO (cm)	ADESIVI CONSIGLIATI - Normativa Europea EN 12004	
			Presa normale	Presa rapida
PAVIMENTI INTERNI				
Massetti cementizi Pavimento in cemento esistenti (Battuto, bocciardato)	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati e a tempo aperto allungato (classe C2E).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
Massetti in anidrite (Previa applicazione di opportuno primer)		≥ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
Massetti riscaldanti		≥ 60x60 cm	Adesivi cementizi migliorati, a tempo aperto allungato e deformabili (classe C2E - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabile (classe C2FT - S1). •
Pavimenti in ceramica, marmette e pietre naturali esistenti Impermeabilizzazione in bagni				
RIVESTIMENTI INTERNI				
Intonaco cementizio o malta Gesso (Intonaci o pannelli previa applicazionidi opportuno primer)	grès porcellanato	tutti formati	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
Calcestruzzo di getto Gesso cartonato (Previa applicazione di primer sulle giunture a base gesso)		< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
Impermeabilizzazioni in bagni e docce		≥ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
Piastrlle ceramiche esistenti		≥ 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
PAVIMENTI ESTERNI				
Massetti cementizi Soletta in calcestruzzo Strati di impermeabilizzazione	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
		≤ 30x30 cm < 60x60 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
		≥ 60x60 cm	Adesivi cementizi migliorati, a tempo aperto allungato e altamente deformabili (classe C2E - S2).	Adesivi cementizi migliorati a tempo aperto allungato e altamente deformabile (classe C2FE - S2). •
RIVESTIMENTI ESTERNI				
Intonaco cementizio Calcestruzzo gettato in opera o prefabbricato	grès porcellanato	< 30x30 cm	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
		≥ 30x30 cm < 60x60 cm ••	Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1).	Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). •
		≥ 60x60 cm ••	Adesivi cementizi migliorati, a tempo aperto allungato e altamente deformabili (classe C2E - S2).	Adesivi cementizi migliorati e altamente deformabili (classe C2F - S2). •

- Nel caso di posa in condizioni di basse temperature oppure qualora sia necessario mettere in esercizio rapidamente il rivestimento ceramico è preferibile l'utilizzo di adesivi cementizi migliorati a presa rapida (Classe C2F - EN 12004).
- Nel caso di piastrelle con un lato maggiore di 30 cm posate ad altezze superiori ai 3 metri, alcune normative internazionali prevedono l'utilizzo di un ancoraggio meccanico supplementare che assuri la ritenzione della piastrella in caso accidentale di distacco, da scegliere in relazione al peso della piastrella, all'altezza del rivestimento ed alle condzioni del cantiere.

3. STESURA DEGLI ADESIVI E POSA DELLE PIASTRELLE:

La posa deve essere effettuata da personale qualificato con l'ausilio di attrezzi adeguati. È opportuno verificare la posa del materiale prima che il collante sia secco in modo da poter provvedere ad eventuali correzioni.

Atlas Concorde sconsiglia in ogni caso la posa a giunto unito o posa con fughe inferiori a 2mm.


Nel caso di posa di piastrelle con un lato maggiore di 60cm e in ogni caso per ambienti interni commerciali oppure all'esterno è fondamentale stendere l'adesivo con il sistema della doppia spalmatura applicando la colla linearmente in direzione parallela al lato corto sia sul supporto di posa sia sul retro della piastrella, garantendo così la perfetta aderenza all'interfaccia piastrella-supporto.

Per minimizzare i dislivelli della posa sia a pavimento che a rivestimento si raccomanda l'adozione di "sistemi di posa facilitata" con distanziatori e livellatori che possono essere provvisti di pedane anti-sbeccature e anti-graffio nel caso in cui si posino rivestimenti smaltati in pasta bianca e/o gres con finitura lappate.

Nel caso particolare di rivestimenti tridimensionali si consiglia l'utilizzo dei sistemi di livellamento a vite, alternativi a quelli a cuneo.

3A. POSA DI FORMATI RETTANGOLARI

Nel caso di posa "a correre" di formati rettangolari il massimo sfalsamento tra piastrelle non deve superare 1/3 della lunghezza del lato adiacente.



4. ESECUZIONI DI TAGLI QUADRATI O SQUADRI

Le operazioni di lavorazione come il taglio, la levigatura e la lucidatura possono generare polvere di silice cristallina respirabile.

- Non maneggiare il materiale fino a quando tutte le precauzioni di sicurezza non sono state lette, comprese e implementate.
- Utilizzare sempre metodi a umido (applicare acqua) durante tutte le fasi di lavorazione e fabbricazione.
- Evitare di generare polvere aerea, specialmente senza un adeguato equipaggiamento di protezione respiratoria e sistemi adeguati di filtrazione e ventilazione dell'aria, che dipendono dalle condizioni specifiche del luogo di lavoro. È necessario effettuare monitoraggi dell'aria per garantire che i livelli di silice cristallina respirabile rimangano al di sotto dei limiti di esposizione applicabili.
- Consultare le autorità locali e un igienista industriale qualificato per implementare le misure di sicurezza sul lavoro richieste in conformità con la legislazione locale.
- Fare riferimento alla Scheda di Sicurezza del prodotto disponibile su <https://www.atlasconcorde.com/it/download-area> per le precauzioni dettagliate.

5. FUGA E STUCCATURA

Prima di riempire le fughe si consiglia di attendere fino a completa asciugatura del collante e di assicurarsi che i giunti di posano siano liberi da ogni traccia di collante e/o polveri. Atlas Concorde sconsiglia in ogni caso la posa a giunto unito o posa con fughe inferiori a 2mm. Per fughe in contrasto cromatico con le piastrelle si consiglia di testare il fugante in un'area circoscritta e nascosta della posa. Si raccomanda di seguire le indicazioni dei migliori produttori di stucchi per fughe.

DESTINAZIONE D'USO	STUCCHI CONSIGLIATI - Normativa Europea EN 13888
Ambienti interni residenziali	Malte cementizie per fughe migliorate (Classe CG2)
Ambienti umidi interni (bagni, docce) ed ambienti esterni	Malte cementizie per fughe migliorate con assorbimento di acqua ridotto (classe CG2 WA)
Ambienti ad uso commerciale	Malte cementizie per fughe migliorate con elevata resistenza all'abrasione (classe CG2 A)
Ambienti in cui sia richiesta totale igiene e resistenza agli agenti chimici (piscine, piani di lavoro di cucine, industrie alimentari, ospedali, supermercati, ecc..)	Malte epossidiche (classe RG).

5A. ELIMINAZIONE DELLO STUCCO IN ECCESSO

Per una corretta ed agevole eliminazione degli eccessi di stucco, si raccomanda di seguire le indicazioni del produttore dello stucco. In generale, si consiglia di attenersi a quanto segue. **Stucchi cementizi**
Quando lo stucco diventa opaco (normalmente dopo 10-20 minuti), pulire con una spugna di cellulosa dura con movimenti diagonali rispetto alle fughe. E' importante il rispetto di questi tempi per non rischiare di rimuovere lo stucco dalle fughe.

Stucchi epossidici
A impasto ancora fresco, bagnare abbondantemente la superficie emulsionando con un tampone tipo Scotch-Brite®, facendo attenzione a non svuotare le fughe. Il residuo liquido di stucco può essere rimosso con una spugna di cellulosa dura (da sostituire se troppo impregnata di resina). E' fondamentale rimuovere lo stucco epossidico tempestivamente prima che inizi ad indurirsi, in quanto la successiva rimozione risulterebbe estremamente difficile. Nel caso in cui lo stucco epossidico abbia già iniziato a indurirsi, provare ad aggiungere all'acqua di lavaggio il 10% di alcool.

6. PULIZIA E MANUTENZIONE

6A. PULIZIA DI FINE CANTIERE

Il cantiere è da considerarsi finito quando è sgombrato da qualunque utensile/materiale derivante dalle lavorazioni. Per ridurre i rischi di danneggiamento della superficie piastrellata è necessario proteggerla ed evitare la presenza di materiali abrasivi. Dopo alcuni giorni, eliminare i residui di cantiere con spugna commerciale tipo Scotch-Brite® oppure con spazzolone o monospazzola (per grandi superfici). Per i rivestimenti, utilizzare un detergente neutro diluito in acqua calda. Per i pavimenti, utilizzare un detergente acido ad azione tamponata, in percentuale di diluizione variabile in funzione del tipo di superficie (liscia oppure strutturata). E' importante proteggere preventivamente eventuali inserti in marmo o metallo con nastro adesivo. Risciacquare poi abbondantemente con acqua calda pulita, sino alla eliminazione di qualsiasi alonatura o residuo negli interstizi. Se necessario, ripetere il lavaggio acido a concentrazioni più elevate ad eccezione del caso in cui siano presenti inserti in marmo o metallo. Evitare l'utilizzo di acidi da ferramenta diluiti.

6B. MANUTENZIONE ORDINARIA

Si consiglia l'utilizzo di un comune detergente neutro diluito in acqua. Evitare l'utilizzo di prodotti acidi, alcalini, ceranti e/o impregnanti e pagliette di metallo (spugnette di ferro e acciaio). In caso di sporchi più intensi o di superfici particolarmente strutturate, usare un detergente a base alcalina risciacquando al termine del lavaggio. Per le grandi superfici è consigliabile l'utilizzo di macchine lavasciuga.

6C. MANUTENZIONE STRAORDINARIA

Nel caso di tracce di sporco resistenti alla pulizia ordinaria, si raccomanda l'utilizzo di un detergente adeguato in funzione del tipo di sporco:

TIPO DI SPORCO (resistente alla manutenzione ordinaria)	DETERGENTE/SOLVENTE
Carbone, efflorescenze calcaree, gesso, segni metallici, ruggine, grafite, tempere murali	Detergenti a base acida *
Coca cola, caffè, vino, birra, gelato	Detergenti a base alcalina
Resine, oli siliconici o meccanici, cere di candela, vernice	Solventi
Pneumatici, suole di gomma, alonature di ventose	Detergenti basici in pasta abrasiva

* Attenzione: i prodotti a base acida possono corrodere marmo, granito, pietre naturali e metalli, pertanto evitarne l'uso nel caso di decori o inserti realizzati con questi materiali.

Le caratteristiche di pulibilità dei materiali variano in modo significativo per le diverse modalità d'installazione, condizioni d'uso, tipologie di superfici e ambiente. In linea generale, all'aumentare delle caratteristiche di antiscivolosità delle piastrelle aumentano le difficoltà di pulizia. L'operatore professionale incaricato dell'intervento di manutenzione e pulizia dovrà sempre procedere ad una preliminare verifica empirica (possibilmente su una porzione di materiale non posato) per ogni singolo tipo di intervento.

In caso di condizioni d'uso particolarmente gravose (ad esempio, officine meccaniche o ambienti con forte presenza di residui oleosi e tracce di pneumatico), di errata installazione o di pulizie effettuate in modo inadeguato, Atlas Concorde declina ogni responsabilità in merito all'efficacia delle operazioni di pulizia e manutenzione.

Atlas Concorde non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti ad errata installazione, negligente pulizia e manutenzione, o inadeguata scelta della tipologia dei materiali installati e degli adesivi utilizzati con riguardo alla destinazione.

Porcelain tiles general packing and weight

Series Serie Série Serie Серия	Size Formato Format Format Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja щт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boîtes per palette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* щт. вес коробки*	Sq mts per pallet M² per pallet M² par palette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес палета*
Boost	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	120x120 6 mm ▲	2	2,880	20	40,32	57,60	806,40
	60x120	2	1,44	35	30,00	50,40	1.050,00
	75x150	2	2,25	18	47,36	40,50	852,48
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
Boost Balance	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
Boost Color	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
Boost Expression	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Boost Icor	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	75x150	2	2,25	18	47,36	40,50	852,48
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
Boost Mineral	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	2,25	18	47,36	40,50	852,48
	60x120	2	1,44	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,8
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x90 20 mm	2	1,08	24	48,50	25,92	676,80
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
Boost Mix	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm	1	1,44	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,34	18	49,56	60,05	892,08
Boost Natural	120x120 ▲	2	2,88	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,08	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm ▲	1	1,44	20	67,66	28,80	1.353,20
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,44	35	30,00	50,40	1.050,00
Boost Natural Pro	80x80	2	1,28	48	26,6	61,44	1.276,8
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,26	40	24,85	50,40	994,00
	120x120 20 mm	1	1,44	20	67,66	28,80	1.353,20
	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00
	120x278 ▲	1	3,34	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00

Series Série Série Serie Серия	Size Formato Format Format Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja щт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boîtes per palette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* щт. вес коробки*	Sq mts per pallet M² per pallet M² par palette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес палета*	
Boost Pro	120x278 ▲	1	3,340	18	49,56	60,05	892,08	
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00	
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00	
	120x120 6 mm	2	2,880	20	40,32	57,60	806,40	
	60x120	2	1,440	35	30,00	50,40	1.050,00	
	75x150	2	2,25	18	47,36	40,50	852,48	
	80x80	2	1,28	48	26,6	61,44	1.276,8	
	60x60	3	1,080	40	21,57	43,20	862,80	
	30x60	7	1,260	40	24,85	50,40	994,00	
	120x120 20 mm ▲	1	1,440	20	67,66	28,80	1.353,20	
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25	
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40	
Boost Stone	60x60 20 mm	2	0,720	30	33,00	21,60	990,00	
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00	
	120x278 ▲	1	3,34	18	49,56	60,05	892,08	
	120x120 ▲	2	2,88	20	58,00	57,60	1.160,00	
	60x120	2	1,44	35	30,00	50,40	1.050,00	
	80x80	2	1,28	48	26,6	61,44	1.276,8	
	60x60	3	1,08	40	21,57	43,20	862,80	
	30x60	7	1,26	40	24,85	50,40	994,00	
	120x120 20 mm ▲	1	1,44	20	67,66	28,80	1.353,20	
	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25	
	60x60 20 mm	2	0,72	30	33,00	21,60	990,00	
	Boost Vision	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
120x278 ▲		1	3,340	18	49,56	60,05	892,08	
120x120 ▲		2	2,880	20	58,00	57,60	1.160,00	
60x120		2	1,44	35	30,00	50,40	1.050,00	
80x80		2	1,28	48	26,6	61,44	1.276,8	
60x60		3	1,080	40	21,57	43,20	862,8	
30x60		7	1,260	40	24,85	50,40	994,00	
120x120 20 mm ▲		1	1,440	20	67,66	28,80	1.353,20	
60x120 20 mm		1	0,720	35	33,35	25,20	1.167,25	
60x60 20 mm		2	0,720	30	33,00	21,60	990,00	
Brave		75x150	2	2,250	18	47,36	40,50	852,48
		60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	23,27	50,40	930,80	
	30x60 grip	7	1,260	40	24,85	50,40	994,00	
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25	
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00	
	18,5x150	4	1,110	40	23,68	44,40	947,20	
Entice	20x120	6	1,440	32	29,90	46,08	1.255,80	
	30x120 20 mm	2	0,720	36	33,00	25,92	1.188,00	
Etic	22,5x90	6	1,220	36	23,40	43,74	907,20	
	25x150	3	1,130	30	23,68	33,75	710,00	
Etic Pro	22,5x90	6	1,220	36	25,20	43,74	907,20	
	30x120 20mm	2	0,720	36	33,00	25,92	1.188,00	
Exence	18,5x150	4	1,110	40	23,68	44,40	947,20	
	20x120	6	1,440	42	29,90	60,48	956,8	
	30x120 20mm	2	0,720	36	33,00	25,92	1.188,00	
Heartwood	18,5x150	4	1,110	40	23,68	44,40	947,20	
	20x120	6	1,440	42	31,10	60,48	1.306,20	
	120x278 ▲	1	3,340	18	49,56	60,05	892,08	
Lims	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00	
	75x150	2	2,250	18	47,36	40,50	852,48	
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25	
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00	
Log	120x278 ▲	1	3,340	18	49,56	60,05	892,08	
	20x180	5	1,80	40	40	72	1.600	
	18,5x150	4	1,110	40	23,68	44,40	947,20	
	20x120	6	1,440	32	29,90	46,08	956,8	
Log Cansei	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25	
	30x120 20 mm	2	0,720	36	33,00	25,92	1.188,00	
	18,5x150	4	1,110	40	23,68	44,40	947,20	
	20x120	6	1,440	42	29,90	60,48	956,8	
Log Select	20x180	5	1,80	40	40	72	1.600	
	18,5x150	4	1,110	40	23,68	44,40	947,20	
	20x120	6	1,440	32	29,90	46,08	1.255,80	
Marvel	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00	
	120x278 ▲	1	3,334	18	49,56	60,05	892,08	
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00	
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00	
	60x120	2	1,440	35	30,00	50,40	1.050,00	
	75x150	2	2,25	18	47,36	40,50	852,48	
	60x60	3	1,080	40	21,23	43,20	849,20	
	30x60	7	1,260	40	24,85	50,40	994,00	

Porcelain tiles general packing and weight

Series Serie Série Serie Серия	Size Formato Format Format Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja щт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boîtes per palette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* щт. вес коробки*	Sq mts per pallet M² per pallet M² par palette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес палета*
Marvel Diva	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
Marvel Dream	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	60x120	2	1,440	35	30,00	50,40	1.050,00
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Marvel Epic	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Marvel Gala	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Marvel Gems	60x60	3	1,080	40	21,23	43,20	849,20
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Marvel Meraviglia	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	2,25	18	47,36	40,50	852,48
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	120x278 ▲	1	3,334	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
Marvel Onyx	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,23	43,20	849,20
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
Marvel Shine	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 lapp ▲	2	2,880	20	57,00	57,60	1.140,00
	120x120 matte ▲	2	2,880	20	55,50	57,60	1.110,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,250	18	47,36	40,30	852,48
	60x60	3	1,080	40	21,23	48,30	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Marvel Stone	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	75x150	2	2,250	18	47,36	40,50	852,48
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Marvel T	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	75x150	2	2,250	18	47,36	40,50	852,48
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Marvel Travertine	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
Marvel X	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	75x150	2	1,440	35	30,00	50,40	1.050,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20mm	1	0,720	35	33,35	25,20	1.167,25
	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,80
Norde	30x60	7	1,260	40	24,85	50,40	994,00
	60x120 20 mm	1	0,720	35	33,35	25,20	1.167,25
	60x90 20 mm	2	1,08	24	48,50	25,92	676,80
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00

Series Serie Série Serie Серия	Size Formato Format Format Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja щт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boîtes per palette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* щт. вес коробки*	Sq mts per pallet M² per pallet M² par palette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес палета*
Nyra	160x320 ▲	1	5,120	14	72,00	71,68	1.008,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x240 ▲	1	2,880	18	58,00	51,84	1.044,00
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
	60x120	2	1,440	35	30,00	50,40	1.050,00
	80x80	2	1,28	48	26,6	61,44	1.276,8
	75x150	2	2,250	18	47,36	40,50	852,48
	60x60	3	1,080	40	21,23	43,20	849,20
	30x60	7	1,260	40	24,85	50,40	994,00
	120x120 20 mm	1	1,44	20	67,66	28,80	1.353,20
Prism	60x120 20 mm	1	0,72	35	33,35	25,20	1.167,25
	80x80 20 mm	1	0,64	42	29,70	26,88	1.247,40
	60x60 20 mm	2	0,720	30	33,00	21,60	990,00
	120x278 ▲	1	3,340	18	49,56	60,05	892,08
	120x120 ▲	2	2,880	20	58,00	57,60	1.160,00
Vest	60x120	2	1,440	35	30,00	50,40	1.050,00
	60x60	3	1,080	40	21,57	43,20	862,80
	30x60	7	1,260	40	24,85	50,40	994,00
Vest	120x278 ▲	1	3,340	18	49,56	60,05	892,08

Wall tiles general packing and weight

Series Serie Série Serie Серия	Size Formato Format Format Размер	Pieces per carton Pezzi per scatola Pièces par boîte Stückzahl pro Karton Piezas por caja щт. в коробке	Sq mts per carton M² per scatola M² par boîte Qm. pro Karton M² por caja M² в коробке	Box per pallet Box per pallet Boîtes per palette Karton pro Palette Cajas por palet Коробок на палете	Weight x ctn. (Kg.)* Peso per scatola (Kg.)* Poids x boîte (Kg.)* Gewicht pro Karton (Kg.)* Peso por caja (Kg.)* щт. вес коробки*	Sq mts per pallet M² per pallet M² par palette Qm. pro Palette M² por palet M² на палете	Weight x pal. (Kg.)* Peso per pallet (Kg.)* Poids x pal. (Kg.)* Gewicht pro Palette (Kg.)* Peso por palet (Kg.)* вес палета*
3D Wall Carve	40x80	4	1,280	54	20,28	69,12	1.095,12
	50x120	3	1,80	35	28,00	63,00	980,00
3D Wall Design	40x80	4	1,28	54	19,91	69,12	1.075,14
	40x80 - 10 mm	4	1,280	48	21,20	69,12	1.017,60
	30 5x56 matte	8	1,37	32	26,00	43,72	832,00
3D Wall Plaster	50x120	3	1,800	35	28,00	63,00	980,00
Boost Wall	40x80	4	1,280	54	18,80	69,12	1.015,20
Boost Color Wall	3D Urban 40x80	4	1,280	48	21,20	61,44	1.017,60
Boost Expression Wall	50x120	3	1,800	35	28,00	63,00	980,00
	50x120 - 8,5 mm	3	1,80	35	28,00	63,00	980,00
Boost Icor Wall	50x120 - 10 mm	3	1,80	30	30,75	54,00	922,50
	50x120 - 8,5 mm	3	1,80	35	28,00	63,00	980,00
Boost Natural Wall	50x120	3	1,800	35	28,00	63,00	980,00
Boost Natural Pro Wall	50x120	3	1,800	35	28,00	63,00	980,00
Boost Pro Wall	40x80	4	1,280	54	18,80	69,12	1.015,20
	3D Urban 40x80	4	1,280	48	21,20	61,44	1.017,60
Boost Vision Wall	40x80	4	1,280	54	19,28	69,12	1.041,12
	50x120	3	1,800	35	28,00	63,00	980,00
	40x80 - 10 mm	4	1,280	48	21,20	69,12	1.017,60
	50x120 - 10 mm	3	1,80	30	30,75	54,00	922,50
	40x80	4	1,280	54	19,28	69,12	1.041,12
Brave Wall	3D Wwave 40x80	4	1,280	48	21,20	61,44	1.017,60
	3D Blade 40x80	4	1,280	48	21,20	61,44	1.017,60
Log Wall	50x120	3	1,800	35	28,00	63,00	980,00
Marvel	30 5x56	9	1,540	32	24,03	49,19	768,96
Marvel 3D Wall	50x120	3	1,800	35	28,00	63,00	980,00
Marvel Diva Wall	50x120	3	1,800	35	28,00	63,00	980,00
	40x80	4	1,280	54	19,28	69,12	1.041,12
Marvel T Wall	50x120	3	1,800	35	28,00	63,00	980,00
	40x80 - 10 mm	4	1,280	48	21,20	69,12	1.017,60
	50x120 - 10 mm	3	1,80	30	30,75	54,00	922,50
	40x80	4	1,280	54	19,28	69,12	1.041,12
Nyra Wall	50x120	3	1,800	35	28,00	63,00	980,00
	40x80 - 10 mm	4	1,280	48	21,20	69,12	1.017,60
	50x120 - 10 mm	3	1,80	30	30,75	54,00	922,50
Prism Wall	50x120	3	1,800	35	28,00	63,00	

Large sizes general packing and weight

120x120 – 47 1/4" x 47 1/4" 120x240 – 47 1/4" x 94 1/2" 20x278 47 1/4" x 109 1/2" 160x320 – 63" x 126" 162x324 – 63 3/4" x 127 1/2"

Packaging Imballo Boitage Verpackung Embalaje Упаковка		AS400 Code Codice AS400 Code AS400 Artikelcode AS 400 Codigo AS400 Код AS400	Packaging Size Dimensioni imballo Dimension Emballage Verpackungsmasse Dimensiones de Embalaje Размер Упаковки (cm)	Packaging weight Peso imballo Poids Emballage Verpackungsgewicht Peso Embalaje Вес Упаковки (kg)	Slabs size Formati Formats Formatgrösse Formatos Размер Плит (cm)	Max N° slabs Max N° pezzi N° Max de pièces Anzahl der Platten Max N ° piezas Максимальное Количество Плит	Max Sqm Max Mq M² max Maximale qm Max M² Макс. M²
120x120	Pallet Palette Palette Paleta Паллет	-	-	-	120x120x0,9 cm	40	57,60 mq
					120x120x2,0 cm	20	28,8 mq
	Wooden A-Frame Cavalletto di legno Chevalet en Bois A-Bock Holz Caballette de Madera Деревянная А-Опора	IMCD	130x75x158(h) cm	60 kg	120x120x0,9 cm	40	57,60 mq
					120x120x2,0 cm	20	28,8 mq
120x240	Wooden Crate Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCA	256x141x36(h) cm	102kg	120x240x0,9 cm	18	51,84 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballette de Madera Деревянная А-Опора	IMCE	250x75x159(h) cm	126kg	120x240x0,9 cm	36	103,6 mq
120x278	Wooden Crate Cassa di Legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCB	292x141x36(h) cm	108kg	120x278x0,6 cm	18	60,05 mq
	Wooden A-Frame Cavalletto di Legno Chevalet en Bois A-Bock Holz Caballette de Madera Деревянная А-Опора	IMCF	290x75x159(h) cm	136kg	120x278x0,6 cm	42	140,11 mq
	Wooden Crate Kit Endless * (only for kit Endless) Cassa di Legno Kit Endless * (solo per kit Endless) Caisse en Bois Kit Endless * (que pour le Kit Endless) Holzbox Kit Endless * (nur für Endless Kit) Caja de Madera Kit Endless * (solo para el kit Endless) Деревянный Ящик для Kit Endless * (только для Kit Endless)	A6NZ	296x141x25(h) cm	65kg	120x278x0,6 cm	7	16,68 mq
	Wooden L-Frame per Atlas Concorde Pack 120x278 Cavalletto a L di Legno 120x278 L Chevalet en Bois L-Bock Holz L-Caballette de Madera Деревянная L-Опора	AX4Y	305x75x142(h) cm	40kg	120x278x0,6 cm	10	33,36
	Pallet AC Pack 120x278 Pallet AC Pack Palette AC Pack Palette AC Pack Paleta AC Pack Паллет AC Pack	HSD	293,5x141x15(h) cm	55kg	120x278x0,6 cm	10	33,36
	Atlas Concorde Pack 120x278	AX7I	293x3x130(h) cm	6 kg	120x278x0,6 cm	1	/
160x320 RT 162x324 159x324	Wooden Crate Cassa di legno Caisse en Bois Holzbox Caja de Madera Деревянный Ящик	IMCC	344x175x37(h) cm	139kg	160x320x0,6 cm	14	71,68 mq
	162x324x0,6 cm				14	73,48 mq	
	162x324x12 cm				8	40,96 mq	
	162x324x2,0 cm				4	20,99 mq	
	159x324x2,0 cm				4	20,60 mq	
	160x320x0,6 cm				42	215,04 mq	
	Wooden A-Frame Cavalletto di legno Chevalet en Bois A-Bock Holz Caballette de Madera Деревянная А-Опора	IMCG	330x75x195(h) cm	173kg	162x324x0,6 cm	42	220,45 mq
	162x324x12 cm				22	112,64 mq	
	162x324x2,0 cm				12	62,99 mq	
	159x324x2,0 cm				12	61,82 mq	
	160x320x0,6 cm				42	215,04 mq	
	162x324x0,6 cm				42	220,45 mq	
Iron A-Frame Cavalletto di ferro Chevalet en Fer A-Bock Metall Caballette de Hierro Металлическая Опора	IMCH	335x75x199(h) cm	155kg	162x324x12 cm	22	112,64 mq	
162x324x2,0 cm				12	62,99 mq		
159x324x2,0 cm				12	61,82 mq		
160x320x0,6 cm				-	-		
162x324x0,6 cm				-	-		
162x324x12 cm				18	94,50 mq		
162x324 159x324	Bundles Only from Verona warehouse	TRAP	-	30-40kg	162x324x2,0 cm	12	63,00 mq
					159x324x2,0 cm	12	61,82 mq

	20' Container – Container 20 piedi – Conteneur 20' – 20' Container – Contenedor de 20 pies – 20' Контейнер 5,90x2,32x2,35(h) m
1200x2400	nr. 11 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x2400 + 2 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1200x2400
1200x1200	nr. 12 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x1200 + 5 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1200x1200
1200x2780	nr. 6 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1200x2780
1200x2780	nr. 11 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x2780 + 2 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1200x2780
1200x2780 Pack in Lframe	nr. 3 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each) (+ 4 spaces – spazi – places – Leerzeichen – espacios – пробелов 80cmx120cm)
1600x3200	nr. 5 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1600x3200 (+ 4 spaces – spazi – places – Leerzeichen – espacios – пробелов 80cmx120 cm)
1600x3200	nr. 3 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1600x3200 (+ 4 spaces – spazi – places – Leerzeichen – espacios – пробелов 80cmx120cm)

	40' Container – Container 40 piedi – Conteneur 40' – 40' Container – Contenedor de 40 Pies – 40' Контейнер 11,90x2,32x2,35(h) m
1200x2400	nr. 12 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1200x2400
1200x2400	nr. 21 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x2400 + 4 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1200x2400
1200x1200	nr. 27 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x1200
1200x2780	nr. 12 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1200x2780
1200x2780	nr. 21 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x2780 + 4 stands – cavalletti – stands – chevalets – Anzahl A-Böcke – caballetes – количество опор 1200x2780
1200x2780 Pack in Lframe	nr. 9 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each) (+ 5 spaces – spazi – places – Leerzeichen – espacios – пробелов 80cmx120cm)
1600x3200	nr. 15 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1600x3200
1600x3200	nr. 9 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1600x3200

	Truck, maximum loadable weight – Camion, peso massimo caricabile – Camion, poids maximum chargeable LKW maximal ladbares Gewicht – Camión, peso máximo cargable – Грузовик, максимальная нагрузка	30 Ton.
1200x2400	nr. 25 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x2400	
1200x1200	nr. 24 crates – casse – crates – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x1200	
1200x2780	nr. 20 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1200x2780	
1200x2780 Pack in Lframe	nr. 12 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each)	
1600x3200	nr. 15 crates – casse – caisses – Anzahl Holzboxen – cajas – количество ящиков 1600x3200	
1600x3200	nr. 9 stands – cavalletti – chevalets – Anzahl A-Böcke – caballetes – количество опор 1600x3200	

The quantities loaded must take into account the weight (in order not to exceed the maximum weight limits). - Il calcolo deve tenere conto del peso (in modo da non eccedere i limiti di portata). - Le calcul doit prendre en compte le poids (afin de ne pas dépasser les limites). - Die Verpackungsanzahl muss für das Gesamtgewicht berücksichtigt werden. - El cálculo debe tener en cuenta el peso (para no exceder los límites de capacidad). - Необходимо учитывать общий вес (во избежание его превышения).

* "Leggera" Crate – Cassa "Leggera" – Caisse "Leggera" – Holzkiste "Leggera" – Cajones "Leggera" – Лёгкий ящик

General conditions of sale

1. FINALISATION OF THE CONTRACT

1.1. Every sales contract is governed by the main Conditions of Sale set out below. Under no circumstances shall the Seller be bound by any General Contract Terms of the Purchaser, even if they are referred to or incorporated in orders or any other document sent to the Seller, unless the latter has specifically agreed to them in writing.

1.2. The sales contract shall be considered finalised when: (i) **the Purchaser receives the Seller’s written confirmation of the order;** (ii) **if the confirmation sent by the Seller contains conditions that differ from the Order received from the Purchaser, when the latter accepts it in writing;** (iii) **if the Seller does not provide a written confirmation, when the Products are delivered and loaded by the Purchaser and/or the carrier assigned to collect them.**

1.3. The Purchaser is in agreement regarding the need to restrict its sales of the Seller’s Products to the country within which it, the Purchaser, is based. The Seller considers this rule essential in order to coordinate its sales policy and rationalise its distribution network, with offers better tailored to each country’s needs. The Purchaser acknowledges that this rule is also in its own best interests. **The Purchaser therefore undertakes to market the Products supplied by Ceramiche Atlas Concorde SpA only in its country of residence, refraining from promoting active sales, including online, with customers located in the territory of a country other than its own.** For triangular deals, this undertaking shall apply to the country for which the goods are actually destined. The Purchaser shall only resell the product outside its territory with written authorisation from the Seller, except for sales concerning non-first grade or discontinued Products.

1.4. In cases of force majeure, the Party affected by the event shall be relieved of its contractual obligations and of the consequences of its default (penalties, compensation for damages). Force majeure shall be construed as the occurrence of an event or circumstance (“Force Majeure Event”) that prevents one Party from fulfilling one or more contractual obligations, if, and to the extent to which, the Party under the impediment (“the Affected Party”) demonstrates: a) that the impediment is beyond its reasonable control; b) that it could not reasonably have been foreseen at the time of signing of the contract; and c) that the effects of the impediment could not reasonably have been avoided or overcome by the Affected Party. The Party affected by the Force Majeure Event shall notify the other Party in a timely manner in writing.

1.5. The Parties agree that should the performance of the sales contract become disproportionately burdensome for the Seller due to price increases or other extraordinary events beyond its control and not foreseeable at the time of signing, the latter may request the renegotiation of the contract in order to restore its original fair balance, or its termination. Examples of such non-foreseeable extraordinary events include significant changes in the prices of raw materials or utilities, wars, natural disasters, etc. The Seller shall notify the other Party of the event which has occurred and its intention to implement the clause without delay, also providing proof of the event’s existence and impact. The Parties undertake to cooperate in good faith to find a solution which allows the contract to be continued on fair terms or, if this is impossible, to proceed to terminate it.

2. SHIPPING AND DELIVERY TERMS

2.1. Unless otherwise agreed in the confirmation of order, Products shall be delivered ex-works.

2.2. Unless specifically requested and agreed prior to the Confirmation of Order, the Seller does not guarantee that orders for any single article are all shipped from the same production lot.

2.3. Delivery terms are guideline and any extension of them shall not entitle the Purchaser to claim compensation, under any circumstances.

2.4. If the Purchaser fails to collect the goods within 14 (fourteen) days after the date of the notice that they are ready, the Seller will be forced for reasons of space to return the goods to the storage facilities, thereby incurring additional costs; the Seller specifically reserves the right to charge these additional costs to the Purchaser.

For “custom”, i.e. bespoke, products under the “ATLAS CONCORDE HABITAT” brand only, the Purchaser is granted 40 days from notification that the goods are ready to arrange collection of the product. If the Purchaser fails to collect the goods within 40 days, the Seller shall hold the product at the Purchaser’s disposal for a further 20 days, after which the contract shall be considered rescinded and the Seller shall be entitled to a penalty in compensation for the damages incurred, set hereby as equal to the price of sale of the product; the Purchaser specifically waives all right to request reduction of this sum.

2.5. The Purchaser shall instruct the carrier to inspect the Products prior to loading and any objections concerning the state of the packaging and any discrepancies between the quantities loaded and those entered in the transport document shall be made at the time of loading and entered in all copies of the transport document. If no such entries are made, the Products loaded shall be considered to be undamaged and complete.

2.6. The Purchaser shall also instruct the carrier to check that the vehicle is suitable for the load in view of the nature of the Products, and to ensure that the goods are correctly loaded and stable, to prevent any breakages in transit and to comply with all safety provisions concerning the roadworthiness of the vehicle.

2.7. Directive 2006/112/EC lays down that a company which sells goods with destination inside the European Union to another company established in a Member State is not obliged to apply VAT; however, Implementing Regulation 2018/1912 requires the seller company to provide proof of receipt of the goods in the country of destination, to be obtained within 90 days after delivery. Under the aforesaid regulations, the Seller will bill goods with destination inside the EU to Purchasers established in an EU Member State without applying VAT, but will request its Purchasers to provide their full cooperation and in all cases to sign the Declaration of Receipt of the goods by the specified deadlines. In the event that the Purchaser fails to return the signed Declaration within 90 days after the sale, the Seller will have no option but to charge it VAT at the rate in force in Italy at the time, calculated on the value of the goods sold and the relative secondary charges. The Seller note that Ceramiche Atlas Concorde sends the request to sign the aforesaid Declaration via the Adobe Sign digital signature system, and the Purchaser is required to add its signature by this means.

3. PRODUCT CHARACTERISTICS

3.1. The Seller declares that the Products comply with the applicable Italian and EU regulations for their sector.

3.2. The Seller only guarantees the technical characteristics published on its website in the Technical Sheet document (at the links <https://www.atlasconcorde.com/en/download-area> and <https://www.atlasplan.com/en/download/>).

3.3. The intended use stated by the Seller is always purely guideline, since **the Purchaser is always responsible for assessing the product’s suitability for the specific conditions of use, considering the stresses and variables which may occur in the intended location and affect its characteristics**, such as intensity and type of a traffic (e.g. foot traffic with sand and debris present), any adverse weather conditions and any other situation to which the material may actually be exposed. **Any intended use different from and/or not compatible with the Seller’s recommendations stated in its General Catalogues available at <https://www.atlasconcorde.com/en/download-area>, or the specific conditions of use, shall in no way constitute a defect in the product’s quality and/or conformity, and therefore no conventional and/or legal warranty shall apply.**

3.4. Any illustrations and/or images of the Products which appear in the Seller’s websites, brochures, catalogues, price lists or similar documents are purely guideline and illustrative. Similarly, samples and models only provide guidance concerning the Products’ characteristics and are not binding on the Seller unless specifically referred to in the order confirmation as essential characteristics and/or qualities of the product. **Sales are therefore made “by Sample Type” and not “by Sample”.**

4. CLAIMS AND WARRANTY FOR FAULTS

4.1. Upon receipt of the Products, the Purchaser shall check them thoroughly, including the packaging, by means of a visual inspection carried out in accordance with point 9 of the UNI EN ISO 10545-2 standards. Approval inspection of the tiled surface prior to installation consists of a visual examination (with the naked eye or with glasses if usually worn) of the surface from a distance of 1.0 metres vertically to it, or a tactile examination if necessary.

4.2. While the acceptability limits enforced by the EN 14411 (ISO 13006) international standard shall apply in all cases, the Parties accept as Identifiable Faults those Product defects immediately visible on receipt of the goods which make the material unfit for purpose or significantly reduce its value, including, for example:

- surface defects;
- defects in decoration (drips, stains, mixing of colours, nonconformity of colour shade, etc.);
- dimensional defects (working size, flatness, thickness, perpendicularity- straightness of edges);
- structural defects (cracks, chips, etc.).

Hidden Faults shall include, for example:

- cracks at right angles to edges or crazing after installation (“flaking”) not due to incorrect cutting and installation after sale;
- tendency to stain, i.e. Products which retain dirt at an abnormal rate and are difficult to clean, not due to incorrect installation and/or maintenance;
- defects in shine, i.e. Products which with grazing light reflect the light differently to those next to them, said effect being unintentional and not identifiable by visual and/or tactile inspection.

4.3. The Seller’s warranty shall only apply if faults and defects are due to the product’s manufacturing process and shall be completely void if they arise from the post-delivery processing of the product, defined as, for example, any shaping, drilling and cutting of tiles or slabs and/or any activity necessary for their use and, in the event that defects occur even though both installation and processing are performed in strict compliance with the recommendations regarding the procedures to be adopted before and during installation provided in the document containing guidance on Installation, Use, Cleaning and Maintenance on the Seller’s website (<https://www.atlasconcorde.com/en/download-area>, “Technical Sheets” section) and with good practice. Guidance on the Installation, Use and Maintenance of “Atlas Plan” brand products can be requested directly from the Seller or downloaded using the QR code on the label affixed to the Product.

4.4. The warranty is limited only to first grade Products and shall only apply on condition that Identifiable Faults in the goods are reported with 8 (eight) days after delivery, while Hidden Faults must be reported within 8 (eight) days after discovery and the relative right expires one year after delivery.

4.5. In the event that the Purchaser detects Identifiable Faults, the whole lot of material must be kept at the Seller’s disposal.

4.6. If it is confirmed that the Product has Identifiable Faults, as defined in point 4.2, **the Seller shall replace the faulty Product with another one with the same or superior characteristics; should this not be possible, the Seller shall apply an appropriate price reduction. As an alternative, the Purchaser may return the faulty Products and shall then be entitled to a refund of the price paid plus the transport cost, with no compensation for any other direct and/or indirect damage.**

4.7. The Seller’s warranty shall be void if Products all or some of which are affected by Identifiable Faults have been installed and/or used and/or transformed in any way. **In this case, the Purchaser’s action (i.e. the installation and/or use and/or transformation) shall constitute acceptance of the Product “as is”; the Seller shall therefore not accept claims for Products that have already been installed and/or transformed and/or used, as this constitutes implicit acceptance of the Product.**

4.8. If it is confirmed that the Product has Hidden Faults, as defined in point 4.2, **the Seller’s warranty shall be limited to replacement of the material with another one with the same or superior characteristics, or if this is not possible to refund of the price paid plus freight costs. In all cases, the Seller’s warranty**

for any direct and/or indirect damage in any way caused by the faulty product shall be limited to an amount that shall not be greater than twice the selling price charged by the Seller, in relation only to those goods which are faulty.

4.9. In the event that the Purchaser resells the Product to parties who enjoy safeguards under consumer protection legislation (in Italy, Decree Law no. 206/2005), the Purchaser shall be responsible for the conditions applied, if different from those stated herein, and shall ensure that the consumer is able to exercise their rights in accordance with the remedies and terms established by the said legislation. If there are the grounds for the Purchaser to exercise the right of recourse and/or to make a claim against the Seller/ manufacturer, the said action shall be subject to the exemptions and limits contained in points 3.2 to 4.8. and points and 4.10., 4.11. and 4.12. herein.

4.10. Before handling the Products, the Purchaser shall check the packaging for damage and verify its strength. **For specific types of packaging** (for example, “Packaging for one or more slabs”, such as the “Atlas Concorde Pack” or “EasyPack”) **the Purchaser shall comply strictly with the instructions and precautions for handling and use marked on the said packaging and provided on the website at <https://lc.cx/dzwelC>.** The Seller does not accept any liability arising from failure to comply with the instructions and/or warnings, or for nonconforming use.

4.11. “Packaging for one or more slabs”, such as the “Atlas Concorde Pack” or “EasyPack”, **must only be used for the Seller’s Products.**

4.12. Products must be used and handled in accordance with the Seller’s instructions and all applicable regulations, especially those regarding safety. Using and/or processing and/or handling the Products without due care and/or incorrectly and/or without adopting the necessary precautions may cause serious personal injury and/or damage to property.

5. PAYMENTS

5.1. The Purchaser shall not suspend or delay payment for the material of which it has taken delivery for any reason, including claimed faults or defects in the material, except naturally for the right to request sums it can show that it has paid unduly.

5.2. For all legal intents and purposes the payment shall only be made to the Seller’s registered office, except with specific written authorisation.

5.3. Sums due to the Seller shall not be written off against claimed credits which are not agreed to and/or specifically recognised in writing.

6. CONTRACT LANGUAGE, APPLICABLE LAW, JURISDICTION AND AUTHORITY

6.1. The Contract and these Conditions are drafted in Italian, and in case of discrepancies with translations into other languages the Italian text shall prevail. The Italian text is available at the following link: <https://www.atlasconcorde.com/it/condizioni-general-di-vendita>.

6.2. Any disputes relating in any way to the supply of products shall be subject to Italian law and the jurisdiction of the Italian State.

6.3. The Law Court of Modena shall have sole territorial authority for the settlement of any dispute relating in any way to the supply of products, with all others excluded.

The Purchaser hereby confirms that the above general conditions have been negotiated with the Seller and declares that it has specifically read and approved those relating to the procedures for the finalisation of the contract (point 1.3.), claims and warranty for faults (points 4.6 and 4.8.), payments (point 5.1.) and contract language, applicable law, jurisdiction and authority (point 6.3.).

The General Sales Conditions (GSC) are subject to updates and/or amendments; it is therefore necessary to check on our website (www.atlasconcorde.com) and/or on the order confirmation for the updated version of the GSC in force from time to time.



Condizioni generali di vendita

1. MODALITA' DI CONCLUSIONE DEL CONTRATTO

1.1. Ogni contratto di vendita è disciplinato dalle seguenti principali Condizioni Generali. In nessun caso il Venditore sarà vincolato da eventuali Condizioni Generali di contratto dell'Acquirente, neanche qualora esse siano richiamate o riportate negli ordini o in qualsiasi altra documentazione trasmessa al Venditore, salvo il caso in cui quest'ultimo le abbia espressamente accettate per iscritto.

1.2. La vendita dovrà ritenersi conclusa nel momento in cui: (i) l'Acquirente riceva una conferma scritta dal Venditore conforme all'ordine; (ii) in caso di conferma inviata dal Venditore contenente condizioni difformi dall'Ordine ricevuto dall'Acquirente quando questi l'accetti per iscritto; (iii) in assenza di conferma scritta da parte del Venditore, nel momento in cui i Prodotti saranno consegnati e caricati dall'Acquirente e/o al vettore incaricato del ritiro.

1.3. L'Acquirente condivide l'esigenza di limitare al territorio nazionale le vendite di Prodotti del Venditore. Il Venditore ritiene questa regola elemento indispensabile per permettergli di coordinare la sua politica commerciale e razionalizzare la rete distributiva, con offerte più orientate alle necessità dei singoli Paesi. Parimenti, l'Acquirente riconosce che tale esigenza costituisce una tutela anche dei propri interessi. **L'Acquirente si obbliga quindi a commercializzare i Prodotti forniti da Ceramiche Atlas Concorde SpA esclusivamente nel suo Paese di residenza, astenendosi dal promuovere vendite attive, anche online, con clienti situati nel territorio di uno Stato diverso dal proprio.** Per le operazioni triangolari il presente obbligo si applica al Paese di effettiva destinazione finale della merce. L'Acquirente potrà rivendere il prodotto al di fuori dal proprio territorio nel caso in cui riceva autorizzazione per iscritto da parte del Venditore, o nel caso in cui la rivendita riguardi Prodotti non di prima scelta, oppure Prodotti fuori produzione.

1.4. Nei casi di forza maggiore, la Parte che subisce l'evento sarà esonerata dall'obbligo di adempiere la sua obbligazione contrattuale e non subirà le conseguenze dell'inadempimento (penali, risarcimento danni). Costituisce forza maggiore il verificarsi di un evento o circostanza ("Evento di Forza Maggiore") che impedisce ad una Parte di eseguire una o più obbligazioni contrattuali, se e nella misura in cui la Parte che subisce l'impedimento ("la Parte Interessata") prova: a) che l'impedimento è fuori dal suo ragionevole controllo; e b) che esso non avrebbe ragionevolmente potuto essere previsto al momento della conclusione del contratto; e c) che gli effetti dell'impedimento non avrebbero potuto essere ragionevolmente evitati o superati dalla Parte Interessata. La Parte che subisce l'Evento di Forza Maggiore deve darne tempestiva comunicazione scritta alla controparte.

1.5. Le Parti convengono che, qualora l'esecuzione del contratto di vendita diventi eccessivamente onerosa per il Venditore a causa di aumenti di costi o altri eventi straordinari e imprevedibili al momento della stipula del contratto, e che tali eventi siano al di fuori del controllo del Venditore, quest'ultimo potrà richiedere la rinegoziazione del contratto, al fine di ripristinare l'equilibrio contrattuale originario, o la risoluzione dello stesso.

A tal fine, si considerano eventi straordinari e imprevedibili, a titolo esemplificativo e non esaustivo, le seguenti circostanze: variazioni significative dei prezzi di materie prime, variazioni significative dei prezzi delle utenze, eventi bellici, catastrofi naturali, ecc. Il Venditore dovrà tempestivamente comunicare all'altra Parte l'evento sopravvenuto e la propria intenzione di avvalersi della clausola, fornendo prova dell'esistenza e dell'impatto dell'evento. Le Parti si impegnano a collaborare lealmente per trovare una soluzione che consenta la prosecuzione del contratto a condizioni eque, ovvero, in caso di impossibilità, a procedere alla risoluzione del contratto.

2. RESA E TERMINI DI SPEDIZIONE E CONSEGNA

2.1. Salvo patto contrario, che dovrà risultare dalla conferma dell'ordine, la fornitura dei Prodotti deve intendersi Franco Fabbrica del Venditore (resa "Ex Works").

2.2. Salvo specifiche richieste da concordare prima della Conferma d'Ordine, il Venditore non garantisce che l'ordine del singolo articolo venga evaso tutto con un medesimo lotto di produzione.

2.3. I termini di consegna sono da intendersi indicativi e la proroga di essi non può far maturare all'Acquirente alcun diritto a richiedere indennizzi, ogni eccezione rimossa.

2.4. Se, trascorsi 14 (quattordici) giorni dalla data di avviso di merce pronta, l'Acquirente non ritira il materiale, il Venditore sarà costretto per ragioni di spazio

a riportare il materiale a magazzino sostenendo costi supplementari; il Venditore si riserva espressamente di addebitare tali costi all'Acquirente.

Limitatamente ai Prodotti "fuori standard", quindi prodotti su misura, a marchio "ATLAS CONCORDE HABITAT", l'Acquirente ha tempo 40 giorni dall'avviso di merce pronta per provvedere al ritiro del prodotto; trascorsi 40 giorni senza l'avvenuto ritiro da parte dell'Acquirente, il Venditore manterrà il prodotto ancora a disposizione dell'Acquirente per un ulteriore periodo di 20 giorni, trascorsi inutilmente i quali il contratto si intenderà risolto, con diritto del Venditore al risarcimento dei danni quantificati fin da ora, a titolo di penale, nell'importo del prezzo di vendita del prodotto, con espressa rinuncia dell'Acquirente a chiederne la riduzione.

2.5. È compito dell'Acquirente incaricare il vettore di controllare i Prodotti prima del carico ed eventuali osservazioni relative all'integrità degli imballi ed alla corrispondenza delle quantità caricate a quelle indicate nel documento di trasporto dovranno essere segnalate all'atto del carico e riportate su tutte le copie del documento di trasporto; in assenza di tali annotazioni i Prodotti caricati si intendono integri e completi.

2.6. È altresì responsabilità dell'Acquirente incaricare il vettore di verificare che il mezzo sia idoneo al carico in relazione alla natura dei Prodotti e di verificare le modalità e la stabilità del carico affinché durante il trasporto non si verifichino rotture, ed affinché siano rispettate tutte le disposizioni di sicurezza riguardante la circolazione stradale dell'automezzo.

2.7. La Direttiva 2006/112/CE stabilisce che l'azienda che venda beni aventi destinazione all'interno dell'Unione Europea ad un'altra azienda con sede in uno Stato membro non sia tenuta all'applicazione dell'IVA; allo stesso tempo, però, il Regolamento di esecuzione UE 2018/1912, richiede all'azienda cedente la prova dell'avvenuta ricezione dei beni nel Paese di destinazione che deve essere ottenuta entro 90 giorni dalla consegna. Il Venditore, in conformità alle normative sopracitate, fatturerà agli Acquirenti aventi sede in uno Stato membro UE la merce destinata all'interno della UE senza applicazione di IVA, chiedendo però ai propri Acquirenti la massima collaborazione e, dunque, la sottoscrizione della Dichiarazione di avvenuta ricezione delle merci entro i termini previsti. Qualora l'Acquirente non restituisse entro 90 giorni dalla vendita la Dichiarazione firmata, il Venditore sarà costretto a riaddebitargli l'IVA tempo per tempo vigente in Italia calcolata sul valore della merce ceduta e sui relativi oneri accessori. Si ricorda che la richiesta di firma della Dichiarazione sopraindicata viene inviata da Ceramiche Atlas Concorde Spa tramite il sistema di firma elettronica di AdobeSign, e l'Acquirente è tenuto ad applicare la propria firma utilizzando tale modalità.

3. CARATTERISTICHE DEI PRODOTTI

3.1. Il Venditore dichiara che i Prodotti sono conformi alle norme italiane e comunitarie di settore ad essi applicabili.

3.2. Il Venditore garantisce soltanto le caratteristiche tecniche pubblicate sul sito internet nel documento: Schede Tecniche (ai link <https://www.atlasconcorde.com/it/download-area> e <https://www.atlasplan.com/it/download/>).

3.3. L'indicazione d'uso proposta dal Venditore è comunque da ritenersi indicativa perché **è sempre compito dell'Acquirente valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo in funzione delle sollecitazioni e delle variabili che si possono verificare nell'ambiente di destinazione alterandone le sue caratteristiche**, a titolo d'esempio, all'intensità del traffico, alla qualità del traffico (calpestio in presenza di sabbia, di detriti...), alle eventuali condizioni climatiche avverse e a qualsiasi altra situazione concreta a cui può essere esposto il materiale. **Una destinazione d'uso diversa e/o non compatibile con le indicazioni del Venditore specificate sui suoi Cataloghi Generali presenti al seguente link <https://www.atlasconcorde.com/it/download-area>, ovvero con le condizioni specifiche di utilizzo, non potranno in alcun modo integrare un difetto di qualità e/o di conformità del prodotto, con conseguente esclusione di qualsiasi garanzia convenzionale e/o legale.**

3.4. Le rappresentazioni e/o immagini riguardanti i Prodotti riportate in siti internet, brochure, cataloghi, listini prezzi o documenti similari del Venditore hanno valore indicativo ed illustrativo. Allo stesso modo i campioni e modelli rappresentano solo indicativamente le caratteristiche dei Prodotti e non

hanno valore impegnativo per il Venditore se non nella misura in cui siano espressamente menzionati nella conferma d'ordine come caratteristiche e/o qualità essenziali del prodotto. **La vendita si intende quindi effettuata "su Tipo di Campione", e non "su Campione".**

4. RECLAMI E GARANZIA PER VIZI

4.1. Al ricevimento dei Prodotti, l'Acquirente dovrà sottoporli ad accurato controllo, ivi compreso l'imballo, attraverso un esame visivo effettuato conformemente alle indicazioni riportate al punto 9 delle norme UNI EN ISO 10545-2. Il collaudo della superficie piastrellata prima della posa consiste in un esame visivo (ad occhio nudo o con occhiali se normalmente indossati) della superficie da una distanza di 1,0 metri in posizione verticale, ovvero in un esame tattile, ove necessario.

4.2. Fatti salvi i limiti di accettabilità previsti dalla norma internazionale EN 14411 (ISO 13006), le Parti riconoscono come Vizi Palesi i difetti dei Prodotti riscontrabili già al momento del loro ricevimento tali da rendere il materiale inidoneo all'uso o da diminuirne in modo apprezzabile il valore, a titolo esemplificativo e non esaustivo:

- difetti superficiali;
- difetti di decorazione (gocce, macchie, toni mescolati, fuori tono...etc.);
- difetti dimensionali (calibro, planarità, spessore, ortogonalità-rettilineità degli spigoli);
- difetti strutturali (crepe, sbecchature...etc.).

Vengono invece identificati quali Vizi Occulti, a titolo esemplificativo e non esaustivo:

- crepe ortogonali ai bordi o crepe superficiali dopo l'installazione ("esfoliazione"), non attribuibili ad una scorretta attività di taglio e posa successive alla vendita;
- macchiabilità, ossia Prodotti che trattengono in modo anomalo lo sporco e risultano essere di difficile pulibilità, non attribuibile ad una scorretta installazione e/o manutenzione;
- differenze di brillantezza, ossia Prodotti che in condizione di luce radente riflettono la luce in modo differente rispetto a quelli adiacenti, il cui effetto non era voluto e non era riscontrabile all'esame visivo e/o tattile.

4.3. La garanzia del Venditore viene prestata solo nel caso in cui i vizi e difetti siano imputabili al processo di fabbricazione del prodotto ma è da ritenersi del tutto esclusa se derivante dalla lavorazione del prodotto stesso intendendosi per tale, a titolo non esaustivo, qualsiasi attività di sagomatura, foratura e taglio delle piastrelle o delle lastre e/o qualsiasi attività necessaria alla loro utilizzazione, salvo che tanto la posa quanto la lavorazione avvengano attenendosi scrupolosamente alle raccomandazioni inerenti le attività da svolgere prima e durante la posa in opera indicate nel documento relativo ai suggerimenti di Posa, Uso, Pulizia e Manutenzione contenuto nel sito del Venditore al seguente link (<https://www.atlasconcorde.com/it/download-area>, sezione "Schede Tecniche") nonché alla regola d'arte e, nonostante ciò, i vizi si manifestino. I suggerimenti di Posa, Uso e Manutenzione dei prodotti a marchio "Atlas Plan" potranno essere richiesti direttamente al Venditore o scaricati attraverso il QR code indicato sull'etichetta presente sul Prodotto.

4.4. La garanzia è limitata ai soli Prodotti di prima scelta, e, a pena di decadenza dalla garanzia, i Vizi Palesi della merce devono essere denunciati entro 8 (otto) giorni dalla consegna, mentre i Vizi Occulti devono essere denunciati entro 8 (otto) giorni dalla scoperta, e la relativa azione si prescrive in un anno dalla consegna.

4.5. Nel caso l'Acquirente rilevi Vizi Palesi dovrà tenere a disposizione del Venditore l'intera partita di materiale.

4.6. Nel caso risulti accertato che il Prodotto manifesti **Vizi Palesi**, come definiti al punto 4.2., **il Venditore provvederà alla sostituzione del Prodotto difettoso con altro avente caratteristiche pari o superiori, o nel caso ciò non sia possibile ad una congrua riduzione del prezzo. In alternativa l'Acquirente avrà diritto, previa restituzione dei Prodotti viziati, al rimborso del prezzo pagato, maggiorato del costo del trasporto, con esclusione del risarcimento di ogni altro danno diretto e/o indiretto.**

4.7. La garanzia del Venditore deve ritenersi esclusa nel caso in cui il Prodotto affetto da Vizi Palesi (in tutto o in parte) sia stato posato e/o utilizzato e/o comunque trasformato. **In tal caso il comportamento dell'Acquirente (ossia la posa e/o l'utilizzo e/o la trasformazione) costituisce accettazione del Prodotto nello stato in cui si trova; il Venditore pertanto non accetta reclami per Prodotti già installati e/o trasformati e/o utilizzati, costituendo questo implicita accettazione del Prodotto.**

4.8. Nel caso risulti accertato che il Prodotto manifesti **Vizi Occulti**, come definiti al punto 4.2., **la garanzia del Venditore è limitata alla sostituzione del materiale con altro avente caratteristiche pari o superiori, e ove ciò non sia possibile al rimborso del prezzo pagato maggiorato del costo del trasporto. In ogni caso la garanzia del Venditore per ogni danno diretto e/o indiretto comunque originato dal prodotto difettoso, deve intendersi limitata ad una somma che non potrà superare il doppio del prezzo di vendita applicato dal Venditore in relazione alla sola parte della fornitura difettosa.**

4.9. Nel caso l'Acquirente rivenda il Prodotto a soggetti tutelati dal codice del consumo (d.l. n.206/2005) sarà responsabile delle condizioni praticate se difformi da quelle qui riportate e dovrà accertarsi che i diritti del consumatore siano esercitati nel rispetto dei rimedi e dei termini fissati da tale codice. Nel caso sussistano i presupposti, il diritto di regresso e/o comunque di rivalsa spettanti all'Acquirente verso il Venditore/produttore non potrà eccedere le esenzioni ed i limiti come fissati dai p.ti che vanno dal 3.2. al 4.8. e ai p.ti 4.10., 4.11. e 4.12..

4.10. Prima di movimentare i Prodotti l'Acquirente dovrà verificare l'integrità dell'imballaggio e la sua tenuta. **Per particolari tipologie di imballo** (ad esempio gli "Elementi per l'imballaggio di almeno una lastra", quali l'imballaggio "Atlas Concorde Pack", oppure l'imballaggio "EasyPack") **l'Acquirente dovrà attenersi scrupolosamente alle istruzioni ed avvertenze per la movimentazione e l'utilizzo riportate sullo stesso e sul sito internet al link <https://lc.cx/dzweiC>.** Il Venditore non risponde di eventuali danni dovuti al mancato rispetto delle istruzioni, e/o avvertenze, ovvero da un utilizzo non conforme.

4.11. L'utilizzo degli imballi "Elementi per l'imballaggio di almeno una lastra", quali l'imballaggio "Atlas Concorde Pack", oppure l'imballaggio "EasyPack", **è riservato esclusivamente ai Prodotti del Venditore.**

4.12. L'utilizzo e la movimentazione dei Prodotti deve avvenire nel rispetto delle istruzioni del Venditore e di tutte le normative applicabili, con particolare riguardo a quella sulla sicurezza. L'utilizzo e/o la lavorazione e/o la movimentazione incauti e/o scorretti e/o senza adottare le necessarie precauzioni e/o misure di sicurezza può causare gravi danni a persone e/o cose.

5. PAGAMENTI

5.1. Per nessun motivo, ivi compresi pretesi vizi o difetti del materiale, l'Acquirente potrà sospendere o ritardare il pagamento del materiale ritirato, salva naturalmente la facoltà di richiedere quanto possa dimostrare di avere indebitamente pagato.

5.2. Ad ogni effetto di legge il pagamento deve avvenire solo ed esclusivamente presso la sede del Venditore, salvo espressa deroga scritta.

5.3. È esclusa la compensazione di quanto dovuto al Venditore con asseriti crediti contestati e/o non espressamente riconosciuti per iscritto.

6. LINGUA DEL CONTRATTO, LEGGE APPLICABILE, GIURISDIZIONE E COMPETENZA

6.1. Il Contratto e le presenti Condizioni sono redatti in lingua Italiana, la quale prevarrà nel caso di divergenza con la traduzione in altre lingue.

6.2. La definizione di qualsiasi controversia comunque relativa alle forniture è soggetta alla legge e alla giurisdizione dello Stato Italiano.

6.3. La competenza territoriale per la definizione di qualsiasi controversia comunque relativa alle forniture viene devoluta in via esclusiva al Tribunale di Modena, con esclusione di ogni altro.

L'Acquirente conferma che le condizioni generali sopra riportate sono state negoziate con il Venditore e dichiara di averle lette e di approvare specificatamente quelle relative alle modalità di conclusione del contratto (sub 1.3.), ai reclami e garanzia per vizi (sub 4.6. e 4.8.), ai pagamenti (sub 5.1.) ed alla lingua del contratto, legge applicabile, giurisdizione e competenza (sub 6.3.).

Le Condizioni Generali di Vendita (CGDV) sono soggette ad aggiornamenti e/o modifiche; è pertanto necessario verificare sul nostro sito (www.atlasconcorde.com) e/o sulla conferma d'ordine la versione aggiornata delle CGDV in vigore tempo per tempo.

Notes

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications.

Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. – Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications – Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren – Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones – Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications.

I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. – Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif – Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten – Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos – Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist.

Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. – Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour – Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen – Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente – Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Ceramic products can have slight variations in tone. Check with the sales representative for the possibility of combining production lots, formats, decorations and special pieces.

Il prodotto ceramico può essere leggermente variabile in termini di toni. Verificare con il referente commerciale l'abbinabilità sia tra i lotti produttivi che tra i formati e i decori o i pezzi speciali. – Le produit céramique peut légèrement différer sur l'aspect de la couleur. Vérifier avec le référent commercial que l'assortiment soit entre les lots de fabrication qu'entre les formats et les décors ou les pièces spéciales – Im keramischen Produkt sind Abweichungen von Farbton möglich. Wenden Sie sich bitte an den Verkaufsleiter, um zu überprüfen, wie man die verschiedenen Posten, Formate, Dekore oder Spezialteile miteinander kombinieren kann – El producto cerámico puede variar levemente en lo que respecta a los tonos. Consulte con el representante de ventas la combinación entre los lotes producidos y entre los formatos y las decoraciones o las piezas especiales – Керамические изделия разных партий могут слегка отличаться по тону. Проверьте вместе с торговым представителем сочетаемость с изделиями других партий, а также с форматами, декоративными или специальными элементами.

The production sizes of special pieces in porcelain tiles may vary from the nominal sizes provided for in current standards (ISO 13006 – EN 14411 Annex G) for non-modular tiles.

Le dimensioni di fabbricazione dei pezzi speciali in gres porcellanato possono derogare dalle dimensioni nominali previste dalle normative vigenti (ISO 13006 – EN 14411 appendice G) per le piastrelle non modulari. – Les dimensions de fabrication des pièces spéciales en grès cérame peuvent déroger aux dimensions nominales prévues par les règlements en vigueur (ISO 13006 – EN 14411 annexe G) pour les carreaux non modulaires. | Die Produktionsmaße der Formteile aus Feinsteinzeug können für die nicht modularen Fliesenformate von den Sollmaßen der geltenden Normen (ISO 13006 – EN 14411 Anhang G) abweichen. – Los tamaños de fabricación de las piezas especiales de gres porcelánico pueden ser diferentes de las dimensiones nominales previstas por las normas vigentes (ISO 13006 – EN 14411 apéndice G) para las baldosas no modulares. – Производственные размеры специальных элементов из керамогранита могут отклоняться от номинальных размеров, предусмотренных действующими стандартами (ISO 13006 – EN 14411, Приложение G) для немодульных плиток.

The actual dimensions of the special pieces and the smaller pieces obtained by cutting porcelain tiles could deviate from the tolerances in the catalog, which instead for the rectified formats are guaranteed by Atlas Concorde.

Le dimensioni reali dei pezzi speciali e dei sottoformati ottenuti da tagli in gres porcellanato potrebbero derogare rispetto alla tolleranze presenti a catalogo garantite da Atlas Concorde sui formati rettificati. – Les dimensions réelles des pièces spéciales et des sous formats obtenus à partir des coupes en grès cérame pourraient varier par rapport aux tolérances présentes au catalogue garanties par Atlas Concorde sur les formats rectifiés. – Die tatsächlichen Abmessungen der Formstücke und der geschnittenen Unterformate aus Feinsteinzeug können von den im Katalog genannten, von Atlas Concorde für rektifizierte Formate garantierten Toleranzen abweichen. – Las dimensiones reales de las piezas especiales y de los subformatos obtenidos por cortes de gres porcelánico, podrían no cumplir con las tolerancias indicadas en el catálogo, garantizadas por Atlas Concorde para los formatos rectificados. – Фактические размеры специальных элементов и подформатов, полученных путем разрезания керамогранита, могут отклоняться от допусков, указанных в каталоге и гарантируемых компанией Atlas Concorde для ретифицированных форматов.

Copyright 2026 by Ceramiche Atlas Concorde S.p.A - The reproduction of the work, fully or in part, is strictly forbidden.


Copyright 2026 by Ceramiche Atlas Concorde S.p.A - È vietata la riproduzione, anche parziale, dell'opera in tutte le sue forme.

Copyright 2026 by Ceramiche Atlas Concorde S.p.A - Toute reproduction, même partielle, de l'oeuvre dans toutes ses formes est interdite.

Copyright 2026 by Ceramiche Atlas Concorde S.p.A - Die Reproduktion, ganz oder teilweise, des Werkes in all seinen Formen ist verboten.

Copyright 2026 by Ceramiche Atlas Concorde S.p.A - Está prohibida la reproducción, incluso parcial, de la obra en todas sus formas.

Copyright 2026 by Ceramiche Atlas Concorde S.p.A - Запрещается любое полное или частичное воспроизведение данной работы.



INDEX



PRODUCT
FINDER



SURFACE
RANGE



COMPANY



COLLECTIONS



LARGE SIZES



SLABS FOR
COUNTERTOPS
& FURNITURE



FURNITURE



FACADES



TECHNICAL
SPECIFICATIONS





atlasconcorde.com